



TM

VIC. HEAD OFFICE
201 - 205 Browns Road
Noble Park North VIC 3174
Telephone: 03 9795 4444
Toll Free: 1800 334 070
Facsimile: 03 9795 4966

NSW BRANCH
2 / 11 Deadman Road
Moorebank NSW 2170
Telephone: 02 9600 6600
Facsimile: 02 9600 9911

WA BRANCH
73-75 Catalano Circuit
Canning Vale WA 6155
Telephone: 08 9456 4044
Facsimile: 08 9456 4344

QLD BRANCH
50 Kingston Drive
Gaven QLD 4211
Telephone: 07 5500 0788
Facsimile: 07 5500 0799

DIAS ALUMINIUM PRODUCTS PTY. LTD.

MIRROR SURROUND

MIRROR FRAMING SYSTEM

PRODUCT SPECIFICATION



VIC HEAD OFFICE
201-205 Browns Road
Noble Park North VIC 3174
Telephone: 03 9795 4444
Toll Free: 1800 334 070
Facsimile: 03 9795 4966

NSW BRANCH
2 / 11 Deadman Road
Moorebank NSW 2170
Telephone: 02 9600 6600
Facsimile: 02 9600 9911

A.C.N. 006 422 500
WA BRANCH
73 - 75 Catalano Circuit
Canning Vale WA 6155
Telephone: 08 9456 4044
Facsimile: 08 9456 4344

A.B.N. 96 299 380 495
QLD BRANCH
50 Kingston Drive
Gaven QLD 4211
Telephone: 07 5500 0788
Facsimile: 07 5500 0799

PRODUCT SPECIFICATION SCHEDULE

Item Type:

EXTRUSION


Part Number:

MR2

Description:

Frameless Mirror Surround

Profile:



Purpose:

- **MR2: Frameless Mirror Surround** has been designed to be used in conjunction with **MR1: Mirror Mount "Z-Bar"** and **MRCS: Mirror Surround Corner Stake**, to provide a mirror framing system with a frameless appearance.
- **MR2: Frameless Mirror Surround** provides for a neat, cost effective and aesthetically pleasing alternative to the often messy and time consuming direct mounting of bevelled edge or flat polished mirrors to walls using adhesives. It facilitates the mounting of the mirror to the frame during the fabrication stage with the use of **SEK: Double Sided Tape**.
- **MR2: Frameless Mirror Surround** has been specifically designed for use with 4mm Mirror but will accept 6mm mirror with bevelled edges.

Colour Range:

LENGTH (MTR)	MATT NATURAL (MN)	MATT GOLD & BRONZE (MG) & (MB)	BRIGHT SATIN & NATURAL (BS) & (BN)	BRIGHT GOLD & BRONZE (BG) & (BB)	P/COAT (PC)
4.000	\$12.28	\$13.71	\$13.86	\$14.72	\$13.07

Price (Excl. GST):

Availability:

Ex Stock

Pack Size:

10 Lengths

Standard Length:

4.000 Metres

Other:

Cutting Details:

Deductions for Extrusion (MR2):

Height = Overall Height and Width = Overall Width
(Please note all ends to be mitre cut at 45°)

Deductions for Mirror Size:

Height = Overall Height - 4mm and Width = Overall Width - 4mm.

Please Note: All mirror edges require flat polishing.

Available ex-stock in Bright Natural (BN) and Matt Natural (MN).

All other standard and non-standard finishes are available upon request (lead time may apply) and to become ex-stock as demand requires.



VIC HEAD OFFICE
201-205 Browns Road
Noble Park North VIC 3174
Telephone: 03 9795 4444
Toll Free: 1800 334 070
Facsimile: 03 9795 4966


NSW BRANCH
2 / 11 Deadman Road
Moorebank NSW 2170
Telephone: 02 9600 6600
Facsimile: 02 9600 9911

A.C.N. 006 422 500
WA BRANCH
73 - 75 Catalano Circuit
Canning Vale WA 6155
Telephone: 08 9456 4044
Facsimile: 08 9456 4344

A.B.N. 96 299 380 495
QLD BRANCH
50 Kingston Drive
Gaven QLD 4211
Telephone: 07 5500 0788
Facsimile: 07 5500 0799

PRODUCT SPECIFICATION SCHEDULE

Item Type: EXTRUSION
Part Number: MR1
Description: Mirror Mount "Z-Bar"
Profile:



Purpose:

- **MR1: Mirror Mount "Z-Bar"** has been designed to be used in conjunction with the **MR2: Frameless Mirror Surround** and **MR4: Mirror Surround**, to create a secure and totally concealed mirror mounting system.
- Provides for secure mechanical fixing without the need for adhesives, allowing easy removal and alignment of the mirror frame if required.
- **MR1: Mirror Mount "Z-Bar"** can be used solely as a top mounting system. It can also be used as a dual mounting support for both top and bottom horizontal mirror frames if required.
- When used as a dual mounting support, **MR1: Mirror Mount "Z-Bar"** provides for a greater degree of fixing security (ie. mirror is fixed at two points) and also allows for the support of large and heavy mirrors.

Colour Range: Mill Finish (MF)
Price: ~~\$4.58~~ Per Length
Availability: Ex Stock
Pack Size: 8 Lengths
Standard Length: 4.000 Metres
Other:

- Deductions: Overall width of the mirror surround (W) - 160mm.
- Optimum wall mounting results are achieved by fixing **MR1: Mirror Mount "Z-Bar"** directly into the structural sub-frame (timber or metal studs, masonry, etc.) of the wall.



PRODUCT SPECIFICATION SCHEDULE

Item Type:

COMPONENT


Part Number:

C-MRCS

Description:

Mirror Surround Corner Stake

Profile:



Purpose:

- **MRCS: Mirror Surround Corner Stakes** have been designed to be used in conjunction with **MR2: Frameless Mirror Surround** and **MR4: Mirror Surround**, as a means of securing mitre cut corners in both of the above mirror frames.
- **MRCS: Mirror Surround Corner Stakes** help to create an extremely safe and secure corner in the mirror surround structure.
- **MRCS: Mirror Surround Corner Stakes** provide ample adjustment making the alignment of mitred joins a quick, simple and cost effective task.
- Securing of each corner is achieved by the tightening of two 6mm grub screws once the required alignment has been achieved.

Colour Range:

Galvanised, Pressed Steel

Price:

~~\$1.68 Per Set~~
(ie. each set consists of 1 x Backing Plate, 1 x Top Plate and 2 x 6mm Grub Screws).

Availability:

Ex Stock

Pack Size:

Single

Standard Length:

N/A

Other:

Please Note: 6mm Allen Key is required for MRCS: Mirror Surround Corner Stake adjustment.