# FOR PRODUCTS WITHIN SECTIONS 2, 3, 4, 5, 6 & 7 OF THIS UPDATED TECHNICAL PRODUCT GUIDE

PLEASE CONTACT
OUR SISTER COMPANY

S & L MANUFACTURING PTY LTD t/a

# MANUFACTURED FRAMELESS GLASS SYSTEMS

Unit 11 / 26-32 Abel Street Jamisontown 2750 Mon to Fri - Please Call First P: 02 4708 2563

manufactured@mfgs.com.au www.mfgs.com.au



MANUFACTURED FRAMELESS
GLASS SYSTEMS

Please turn page for more important information

# FOR PRODUCTS WITHIN SECTIONS 1, 8 & 9 OF THIS UPDATED TECHNICAL PRODUCT GUIDE

PLEASE CONTACT

# MODERN FRAMELESS GLASS SYSTEMS PTY LTD

# AT OUR NEW ADDRESS

Unit 2 / 55-57 Alexander Ave Taren Point 2229 Mon to Fri - 8am to 4pm P: 02 95223 3983

customer.service@mfgs.com.au www.mfgs.com.au



4
$( \cap$
П
0

1	BATHROOM HARDWARE	7	CANOPY HARDWARE
2	ANCHOR FIXINGS	8	BALUSTRADE & POOL FENCE HARDWARE
3	PIVOT DOOR HARDWARE	9	POOL GATE HARDWARE
4	SLIDING DOOR SYSTEMS	10	PRODUCT SURFACE CLEANING GUIDE
5	FOLDING DOOR SYSTEMS	11	PRODUCT BROCHURE
6	STACKING DOOR SYSTEMS	12	PRICE LIST

# INTENTIONALLY

LEFT

BLANK



#### FRAMELESS GLASS BATHROOM HARDWARE SUBSECTION INDEX

- 1.1 Modern Heavyweight Shower/Door Pivot & Hinges
- 1.2 Modern Super Heavyweight Shower Hinges
- 1.3 Bevelled Edge Heavyweight Shower Hinges
- 1.4 Crest Heavyweight Shower Hinges
- 1.5 Modern Lightweight Shower Hinges
- 1.6 Crest Lightweight Shower Hinges (Discontinued)
- 1.7 Privacy Latches
- 1.8 Modern Sliding Shower Kits
- 1.9 Modern Shower Brackets
- 1.10 Miscellaneous Shower Brackets
- 1.11 Crest Shower Brackets
- 1.12 Bracing Bars
- 1.13 Custom Length Bracing Bars
- 1.14 10mm Toughened Glass Shelves
- 1.15 Shower Handles & Knobs (Brass base material)
- 1.16 Stainless Steel Shower Handles & Finger Pulls
- 1.17 Robe Hooks, Toilet Roll Holders & Towel Rails
- 1.18 Channel, Angle, Water Deflector/Bar, Shower
  Hob & Waterseals

# INTENTIONALLY

LEFT

BLANK



customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE MFP1 Door Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Shower/Entry Door Pivot Polished & Brushed Satin Chrome Suitable for 10 & 12mm glass Polished & Satin Gold 55kg per set with 813mm maximum door width Matt Black Supplied with Hex head machine screws & Phillips Head fixing screws/plugs **Brushed Nickel** Door Pivot opens in & out. Self closing from approximately 30° Other finishes available by request Enquire with your glass company regarding distance from side of door to cutout Base material: Brass FRAMELESS GLASS BATHROOM HARDWARE MF1 5 to 7mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Wall Fix Hinge Polished & Brushed Satin Chrome Centre T mount plate with 4 wall fixing holes (double stud fixing recommended) Polished & Satin Gold Suitable for 10mm glass (adaptable to other thicknesses) Matt Black

**Brushed Nickel** 

Other finishes available by request

Base material: Brass

35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width

Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws

Hinges open in & out. Self closing from approximately 30°

Custom Angles may be available





**GLASS SYSTEMS** 

#### MF1-L3

#### FRAMELESS GLASS BATHROOM HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Wall Fix Hinge

- Single side mount plate with 3 wall fixing holes (double stud fixing recommended)
- Suitable for 10mm glass (adaptable to other thicknesses)
- 35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width
- Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws.
- Hinges open in & out. Self closing from approximately 30°
- Custom Angles may be available

#### **FINISHES**


- Polished & Brushed Satin Chrome
- Polished & Satin Gold
- Matt Black
- **Brushed Nickel**
- Other finishes available by request


Base material: Brass

#### MF1-L

# FRAMELESS GLASS BATHROOM HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Wall Fix Hinge

- Single side mount plate with 4 wall fixing holes (double stud fixing recommended)
- Suitable for 10mm glass (adaptable to other thicknesses)
- 35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width
- Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws.
- Hinges open in & out. Self closing from approximately 30°
- Custom Angles may be available

- Polished & Brushed Satin Chrome Polished & Satin Gold
- Matt Black

**FINISHES** 

- Brushed Nickel
- Other finishes available by request

Base material: Brass



customer.service@mfgs.com.au

# www.mfgs.com.au FRAMELESS GLASS BATHROOM HARDWARE MF1-XL 5 to 7mm Product Image Glass Preparation **Dimensions DETAILS FINISHES** Wall Fix Hinge Polished & Brushed Satin Chrome Extended mount plate with 4 wall fixing holes (double stud fixing recommended) Polished & Satin Gold Suitable for 10mm glass (adaptable to other thicknesses) Matt Black 35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width **Brushed Nickel**

#### FRAMELESS GLASS BATHROOM HARDWARE

Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws.

Hinges open in & out. Self closing from approximately 30°


MF1-90


Other finishes available by request

Base material: Brass



Custom Angles may be available





Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Wall Fix Hinge

- 90° mount plate with 4 wall fixing holes (stud fixing recommended)
- Suitable for 10mm glass (adaptable to other thicknesses)
- 35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width
- Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws.
- Hinges open in & out. Self closing from approximately 30°
- Notch required in corner behind hinge mounting plate

#### Polished & Brushed Satin Chrome

- Polished & Satin Gold
- Matt Black

**FINISHES** 


- **Brushed Nickel**
- Other finishes available by request

Base material: Brass

customer.service@mfgs.com.au




www.mfgs.com.au










**Dimensions** 



**FINISHES** 

#### Glass to Glass Fix Hinge

135° Angle

**DETAILS** 

- Suitable for 10mm glass (adaptable to other thicknesses)
- 35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width
- Supplied with Hex & Slotted Head machine screws
- Hinges open in & out. Self closing from approximately 30°
- Custom Angles available upon request but first see MF2-A5 on page 1.1e

#### Polished & Brushed Satin Chrome

- Polished & Satin Gold
- Matt Black
- Brushed Nickel

Glass Preparation

Other finishes available by request

Base material: Brass



customer.service@mfgs.com.au www.mfgs.com.au

### FRAMELESS GLASS BATHROOM HARDWARE MF2-A5 45 Polished Mitre to Side Panel Side Panel Door $\Theta$ R10 125°-165° NOTE!! 2 to 3mm Product Image Glass Preparation **Dimensions DETAILS FINISHES** Glass to Glass Fix Hinge Polished Chrome $A5 = 125^{\circ}-165^{\circ}$ in $5^{\circ}$ increments not including $135^{\circ}$ (see MF2-135 on page 1.1d) Other finishes available by request The Glass Preparation above may not apply to 125° & 130° Hinges Suitable for 10mm glass (adaptable to other thicknesses) Base Material: Brass 35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width Supplied with Hex & Slotted Head machine screws Custom Angles available upon request FRAMELESS GLASS BATHROOM HARDWARE MF2-90 Door Panel 2 to 3mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass to Glass Fix Hinge Polished Chrome 90° Angle Other finishes available by request Suitable for 10mm glass (adaptable to other thicknesses) 35kg per two hinges & 52.5kg per three hinges with 800mm maximum door width Base Material: Brass Supplied with Hex & Slotted Head machine screws

Hinges open in & out. Self closing from approximately 30°






# MF1-LBB/2


# FRAMELESS GLASS BATHROOM HARDWARE




Product Image



Dimensions





#### Glass Preparation

DETAILS	FINISHES
<ul> <li>Glass to Glass Fix Hinge</li> <li>Back to back MF1-L type hinges fixed through panel with 2 x Chicago Screws</li> <li>Suitable for 10mm glass (adaptable to other thicknesses)</li> <li>35kg per two hinges &amp; 52.5kg per three hinges each side with 800mm maximum door width each side.</li> <li>Supplied with Hex &amp; Slotted Head machine screws</li> </ul>	<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base Material: Brass</li> </ul>
Hinges open in & out. Self closing from approximately 30°	



**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au


### FRAMELESS GLASS BATHROOM HARDWARE MF2-BF 55 2 to 3mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass to Glass Bifold Hinge Polished & Brushed Satin Chrome 180° Angle Polished & Satin Gold Suitable for 10mm glass (adaptable to other thicknesses) Matt Black 35kg per two hinges with 800mm maximum door width **Brushed Nickel** Supplied with Hex & Slotted Head machine screws Other finishes available by request Hinges open one way Base material: Brass






## FRAMELESS GLASS BATHROOM HARDWARE






Product Image

**Dimensions** 



OR



#### Glass Preparation


# Wall Fix Hinge (Super Heavyweight) Centre T mount plate with 4 wall fixing holes (double stud fixing recommended) Suitable for 10mm & 12mm glass 50kg per two hinges & 63kg per three hinges with 914mm maximum door width Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws Hinges open in & out. Self closing from approximately 30° Two options for glass preparation Polished & Brushed Satin Chrome Polished & Brushed Nickel Brushed Nickel Other finishes available by request

customer.service@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS BATHROOM HARDWARE


MF2-SH






Product Image

**Dimensions** 





Glass Preparation

# DETAILS Glass to Glass Fix Hinge (Super Heavyweight) 180° Angle Suitable for 10mm & 12mm glass Suitable for 10mm & 12mm glass Supplied with Hex & Slotted Head machine screws Hinges open in & out. Self closing from approximately 30° Two options for glass preparation FINISHES Polished & Brushed Satin Chrome Matt Black Brushed Nickel Other finishes available by request Base material: Brass




MODERN FRAMELESS
GLASS SYSTEMS

## MF1-L3-SH


## FRAMELESS GLASS BATHROOM HARDWARE






Product Image

**Dimensions** 



OR



Base material: Brass

#### Glass Preparation

Two options for glass preparation

# Wall Fix Hinge (Super Heavyweight) Offset L mount plate with 3 wall fixing holes (double stud fixing recommended) Suitable for 10mm & 12mm glass 50kg per two hinges & 63kg per three hinges with 914mm maximum door width Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws Hinges open in & out. Self closing from approximately 30°

# INTENTIONALLY

LEFT

BLANK






#### BMF1-L3

# FRAMELESS GLASS BATHROOM HARDWARE




Custom angles may be available

Product Image



**Dimensions** 



Glass Preparation

#### DETAILS FINISHES

#### Wall Fix Hinge

- Single side mount plate with 3 wall fixing holes (double stud fixing recommended)
- Suitable for 10mm glass (adaptable to other thicknesses)

Hinges open in & out. Self closing from approximately 30°

- 35kg per two hinges & 52.5kg per three hinges with 800mm max door width
- Supplied with Hex & Slotted Head machine screws & 50mm wall fix screws.
- Hinges open in & out. Self closing from approximately 30°
- Custom angles may be available

- Polished Chrome
- Other finishes available by request

Base Material: Brass




customer.service@mfgs.com.au

# MODERN FRAMELESS www.mfgs.com.au **GLASS SYSTEMS** FRAMELESS GLASS BATHROOM HARDWARE BMF2 Side Panel Door 64 2 to 3mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass to Glass Fix Hinge Polished Chrome 180° Angle Other finishes available by request Suitable for 10mm glass (adaptable to other thicknesses) 35kg per two hinges & 52.5kg per three hinges with 800mm max door width Base Material: Brass Supplied with Hex & Slotted Head machine screws Hinges open in & out. Self closing from approximately 30° Custom angles may be available FRAMELESS GLASS BATHROOM HARDWARE BMF2-135 45 Polished Mitre to Side Panel Side Panel Door



### **Dimensions**



#### **DETAILS FINISHES**

#### Glass to Glass Fix Hinge

- 135° Angle
- Suitable for 10mm glass (adaptable to other thicknesses)
- 35kg per two hinges & 52.5kg per threee hinges with 800mm max door width
- Supplied with Hex & Slotted Head machine screws
- Hinges open in & out. Self closing from approximately 30°
- Custom angles may be available

- Polished Chrome
- Other finishes available by request

Base Material: Brass



MODERN FRAMELESS GLASS SYSTEMS

# BMF2-BF FRAMELESS GLASS BATHROOM HARDWARE 2 to 3mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass to Glass Bifold Hinge Polished Chrome 180° Angle Other finishes available by request Suitable for 10mm glass (adaptable to other thicknesses) 35 kg per two hinges & 52.5 kg per three hinges with 800 mm maximum doorBase Material: Brass width Supplied with Hex & Slotted Head machine screws Hinges open one way



customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE CHP1 Product Image Glass Preparation **DETAILS FINISHES** Shower/Entry Door Pivot Polished Chrome Suitable for 8mm & 10mm gla Brushed Satin Chrome 36kg per two pivots with 711mm max door width Polished Gold Supplied with Hex head machine screws Supplied with Phillips head fixing screws/plugs Base Material: Brass Enquire with your glass company regarding distance from side of door to cutout FRAMELESS GLASS BATHROOM HARDWARE CH<sub>1</sub> Door 63.5 5 to 7mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Wall Fix Hinge Polished Chrome Suitable for 8mm & 10mm glass Centre T mount plate with 4 wall fixing holes Base Material: Brass 36kg per two hinges with 800mm max door width 55kg per three hinges with 915mm max door width Supplied with Hex head machine screws Supplied with Phillips head fixing screws/plugs

com au M

customer.service@mfgs.com.au www.mfgs.com.au



MFG5



#### CH<sub>2</sub>


55kg per three hinges with 915mm max door width

Supplied with Hex head machine screws
Supplied with Phillips head fixing screws/plugs


#### FRAMELESS GLASS BATHROOM HARDWARE







Dimensions



Glass Preparation

#### DETAILS FINISHES

#### Glass to Glass Fix Hinge

- 180° Angle
- Suitable for 8mm & 10mm glass
- 36kg per two hinges with 800mm max door width
- 55kg per three hinges with 915mm max door width
- Supplied with Hex head machine screws

Polished Chrome


Base Material: Brass



customer.service@mfgs.com.au www.mfgs.com.au

### FRAMELESS GLASS BATHROOM HARDWARE CH2-135 45 Polished Back Mitre to Side Panel Side Panel Ø 20. Ø 20 63..5 59 65.5 \_\_\_\_ 2 to 3mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass to Glass Fix Hinge Polished Chrome 135° Angle Suitable for 8mm & 10mm glass Base Material: Brass 36kg per two hinges with 800mm max door width 55kg per three hinges with 915mm max door width Supplied with Hex head machine screws FRAMELESS GLASS BATHROOM HARDWARE CH2-90 Door Ø 20 15 2 to 3mm Product Image Glass Preparation **DETAILS FINISHES** Glass to Glass Fix Hinge Polished Chrome 90° Angle Brushed Satin Chrome Suitable for 8mm & 10mm glass Polished Gold 36kg per two hinges with 800mm max door width 55kg per three hinges with 915mm max door width Base Material: Brass Supplied with Hex head machine screws







## ML1-L3

### FRAMELESS GLASS BATHROOM HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### DETAILS

#### Wall Fix Hinge

- Suitable for 6mm & 8mm glass
- Single side mount plate with 3 wall fixing holes
- 25kg per two hinges & 37.5kg per three hinges with 700mm max door width
- Supplied with Hex head machine screws
- Hinges open in & out, self closing from approximately 25°

### Polished Chrome

Matt Black

**FINISHES** 

• Other finishes available by request

Base Material: Brass



MODERN FRAMELESS

customer.service@mfgs.com.au

# www.mfgs.com.au **GLASS SYSTEMS** FRAMELESS GLASS BATHROOM HARDWARE ML<sub>2</sub> Side Panel Door 2 to 3mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass to Glass Fix Hinge Polished Chrome Matt Black 180° Angle Suitable for 6mm & 8mm glass Other finishes available by request 25kg per two hinges & 37.5kg per three hinges with 700mm max door width Supplied with Hex head machine screws Base Material: Brass Hinges open in & out, self closing from approximately 25° FRAMELESS GLASS BATHROOM HARDWARE ML2-135 45° polished mitre to side panel 2 to 3mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES**

#### Glass to Glass Fix Hinge

- 135° Angle
- Suitable for 6mm & 8mm glass
- 25kg per two hinges & 37.5kg per three hinges with 700mm max door width
- Supplied with Hex head machine screws
- Hinges open in & out, self closing from approximately 25°

- Polished Chrome
- Matt Black
- Other finishes available by request

Base Material: Brass




MODERN FRAMELESS GLASS SYSTEMS

ML2-BF	FRAMELESS GLASS BATHROOM HARDWARE		
	45	015 \( \dots\)	
Product Image	Dimensions	Glass Preparation	
DETAILS		FINISHES	
Glass to Glass Fix Hinge  180° Angle  Suitable for 6mm & 8mm glass  550mm max door width & 20kg max door weight  Supplied with Hex head machine screws  Hinge open one way		<ul> <li>Polished Chrome</li> <li>Matt Black</li> <li>Other finishes available by request</li> <li>Base Material: Brass</li> </ul>	




customer.service@mfgs.com.au www.mfgs.com.au





MODERN FRAMELESS GLASS SYSTEMS










Base Material: Brass



# FRAMELESS GLASS BATHROOM HARDWARE MPL2 7-8mm clearance between glass panels Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Slide-on Glass to Glass Privacy Latch Polished Chrome Suitable for 8mm & 10mm glass Brushed Satin Chrome Supplied with glass keeper

7-8mm clearance required between glass panels



customer.service@mfgs.com.au www.mfgs.com.au

# **GLASS SYSTEMS** FRAMELESS GLASS BATHROOM HARDWARE **MP65** 5-6mm clearance 0 between glass & wall Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Slide-on Glass to Wall/Floor Lock Polished Chrome Suitable for 8mm & 10mm glass Brushed Nickel Supplied with wall keeper plate 5-6mm clearance required between glass & wall Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MFPL1 63.5 59 Ø11 3 to 5mm


Product Image	Dimensions 20	-	Glass Preparation
DETAILS			FINISHES
Pivot & Sliding Door Privacy Latch  Suitable for 8mm & 10mm glass  Supplied with keeper plate  Glass to wall			<ul> <li>Polished &amp; Brushed Satin Chrome</li> <li>Polished &amp; Satin Gold</li> <li>Matt Black</li> <li>Brushed Nickel</li> </ul> Base Material: Brass



MODERN FRAMELESS
GLASS SYSTEMS




customer.service@mfgs.com.au www.mfgs.com.au





MODERN FRAMELESS GLASS SYSTEMS



# INTENTIONALLY

LEFT


BLANK




MODERN FRAMELESS GLASS SYSTEMS




#### FRAMELESS GLASS BATHROOM HARDWARE











- Install fixed panel using your preferred method (brackets, channel, etc.)
- Install the centre of the mounting blocks from the ST01 Wall Brackets 12mm inside the fixed panel & inline with the centre of the holes on the fixed panel.
- Cut the rail to length allowing clearance either end for the mounting blocks inside the ST01 Wall Brackets.
- Slide 2 x ST02 Door Stops onto the rail, one at either end, followed by the ST01 Wall Bracket Sleeves.
- Install the rail onto the fixed panel & wall using the 2 x ST05 Button Fixings (remove extra nylon washer for 10mm glass) & slide the ST01 Wall Bracket Sleeves over the mounting blocks and tighten grubscrews.
- Install the ST04 Rollers to the door and hang door on the rail.
- 7. Install the ST04 Guides to the door and adjust in conjunction with the Rollers.
- Slide the ST02 Door Stops into position and tighten grub screws.
- Install ST03 Floor Guide onto bottom of fixed panel and under door.

DETAILS	FINISHES
<ul> <li>Modern Sliding Shower System - 2000mm Wall to Wall Fixing Set</li> <li>Suitable for 8mm &amp; 10mm glass</li> <li>45kg weight capacity</li> <li>3000mm Sliding Rail also available (ST08)</li> </ul>	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Other finishes available by request</li> </ul> Base Material: 304 Stainless Steel

MODERN FRAMELES
GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au


# FRAMELESS GLASS BATHROOM HARDWARE F001 TJ. P LF LM 60 L = 1150 mm to 2000/3000 mmP = L/21 2 LM = P + 60mmLF = L - P 100 LM-200 100 100 100 84 Ø15 Ø20 I 1 2


MODERN FRAMELESS
GLASS SYSTEMS

#### F002

Ø15


## FRAMELESS GLASS BATHROOM HARDWARE















- Install fixed & side panel using your preferred method (brackets, channel, etc.)
- Install the mounting block from the ST07 Bracket on the side panel.
- Install the centre of the mounting block from the ST01 Wall Bracket 12mm inside the fixed panel & inline with the centre of the holes on the fixed panel.
- Cut the rail to length allowing clearance either end for the mounting blocks inside the ST01 Wall Bracket & ST07 Side Panel Bracket.
- Slide 2 x ST02 Door Stops onto the rail, one at either end, followed by the ST01 Wall Bracket Sleeve & ST07 Side Panel Bracket Sleeve.
- Install the rail onto the fixed panel using the 2 x ST05 Button Fixings (remove extra nylon washer for 10mm glass). Slide the ST01 Wall Bracket Sleeve & ST07 Side Panel Bracket Sleeve over the mounting blocks and tighten grubscrews.
- Install the ST04 Rollers to the door and hang door
   on the rail.
- Install the ST04 Guides to the door and adjust in conjunction with the Rollers.
- Slide the ST02 Door Stops into position and tighten grub screws.
- Install ST03 Floor Guide onto bottom of fixed panel and under door.

# DETAILS Modern Slding Shower System - 2000mm Wall to Glass Fixing Set Suitable for 8mm & 10mm glass 45kg weight capacity Includes 1 x F001 & 1 x ST07 Includes 1 x F001 & 1 x ST07 Base Material: 304 Stainless Steel

customer.service@mfgs.com.au MODERN FRAMELESS www.mfgs.com.au **GLASS SYSTEMS** 


# FRAMELESS GLASS BATHROOM HARDWARE F002 P LF LM 60 L = 1150 mm to 2000/3000 mmP = L/2(2) 1 LM = P + 60mmLF = L - P LM-200 100 100 100 100 84 50-1 Ø15 I Ø20 1 2 8-H 20.5 84 Ø15 I 3




MODERN FRAMELESS
GLASS SYSTEMS



#### FRAMELESS GLASS BATHROOM HARDWARE



1 x ST06





- Install fixed & side panels using your preferred method (brackets, channel, etc.)
- Install the mounting blocks from the ST07 Bracket on the side panels.
- Cut the rail to length allowing clearance either end for the mounting blocks inside the ST07 Side Panel Brackets.
- Slide 2 x ST02 Door Stops onto the rail, one at either end, followed by the ST07 Side Panel Bracket Sleeves.
- Install the rail onto the fixed panel using the 2 x ST05 Button Fixings (remove extra nylon washer for 10mm glass). Slide the ST07 Side Panel Bracket Sleeves over the mounting blocks and tighten the grubscrews.
- Install the ST04 Rollers to the door and hang door on the rail.
- Install the ST04 Guides to the door and adjust in conjunction with the Rollers.
- Slide the ST02 Door Stops into position and tighten grub screws.
- Install ST03 Floor Guide onto bottom of fixed panel and under door.

# DETAILS 2000mm Glass to Glass Fixing Set • Suitable for 8mm & 10mm glass • 45kg weight capacity • Includes 1 x F001 & 2 x ST07 • 3000mm Sliding Rail also available (ST08) FINISHES • Polished • Satin • Matt Black • Other finishes available by request Base Material: 304 Stainless Steel

2 x ST07

MODERN FRAMELESS
GLASS SYSTEMS


customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE F003 T (P P LF LM 60 L = 1150 mm to 2000/3000 mmP = L/22 1 LM = P + 60mmLF = L - P LM-200 100 100 100 100 84 50-1 Ø15 ₩ 1 I Ø20 1 2 20.5 20.5 8 8 Ø15 Ø15 I I 3 4



Base Material: Brass

customer.service@mfgs.com.au www.mfgs.com.au MODERN FRAMELESS GLASS SYSTEMS





MODERN FRAMELESS GLASS SYSTEMS


GLASS STSTEMSgeteemad			
FRAMELESS GLAS	S BATHROOM HARDWARE		MBS90
	45 0 50 50 50		-31 - Ø18
Product Image	Dimensions	Glass Preparation	
DETAILS		FINISHE	S
90° Glass to Wall/Floor Bracket  Suitable for 10mm glass Full square backplate Supplied with Slotted & Hex Head machine screws Wall/Floor fix screws sold seperately		<ul> <li>Polished &amp; Brushed Satin Chrome</li> <li>Polished &amp; Satin Gold</li> <li>Matt Black</li> <li>Brushed Nickel</li> <li>Other finishes available by request</li> </ul> Base Material: Brass	
FRAMELESS GLAS	S BATHROOM HARDWARE		MBS90/B
	Other dimensions same as MBS90 above		-31 - Ø18
Product Image	Dimensions	Glass Pre	paration
DETAILS	•	FINISHE	S
<ul> <li>90° Glass to Wall/Floor Bracket</li> <li>Suitable for 10mm glass</li> <li>Button format</li> <li>Supplied with Slotted &amp; Hex Head ma</li> <li>Wall/Floor fix screws sold seperately</li> </ul>	chine screws	<ul><li>Polishe</li><li>Matt B</li><li>Brushe</li><li>Other f</li></ul>	ed & Brushed Satin Chrome ed & Satin Gold ack ed Nickel inishes available by request Base Material: Brass



Base Material: Brass

customer.service@mfgs.com.au www.mfgs.com.au MODERN FRAMELESS GLASS SYSTEMS

# FRAMELESS GLASS BATHROOM HARDWARE MBR90SF Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90° Glass to Wall/Floor Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full round backplate & short leg Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Wall/Floor fix screws sold seperately Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MBR90SF/B Other dimensions same as MBR90SF above






GLASS SYSTEMS

FRAMELESS GLAS	MBS90SF		
	50 45	+31 - Ø18	
Product Image	Dimensions	Glass Preparation	
DETAILS		FINISHES	
90° Glass to Wall/Floor Bracket  • Suitable for 10mm glass  • Full square backplate & short leg  • Supplied with Slotted & Hex Head machine screws  • Wall/Floor fix screws sold seperately		<ul> <li>Polished &amp; Brushed Satin Chrome</li> <li>Polished &amp; Satin Gold</li> <li>Matt Black</li> <li>Brushed Nickel</li> <li>Other finishes available by request</li> </ul> Base Material: Brass	
FRAMELESS GLAS	S BATHROOM HARDWARE	MBS90SF/B	
	Other dimensions same as MBS90SF above		
		-31 - Ø18 - 31 - 3	
Product Image	Dimensions	Glass Preparation	
Product Image  DETAILS	Dimensions	Glass Preparation FINISHES	









MBS9	0SFB
------	------

#### FRAMELESS GLASS BATHROOM HARDWARE







Please note: Hole position & wall clearance should be checked and possibly altered depending on application

Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS FINISHES** 90° Glass to Wall/Floor Bracket Suitable for 10mm glass Polished & Satin Gold

- Short square backplate & short leg
- Supplied with Slotted & Hex Head machine screws
- Wall/Floor fix screws sold seperately

- Polished & Brushed Satin Chrome
- Matt Black
- **Brushed Nickel**
- Other finishes available by request



MODERN FRAMELESS
GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BATHROOM HARDWARE MBR90SB Please note: Hole position & wall clearance should be checked and possibly altered depending on application Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90° Glass to Wall/Floor Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Short round backplate & full leg Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Wall/Floor fix screws sold seperately Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MBS90SB Please note: Hole position & wall clearance should be checked and possibly altered depending on application Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90° Glass to Wall/Floor Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Short square backplate & full leg Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Wall/Floor fix screws sold seperately Other finishes available by request Base Material: Brass





FRAMELESS GLASS BATHROOM HARDWARE **MBR135** ❿ Please note: Hole position & wall clearance should be checked and possibly altered depending on application Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 135° Glass to Wall Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full round backplate Matt Black

## MBR135/B


Wall fix screws sold seperately

Supplied with Slotted & Hex Head machine screws

#### FRAMELESS GLASS BATHROOM HARDWARE




Other dimensions same as MBR135 above



& wall clearance should be checked and possibly altered depending on application

Please note: Hole position

Dimensions



Other finishes available by request

Base Material: Brass

**Brushed Nickel** 

#### Product Image

**DETAILS** 

## 135° Glass to Wall Bracket

- Suitable for 10mm glass
- Button format
- Supplied with Slotted & Hex Head machine screws
- Wall fix screws sold seperately

#### **FINISHES**

- Polished & Brushed Satin Chrome
- Polished & Satin Gold
- Matt Black
- Brushed Nickel

Glass Preparation

• Other finishes available by request




**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BATHROOM HARDWARE **MBS135** ◍ Please note: Hole position & wall clearance should be checked and possibly altered depending on application Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 135° Glass to Wall Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full square backplate Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Wall fix screws sold seperately Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MBS135/B Other dimensions same as MBS135 above ◍ Please note: Hole position & wall clearance should be checked and possibly altered depending on application Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 135° Glass to Wall Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold **Button format** Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Wall fix screws sold seperately Other finishes available by request Base Material: Brass







### MBR180x150

#### FRAMELESS GLASS BATHROOM HARDWARE







Please note: Hole position & wall clearance should be checked and possibly altered depending on application

Product Image

**Dimensions** 

Glass Preparation

#### DETAILS

#### 180° Glass to Wall Bracket

- Suitable for 10mm glass
- Full round backplate
- Supplied with Slotted & Hex Head machine screws
- Wall fix screws sold seperately

#### FINISHES

- Polished Chrome
- Other finishes may be available



MODERN FRAMELESS

Wall fix screws sold seperately

customer.service@mfgs.com.au www.mfgs.com.au

#### **GLASS SYSTEMS** FRAMELESS GLASS BATHROOM HARDWARE MBR180/B Other dimensions same as MBR180 on previous page Ø30 Please note: Hole position & wall clearance should be checked and possibly altered depending on application Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 180° Glass to Wall Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Button format Matt Black Supplied with Slotted & Hex Head machine screws Brushed Nickel Wall fix screws sold seperately Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE **MBS180** 0 Please note: Hole position & wall clearance should be checked and possibly altered depending on application Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 180° Glass to Wall Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full square backplate Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel**

Other finishes available by request








## MBS180/B

Wall fix screws sold seperately

#### FRAMELESS GLASS BATHROOM HARDWARE



Other dimensions same as MBS180 on previous page



Please note: Hole position & wall clearance should be checked and possibly altered depending on application

Product Image Dimensions

-31 -- 018

Glass Preparation

#### DETAILS

#### 180° Glass to Wall Bracket

- Suitable for 10mm glass
- Button format
- Supplied with Slotted & Hex Head machine screws
- Wall fix screws sold seperately

#### **FINISHES**

- Polished & Brushed Satin Chrome
- Polished & Satin Gold
- Matt Black
- Brushed Nickel
- Other finishes available by request



MODERN FRAMELESS customer.service@mfgs.com.au www.mfgs.com.au

### FRAMELESS GLASS BATHROOM HARDWARE MBR90D 2mm Silcone Butt Joint Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90° Glass to Glass Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full round backplates Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MBR90D/B Other dimensions same as MBR90D above 2mm Silcone Butt Joint Ø30 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90° Glass to Glass Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Button format Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Other finishes available by request Base Material: Brass






## FRAMELESS GLASS BATHROOM HARDWARE MBS90D 2mm Silcone Butt Joint Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90° Glass to Glass Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full square backplates Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Other finishes available by request

## MBS90D/B

#### FRAMELESS GLASS BATHROOM HARDWARE




Other dimensions same as MBS90D above





Dimensions



Base Material: Brass

2mm Silcone Butt Joint

# Polished & Brushed Satin Chrome Suitable for 10mm glass Button format Supplied with Slotted & Hex Head machine screws FINISHES Polished & Brushed Satin Chrome Matt Black Brushed Nickel Other finishes available by request Base Material: Brass




**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BATHROOM HARDWARE **MBR135D** 22.5° Backmitres with 2mm Silcone Butt Joint Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 135° Glass to Glass Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full round backplates Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MBR135D/B Other dimensions same as MBR135D above 22.5° Backmitres with 2mm Silcone Ø30 ◍ Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 135° Glass to Glass Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Button format Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Other finishes available by request Base Material: Brass



MODERN FRAMELESS GLASS SYSTEMS




# MBS135D/B

#### FRAMELESS GLASS BATHROOM HARDWARE



Other dimensions same as MBS135D above



22.5° Backmitres with 2mm Silcone Butt Joint

Product Image

**Dimensions** 

Glass Preparation

# DETAILS 135° Glass to Glass Bracket • Suitable for 10mm glass • Button format • Supplied with Slotted & Hex Head machine screws Brushed Nickel • Other finishes available by request Base Material: Brass




**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

### FRAMELESS GLASS BATHROOM HARDWARE **MBR180D** 2mm Silcone Butt Joint Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 180° Glass to Glass Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Full round backplates Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MBR180D/B Other dimensions same 2mm Silcone as MBR180D above Butt Joint Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 180° Glass to Glass Bracket Polished & Brushed Satin Chrome Suitable for 10mm glass Polished & Satin Gold Button format Matt Black Supplied with Slotted & Hex Head machine screws **Brushed Nickel** Other finishes available by request Base Material: Brass








# MBS180D/B


# FRAMELESS GLASS BATHROOM HARDWARE



Other dimensions same as MBR180D above



Dimensions



Glass Preparation

#### Product Image

**DETAILS** 

#### 180° Glass to Glass Bracket

- Suitable for 10mm glass
- Button format
- Supplied with Slotted & Hex Head machine screws

#### **FINISHES**

- Polished & Brushed Satin Chrome
- Polished & Satin Gold
- Matt Black
- Brushed Nickel
- Other finishes available by request



MODERN FRAMELESS
GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE MBR90/180 Ø18 (TYP) R25 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90°/180° Glass to Glass Bracket Polished Chrome Suitable for 10mm glass Other finishes may be available Round shape Supplied with Slotted & Hex Head machine screws Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MBS90/180 Ø18 (TYP) Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90°/180° Glass to Glass Bracket Polished Chrome Suitable for 10mm glass Other finishes may be available Square shape Supplied with Slotted & Hex Head machine screws Base Material: Brass






# MBR90-A

### FRAMELESS GLASS BATHROOM HARDWARE



50 0 50



Please note: Hole position & wall clearance should be checked and possibly altered depending on application

Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Adjustable Angle Bracket

- Suitable for 10mm glass
- Full round backplate

#### **FINISHES**


- Polished Chrome
- Other finishes may be available


Base Material: Brass

#### MBS90-A

#### FRAMELESS GLASS BATHROOM HARDWARE







Please note: Hole position & wall clearance should be checked and possibly altered depending on application

Product Image

Dimensions

Glass Preparation

#### **DETAILS**

#### Adjustable Angle Bracket

- Suitable for 10mm glass
- Full square backplate

#### **FINISHES**

- Polished Chrome
- Other finishes may be available



FRAMELESS GLASS BATHROOM HARDWARE		E	MBS90-X
Product Image	Dimensions	Glass Pre	paration
DETAILS		FINISHE	S
90° Glass to Wall/Floor Bracket  Suitable for 10mm glass  Full square backplate to wall  Supplied with Slotted & Hex Head m.  Wall/Floor fix screws sold seperately		<ul><li>Polishe</li><li>Matt B</li><li>Brushe</li><li>Other</li></ul>	ed & Brushed Satin Chrome ed & Satin Gold lack ed Nickel finishes available by request Base Material: Brass

# INTENTIONALLY

LEFT

BLANK



FRAMELESS GLAS	S BATHROOM HARDWARE		MB6/8/10/12
	R25		2-3mm clearance between glass & wall
Product Image	Dimensions	Glass Preparation	
DETAILS		FINISHES	5
Half Round Shelf Bracket  Suitable for 6/8/10/12mm glass  One fixing hole		<ul> <li>Polished Chrome</li> <li>Brushed Satin Chrome (MB10 Only)</li> <li>Polished &amp; Satin Gold (MB10 Only)</li> <li>Matt Black (MB10 Only)</li> <li>Brushed Nickel (MB10 Only)</li> <li>Other finishes available by request Base Material: Brass</li> </ul>	
FRAMELESS GLAS	S BATHROOM HARDWARE		MBS6/8/10/12
	50 18 25		2-3mm clearance between glass & wall
Product Image	Dimensions	Glass Prep	aration
DETAILS		FINISHES	5
<ul> <li>Half Square Shelf Bracket</li> <li>Suitable for 6/8/10/12mm glass</li> <li>One fixing hole</li> </ul>		<ul><li>Brushed</li><li>Polished</li><li>Matt Bla</li><li>Brushed</li></ul>	d Chrome d Satin Chrome (MBS10 Only) d & Satin Gold (MBS10 Only) ack (MBS10 Only) d Nickel (MBS10 Only) nishes available by request





FRAMELESS GLASS BATHROOM HARDWARE **MB10B** Ø10mm Dia Hole (This allows a 1mm clearance to the edge of the backplate and bracket. A larger hole can be used but may be more noticeable) Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass Mounting Backplate for Shelf Brackets Polished & Brushed Satin Chrome Suitable for 6mm, 8mm, 10mm & 12mm glass Polished & Satin Gold Glass hole diameter: 10mm (this allows a 1mm clearance. A larger hole can be Matt Black used but may be more noticeable) **Brushed Nickel** Other finishes available by request Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MB10-3 4-5mm clearance between R32.5 glass & wall Product Image Glass Preparation **DETAILS FINISHES** Half Round Cambered Straight S Polished Chrome Suitable for 10mm glass Satin Chrome Comes with two fixing holes Polished Gold Other finishes may be available Base Material: Brass

FRAMELESS GLAS	SS BATHROOM HARDWARI		MB10-4	
	38 35 R22		4-5mm clearance between glass & wall	
Product Image	Dimensions	Glass Pre	eparation	
DETAILS		FINISH	FINISHES	
Horseshoe Cambered Straight Shelf Brack Suitable for 10mm Glass Two fixing holes & supplied with wall  FRAMFLESS GLAS		<ul><li>Polish</li><li>Matt E</li><li>Brush</li><li>Other</li></ul>	ned & Brushed Satin Chrome hed & Satin Gold Black hed Nickel finishes available by request Base Material: Brass	
	<del></del>		4-5mm	
	50	60	clearance	
	56		glass & wall	
Product Image	[Limenshare	Glass Pro	eparation	
Product Image  DETAILS  Adjustable Shelf Bracket	Dmension	Glass Pro	•	





Other finishes available by request





FRAMELESS GLASS BATHROOM HARDWARE			MB10HL
	19 10.5	g	2-3mm clearance between glass & surface
Product Image	Dimensions	Glass Preparation	
DETAILS		FINISHE	S
90° Round Glass to NIB Wall/Bath Bracket  Suitable for 10mm Glass  No hole required in glass		<ul><li>Polish</li><li>Matt E</li><li>Brush</li><li>Other</li></ul>	ed & Brushed Satin Chrome ed & Satin Gold lack ed Nickel finishes available by request Base Material: Brass
FRAMELESS GLAS	S BATHROOM HARDWARE		MBS10HL
	19 10.5	ω,	2-3mm clearance between glass & surface
Product Image	Dimensions	Glass Pre	paration
Product Image  DETAILS	Dimensions	Glass Pre	·









FRAMELESS GLASS BATHROOM HARDWARE		E	MBS10-3	
Product Image	Dimensions	Glass Pre	4-5mm clearance between glass & wall paration	
DETAILS		FINISHE	:S	
Tapered Rectangle Straight Shelf Bracket  Suitable for 10mm glass  Three fixing holes  For a round camber shaped bracket for page 1.10c	or straight shelves please see MB10-4 on	<ul><li>Polish</li><li>Matt E</li><li>Brush</li></ul>	ned & Brushed Satin Chrome ned & Satin Gold Black ned Nickel finishes available by request Base Material: Brass	

# INTENTIONALLY

LEFT

BLANK



MODERN FRAMELESS GLASS SYSTEMS

GLASS STSTEMS		
FRAMELESS GLASS BATHROOM HARDWARE		MBC90SF
	44.5	28 Ø16
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
90° Glass to Floor Bracket  Suitable for 6mm, 8mm & 10mm glass  Supplied with Hex Head machine screws & fixing screws/plugs  Short fixing leg		Polished Chrome  Base Material: Brass
FRAMELESS GLAS	S BATHROOM HARDWARE	MBC90-2
	51 48	
	19 19 44.5	28 - 016
Product Image	Dimensions	Glass Preparation
Product Image  DETAILS	19 19	Glass Preparation FINISHES



# FRAMELESS GLASS BATHROOM HARDWARE MBC90D Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 90° Glass to Glass Bracket Polished Chrome Suitable for 6mm, 8mm & 10mm glass Supplied with Hex Head machine screws Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE **MBC135** Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 135° Glass to Wall Bracket Polished Chrome Suitable for 6mm, 8mm & 10mm glass Supplied with Hex Head machine screws & fixing screws/plugs Base Material: Brass




FRAMELESS GLAS	SS BATHROOM HARDWARE	MBC135D
	3 51 51 44.5	22.5° Backmitres with 2mm Silcone Butt Joint  Ø16  36  36
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
<ul> <li>135° Glass to Glass Bracket</li> <li>Suitable for 6mm, 8mm &amp; 10mm glass</li> <li>Supplied with Hex Head machine screen</li> </ul>		Polished Chrome  Base Material: Brass
FRAMELESS GLAS	SS BATHROOM HARDWARE	1400400
		MBC180
	3 48 95	MBC180
Product Image	46	MBC180  -24
	3-48-95	-24- Ø16



Other finishes available by request

Base Material: Brass






FRAMELESS GLAS	SS BATHROOM HARDWARE		MDSW90
	25 mm 25mm		2-3mm clearance between glass panels
Product Image	Dimensions	Glass Pre	paration
DETAILS		FINISHE	ES
Shower Door Stop  • Suitable for 10mm Glass		<ul><li>Polish</li><li>Matt E</li><li>Brush</li><li>Other</li></ul>	ed & Brushed Satin Chrome ed & Satin Gold Black ed Nickel finishes available by request Base Material: Brass
FRAMELESS GLAS	SS BATHROOM HARDWARE		MDSG90L MDSG90R
MDSG90L	25mm 39mm 13mm		2-3mm clearance between glass panels
MDSG90R Product Image	Dimensions	Glass Pre	eparation
DETAILS		FINISHE	S
Shower Door Stop  • Suitable for 10mm Glass		<ul><li>Polish</li><li>Matt B</li></ul>	ed & Brushed Satin Chrome ed & Satin Gold Black ed Nickel







## Product Image Product Image Dimensions FRAMELESS GLASS BATHROOM HARDWARE FINISHES

Polished Chrome

Brushed Satin Chrome

Other finishes may be available


Base Material: Brass

Glass to Glass Bracing Bar - Round Section

Adjustable from 740mm to approx. 1350mm CTC

Supplied with metal grubscrews

MODERN FRAMELESS
GLASS SYSTEMS





MODERN FRAMELESS GLASS SYSTEMS







MODERN FRAMELESS
GLASS SYSTEMS





MODERN FRAMELESS
GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

### MGW90BBL FRAMELESS GLASS BATHROOM HARDWARE MGW90BBR 140.50 90.00 8,00 18.00 12.50 13.00 140.50 8.00 222.00 25.50 Product Image **Dimensions DETAILS FINISHES** 90° Glass to Wall Brace Polished & Satin Chrome L or R for Return Panel on Left or Right, looking at front of screen Polished & Satin Gold Hidden wall & glass fixing Matt Black Alternative to glass shelves and other bracing bars Brushed Nickel Other finishes may be available Base Material: 304 Stainless



MODERN FRAMELESS GLASS SYSTEMS

## MGWB300 FRAMELESS GLASS BATHROOM HARDWARE



540.5 297 - 500 268 Ø 19 25 0 0 25

Product Image


**Dimensions** 

DETAILS	FINISHES
<ul> <li>45° Glass to Wall Bracing Bar - Round Section</li> <li>Supplied with metal grubscrews</li> <li>Adjustable from 300mm to approx. 500mm</li> </ul>	<ul><li>Polished Chrome</li><li>Brushed Satin Chrome</li><li>Other finishes may be available</li></ul>
	Base Material: Brass

## MGWBS300

## FRAMELESS GLASS BATHROOM HARDWARE





Product Image

Dimensions

DETAILS	FINISHES
<ul> <li>45° Glass to Wall Bracing Bar - Square Section</li> <li>Supplied with metal grubscrews</li> <li>Adjustable from 300mm to approx. 500mm</li> </ul>	<ul> <li>Polished Chrome</li> <li>Brushed Satin Chrome</li> <li>Other finishes may be available</li> </ul>
	Base Material: Brass




MODERN FRAMELESS **GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS BATHROOM HARDWARE

CTLSB-T





Product Image

**Dimensions** 

### **DETAILS FINISHES**

### Cut to Length Square Tube

- For use with 2 x CTLSB-AC, to create glass to glass cut to length brace
- For use with CTLSB-AC & CTLSB-WC, to create glass to wall cut to length brace
- 19mm x 19mm x 1500mm

- Polished Chrome
- Brushed Satin Chrome
- Matt Black
- **Brushed Nickel**
- Other finishes may be available


Base Material: Brass

## FRAMELESS GLASS BATHROOM HARDWARE

CTLSB-AC







## **DETAILS FINISHES** Adjustable Glass Mount Connector

- For use with CTLSB-T to create glass to glass cut to length brace
- For use with CTLSB-T & CTLSB-WC to create glass to wall cut to length brace
- Adjustable to any angle
- Supplied with metal grubscrews

- Polished Chrome
- Brushed Satin Chrome
- Matt Black
- **Brushed Nickel**
- Other finishes may be available

Base Material: Brass



customer.service@mfgs.com.au

www.mfgs.com.au

## CTLSB-WC FRAMELESS GLASS BATHROOM HARDWARE 24 Product Image **Dimensions DETAILS FINISHES** Polished Chrome For use with CTLSB-T & CRLSB-AC to create a glass to wall cut to length brace Brushed Satin Chrome



MODERN FRAMELESS
GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

# Product Image DETAILS FINISHES MCB1 Custom Length Dimensions FINISHES


DETAILS	FINISHES
<ul> <li>Custom Length Glass to Glass Brace</li> <li>To suit 10mm glass</li> <li>Required size from inside of side panel to end of fixed panel</li> <li>Deduct 15mm from door height to clear brace</li> </ul>	<ul> <li>Polished Chrome</li> <li>Brushed Satin Chrome</li> <li>Polished Gold</li> <li>Other finishes may be available</li> </ul> Base Material: Brass

## Product Image Product Image

DETAILS	FINISHES
<ul> <li>Custom Length Glass to Wall Brace</li> <li>To suit 10mm glass</li> <li>Deduct 42mm from door height to clear brace, nothing if opening outwards only</li> <li>Required size between inside of side panel &amp; wall</li> <li>Ø10mm glass fixing hole 25mm down to centre from top edge of panel</li> </ul>	<ul> <li>Polished Chrome</li> <li>Brushed Satin Chrome</li> <li>Polished Gold</li> <li>Other finishes may be available</li> </ul>
	Base Material: Brass







DETAILS	FINISHES
<ul> <li>Custom Length Glass to Glass Brace</li> <li>To suit 10mm glass</li> <li>Deduct 15mm from door height to clear brace</li> <li>Required size from 45° back mitre to 45° back mitre</li> </ul>	<ul> <li>Polished Chrome</li> <li>Brushed Satin Chrome</li> <li>Polished Gold</li> <li>Other finishes may be available</li> <li>Base Material: Brass</li> </ul>

## Product Image Produc

DETAILS	FINISHES
<ul> <li>Custom Length Glass to Glass Brace</li> <li>To suit 10mm glass</li> <li>Deduct 15mm from door height to clear brace</li> <li>Required size from end of fixed panel to end of fixed panel</li> </ul>	<ul> <li>Polished Chrome</li> <li>Brushed Satin Chrome</li> <li>Polished Gold</li> <li>Other finishes may be available</li> <li>Base Material: Brass</li> </ul>

customer.service@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS BATHROOM HARDWARE MCB5 Product Image **Dimensions DETAILS FINISHES** Custom Length Glass to Wall Brace Polished Chrome To suit 10mm glass Brushed Satin Chrome Required size from end of fixed panel to wall Polished Gold Deduct 15mm from door height to clear brace Other finishes may be available Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE MCB6 Required Size **Dimensions** Product Image **DETAILS FINISHES** Custom Length Glass to Glass Brace Polished Chrome To suit 10mm glass Brushed Satin Chrome Required size from inside of side panel to wall Polished Gold Deduct 15mm from door height to clear brace Other finishes may be available

Base Material: Brass



MODERN FRAMELESS GLASS SYSTEMS

GS150	FRAMELESS	GLASS BATH	ROOM HARDWARE
			150 30 R150
Product Image		Dimensions	
DETAILS			FINISHES
150mm Radius Glass Corner S     10mm toughened glass     Flat polished edges     30 x 30 cutout from corn			● Clear
GSA200	FRAMELESS	GLASS BATH	ROOM HARDWARE
Product Image			00 30 00 00 00 00 00 00 00 00 00 00 00 0
DETAILS			FINISHES
200mm Angled Glass Corner S  10mm toughened glass Flat polished edges 30 x 30 cutout from corn			• Clear

Flat polished edges 30 x 30 cutout from corner

customer.service@mfgs.com.au www.mfgs.com.au


## FRAMELESS GLASS BATHROOM HARDWARE **GS200** 200 Product Image **Dimensions DETAILS FINISHES** 200mm Radius Glass Corner Shelf Clear 10mm toughened glass Ultra Clear Flat polished edges 30 x 30 cutout from corner FRAMELESS GLASS BATHROOM HARDWARE **GSS200 Dimensions** Product Image **DETAILS FINISHES** 200mm Radius Glass Corner Soap Shelf Clear 10mm toughened glass Ultra Clear Polished recessed area for soap with drainage hole

MODERN FRAMELESS GLASS SYSTEMS

## **GS250**

## FRAMELESS GLASS BATHROOM HARDWARE





Product Image


Dimensions

DETAILS	FINISHES
<ul> <li>250mm Radius Glass Corner Shelf</li> <li>10mm toughened glass</li> <li>Flat polished edges</li> <li>30 x 30 cutout from corner</li> </ul>	<ul><li>Clear</li><li>Ultra Clear</li></ul>

## **GSS250**

## FRAMELESS GLASS BATHROOM HARDWARE





Product Image

Dimensions


DETAILS	FINISHES
<ul> <li>250mm Radius Glass Corner Soap Shelf</li> <li>10mm toughened glass</li> <li>Polished recessed area for soap with drainage hole</li> <li>Flat polished edges</li> <li>30 x 30 cutout from corner</li> </ul>	Clear     Ultra Clear


customer.service@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS BATHROOM HARDWARE **GSA250** Product Image **Dimensions DETAILS FINISHES** 250mm Angled Glass Corner Shelf Clear • 10mm toughened glass Flat polished edges 30 x 30 cutout from corner FRAMELESS GLASS BATHROOM HARDWARE **GS300 Dimensions** Product Image **DETAILS FINISHES** 300mm Radius Glass Corner Shelf Clear 10mm toughened glass Flat polished edges 30 x 30 cutout from corner











customer.service@mfgs.com.au








MODERN FRAMELESS GLASS SYSTEMS customer.service@mfgs.com.au www.mfgs.com.au

## M152 FRAMELESS GLASS BATHROOM HARDWARE MS152 Door Edge 172.4 132.4 0 Product Image Glass Preparation **Dimensions DETAILS FINISHES** Double D Pull Handle Set Polished Stainless Steel To suit 10mm glass Brushed Satin Chrome Round & square tube Polished & Satin Gold Suitable for our Ultraclear Glass Shower Door Panels Matt Black **Brushed Nickel** Other finishes may be available Base material: Brass/Stainless Steel M152K FRAMELESS GLASS BATHROOM HARDWARE MS152K Door Edge Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** D Pull Handle & Knob Set Polished Stainless Steel To suit 10mm glass Brushed Satin Chrome Round & square tube Polished & Satin Gold Suitable for our Ultraclear Glass Shower Door Panels Matt Black **Brushed Nickel** Other finishes may be available Base material: Brass/Stainless Steel



MODERN FRAMELESS GLASS SYSTEMS



FRAMELESS GLAS	S BATHROOM HARDWARE		MFS150
Product Image  DETAILS  Fineline Double Pull Handle Set  • To suit 10mm glass  • Square solid section  • Custom sizes may be available  • See similar handle GTFS150/250 on page 1.50 miles	Dim nsion	<ul><li>Polishe</li><li>Other</li></ul>	
FRAMELESS GLAS	S BATHROOM HARDWARE		MK20
FRAMELESS GLAS	S BATHROOM HARDWARE		MK20
Product Image  DETAILS		Glass Pre	Ø10—Door Edge



gs.com.au MODERN FRAMELESS GLASS SYSTEMS

MK25	FRAMELESS GLASS BAT	HROOM HARDWARE
	43 43	Ø10—Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS	1	FINISHES
Big Groove Pull Knob Set  To suit 10mm glass		<ul> <li>Polished &amp; Brushed Satin Chrome</li> <li>Polished &amp; Satn Gold</li> <li>Matt Black</li> <li>Brushed Nickel</li> <li>Other finishes available by request</li> </ul> Base Material: Brass
MK25B	FRAMELESS GLASS BAT	HROOM HARDWARE
MK25B	FRAMELESS GLASS BAT	HROOM HARDWARE
MK25B  Product Image		80————————————————————————————————————
	43	Ø10—Door Edge



FRAMELESS GLAS	S BATHROOM HARDWARE	MK40
	30 30 225	Ø10—Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
<ul><li>Short Groove Pull Knob Set</li><li>To suit 10mm glass</li></ul>		<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base material: Brass</li> </ul>
FRAMELESS GLAS	S BATHROOM HARDWARE	MKS25
FRAMELESS GLAS	S BATHROOM HARDWARE	MKS25
	25	80————————————————————————————————————





MKS38	FRAMELESS GLASS BA	ATHROOM HARDWARE
	38	Ø10 Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS	·	FINISHES
Big Square Pull Knob Set  To suit 10mm glass		<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base Material: Brass</li> </ul>
MK38	FRAMELESS GLASS BA	ATHROOM HARDWARE
	50 50	Ø10 Door Edge
Product Image		©10 Door Edge
	50	



FRAMELESS GLAS	SS BATHROOM HARDWARE	MK60
	Ø38 Ø38 43	Ø10—Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
Cone Pull Knob Set  To suit 10mm glass		<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base material: Brass</li> </ul>
FRAMELESS GLAS	SS BATHROOM HARDWARE	MK241
FRAMELESS GLAS	SS BATHROOM HARDWARE	MK241
FRAMELESS GLAS  Product Image	Dimensions	80————————————————————————————————————
	032 1-25-1-25-1	Ø12  Door Edge



MODERN FRAMELESS GLASS SYSTEMS


MK311	MK311 FRAMELESS GLASS BATHROOM HARDWARE	
	Ø32 - 37 - 1 - 37 - 37	Ø12—Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS	·	FINISHES
Finger Pull Knob Set  To suit 10mm glass		<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base material: Brass</li> </ul>
MK401	FRAMELESS GLASS BATH	IROOM HARDWARE
	032	Ø12—Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
DETAILS		TINISTILS

FRAMELESS GLAS	S BATHROOM HARDWARE	MK402
BEBE	285 6 037 	Ø12—Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
<u>Little Dip Pull Knob Set</u> ■ To suit 10mm glass		<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base material: Brass</li> </ul>
FRAMELESS GLAS	S BATHROOM HARDWARE	MK403
	Ø30	Ø12—Door Edge
	40	
Product Image	Dimensions	Glass Preparation
Product Image  DETAILS	Dimensions	Glass Preparation FINISHES






MK30	FRAMELESS GLASS BAT	HROOM HARDWARE
	40	Ø12—Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
Deep Groove Pull Knob Set  To suit 10mm glass		<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base material: Brass</li> </ul>
MKS50	FRAMELESS GLASS BAT	HROOM HARDWARE
	70 24 7	May need to be slotted #126  Door Edge
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
Oblong Pull Handle Set  To suit 10mm glass		<ul> <li>Polished Chrome</li> <li>Other finishes available by request</li> <li>Base material: Brass</li> </ul>










MODERN FRAMELESS







Base material: 304 Stainless Steel






GLASS SYSTEMS WWW.mf	gs.com.au		
FRAMELESS GLA	ASS BATHROOM HARDWARE		GTRA250
	42		Door Edge
Product Image	Dimensions —— 20	Glass Pre	•
Rectangular Pull Handle Set  To suit 10mm glass Rectangular tube		<ul><li>FINISHE</li><li>Polishe</li><li>Satin</li></ul>	
		Base m	aterial: 304 Stainless Steel
Rectangular tube	ASS BATHROOM HARDWARE		cubix 25210
Rectangular tube	ASS BATHROOM HARDWARE		
Rectangular tube	25		CUBIX 25210    0
• Rectangular tube  FRAMELESS GLA	235		CUBIX 25210  BOOD Edge 210  paration



MODERN FRAMELESS
GLASS SYSTEMS




GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS BATHROOM HARDWARE

SDFP70





Product Image


Dimensions

DETAILS	FINISHES
Sliding Door Finger Pull  Suitable for 10/12mm Glass with a Ø55mm Hole	<ul><li>Polished</li><li>Satin</li></ul>
	Base material: 304 Stainless Steel

## FRAMELESS GLASS BATHROOM HARDWARE

SDFP60





Product Image

DETAILS	FINISHES
Sliding Door Finger Pull  ■ With blanking disk  ■ Suitable for 10mm glass with Ø50mm hole	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Other finishes may be available</li> <li>Base Material: 304 Stainless Steel</li> </ul>



MODERN FRAMELESS GLASS SYSTEMS

#### **RH19-B**

## FRAMELESS GLASS BATHROOM HARDWARE






Product Image

**Dimensions** 

DETAILS	FINISHES
Glass Mount Robe Hook  To suit 10mm glass  Button head glass fixing shown, Countersunk & Lagrew fixing also available  Supplied for glass mounting with Ø10mm hole	Polished  Base Material: 304 Stainless Steel

#### RH1

## FRAMELESS GLASS BATHROOM HARDWARE



Product Image

**DETAILS** 

FINISHES

#### Tow Ball Robe Hook

- To suit 10mm glass
- Supplied for glass mounting with Ø10mm hole

- Polished Chrome
- Satin Chrome

Base Material: Brass




**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS BATHROOM HARDWARE

**EX-105** 





Product Image


**Dimensions** 

DETAILS	FINISHES
Round Peg Robe Hook  To suit 10mm glass  Supplied for glass mounting with Ø10mm hole, but can also be wall mounted	Polished  Base Material: 304 Stainless Steel

## FRAMELESS GLASS BATHROOM HARDWARE

**RE-105** 






Product Image

DETAILS	FINISHES
<ul> <li>Square Peg Robe Hook</li> <li>To suit 10mm glass</li> <li>Supplied for glass mounting with Ø10mm hole, but can also be</li> </ul>	Polished     Base Material: 304 Stainless Steel



MODERN FRAMELESS
GLASS SYSTEMS




**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE

EX-1309





Product Image


Dimensions

DETAILS	FINISHES
<ul> <li>Exx Toilet Roll Holder</li> <li>To suit 10mm glass</li> <li>Supplied for glass mounting with Ø10mm hole, but can also be wall mounted</li> </ul>	Polished  Base Material: 304 Stainless Steel

## FRAMELESS GLASS BATHROOM HARDWARE

RE-1309






Product Image

DETAILS	FINISHES
<ul> <li>Retro Toilet Roll Holder</li> <li>To suit 10mm glass</li> <li>Supplied for glass mounting with 2 x Ø10mm holes at 60mm CTC spacing, but can also be wall mounted</li> </ul>	Polished Chrome  Base Material: Brass





# **GLASS SYSTEMS** FRAMELESS GLASS BATHROOM HARDWARE RE-0016/19 600/900 CTC Product Image **Dimensions DETAILS FINISHES** Retro Single Towel Rail Polished Chrome Supplied for glass mounting with Ø10mm holes, but can be wall mounted Base Material: Brass FRAMELESS GLASS BATHROOM HARDWARE RE-5016/19 600/900 CTC 115 **Dimensions** Product Image **DETAILS FINISHES** Retro Double Towel Rail Polished Chrome Supplied for glass mounting with Ø10mm holes, but can be wall mounted Base Material: Brass




MODERN FRAMELESS GLASS SYSTEMS

## MBS10RH

## FRAMELESS GLASS BATHROOM HARDWARE





Product Image


DETAILS	FINISHES
Modern MBS10 Robe Hook     Friction fit to top of 10mm frameless glass shower return or fixed panels     Suitable for retrofit     Grub screw tigntens onto the glass and also provided with double sided tape for extra security	<ul> <li>Polished &amp; Satin Chrome</li> <li>Polished &amp; Satin Gold</li> <li>Matt Black</li> <li>Brushed Nickel</li> <li>Other finishes may be available</li> </ul>
	Base Material: Brass

MODERN FRAMELESS

customer.service@mfgs.com.au www.mfgs.com.au

# GLASS SYSTEMS www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE MBS10TR Product Image




DETAILS	FINISHES
Modern MBS10 Towel Rail     Friction fit to top of 10mm frameless glass shower return panels     Suitable for retrofit     Grubscrew tightens onto glass and also provided with double sided tape for extra security	<ul> <li>Polished &amp; Satin Chrome</li> <li>Polished &amp; Satin Gold</li> <li>Matt Black</li> <li>Brushed Nickel</li> <li>Other finishes may be available</li> </ul> Base Material: Brass






Other finishes may be available

Base Material: Aluminium



# **GLASS SYSTEMS** FRAMELESS GLASS BATHROOM HARDWARE **HS18** Product Image Dimensions **DETAILS FINISHES Channel Section** Polished Silver Anodised 28mm x 18mm x 3000mm Natural Anodised Other finishes may be available Base Material: Aluminium **CS15** FRAMELESS GLASS BATHROOM HARDWARE





Product Image

DETAILS	FINISHES
Channel Section  ■ 15mm x 18mm x 2500mm	<ul> <li>Polished Silver Anodised</li> <li>Natural Anodised</li> <li>Matt Black</li> <li>Other finishes may be available</li> <li>Base Material: Aluminium</li> </ul>



CC15/18	FRAMELESS GLASS BATHROOM HARDWARE		
		15/18	
Product Image		Dimensions	
DETAILS		1	FINISHES
Channel End Cap  To suit CS15/18 Channel			<ul> <li>Polished Silver Anodised</li> <li>Natural Anodised</li> <li>Other finishes may be available</li> <li>Base Material: Aluminium</li> </ul>
CC45	FRAMELESS	GLASS BATH	ROOM HARDWARE
		18 1	25
Product Image		Dimensions	
DETAILS		1	FINISHES
<u>Channel End Cap</u> ■ To suit 45° mitre on CS18	Channel		<ul> <li>Polished Silver Anodised</li> <li>Natural Anodised</li> <li>Other finishes may be available</li> <li>Base Material: Aluminium</li> </ul>

**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE **AS18** Product Image **Dimensions DETAILS FINISHES Angle Section** Polished Silver Anodised • 18mm x 19mm x 2500mm Other finishes may be available Base Material: Aluminium FRAMELESS GLASS BATHROOM HARDWARE AS<sub>6</sub> **Dimensions** Product Image **DETAILS FINISHES Angle Section** Polished Silver Anodised • 18mm x 6mm x stock length 1400mm Other finishes may be available Base Material: Aluminium



MODERN FRAMELESS GLASS SYSTEMS





**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE **MWB10** Product Image **Dimensions DETAILS FINISHES** Offset Waterbar 20mm x 10mm x 2500mm Polished Silver Anodised Natural Anodised Matt Black Other finishes may be available Base Material: Aluminium MWS3 FRAMELESS GLASS BATHROOM HARDWARE **MWS3-1M Dimensions** Product Image **DETAILS FINISHES** Square Waterbar Natural Anodised (MWS3) 10mm x 10mm x 2500mm for Polished SilverAnodised Polished Silver Anodised (MWS3)

Polished & Satin Chrome

Matt Black (MWS3 & MWS3-1m)

Base Material: Aluminium/Brass


Polished & Satin Gold

Brushed Nickel

10mm x 10mm x 1000mm for other finishes to match shower hardware


the end should be sealed to prevent peeling of the finish over time

Due to the base material of the MWS3-1M being brass, when it is cut to length














MODERN FRAMELESS **GLASS SYSTEMS** 



DETAILS	FINISHES
<ul> <li>Clear Waterseal</li> <li>Rigid channel/90° leg &amp; rigid/flexible fin</li> <li>2200mm</li> <li>Suitable for 10mm glass</li> </ul>	Translucent  Base Material: PVC

# MWS6/10-5





Product Image **Dimensions** 

DETAILS	FINISHES
Clear Waterseal  Rigid channel & flexible fin  2200mm  Suitable for 6/10mm glass	Translucent  Base Material: PVC

MODERN FRAMELESS
GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE MWS10-6 Product Image **Dimensions DETAILS FINISHES** Clear Waterseal Translucent Rigid channel & flexible fin 2200mm Base Material: PVC Suitable for 10mm glass FRAMELESS GLASS BATHROOM HARDWARE MWS10-7 13 **Dimensions** Product Image **DETAILS FINISHES** Clear Waterseal Translucent • Rigid channel & flexible tube seal 2200mm Base Material: PVC Suitable for 10mm glass








#### FRAMELESS GLASS BATHROOM HARDWARE





Product Image

**Dimensions** 

DETAILS	FINISHES
---------	----------

#### Clear Waterseal

- Rigid channel & 135° rigid/flexible fin
- 2200mm
- Suitable for 10mm glass


• Translucent

Base Material: PVC

## MWS6/8/10-10

## FRAMELESS GLASS BATHROOM HARDWARE





Product Image

DETAILS	FINISHES
<ul> <li>Clear Waterseal</li> <li>Rigid channel/water deflector &amp; dual flexible fins</li> <li>2200mm</li> <li>Suitable for 6/8/10mm glass</li> </ul>	Translucent  Base Material: PVC




MODERN FRAMELESS
GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BATHROOM HARDWARE MWS6/8/10-12 - 22/24/27 --5 h 9/11/12 10/14/12 Product Image **Dimensions DETAILS FINISHES** Clear Waterseal Translucent Rigid channel & 180° flexible leg 2200mm Base Material: PVC Suitable for 6/8/10mm glass FRAMELESS GLASS BATHROOM HARDWARE MWS10-13 13 **Dimensions** Product Image **DETAILS FINISHES** Clear Waterseal Translucent Rigid channel & bubble seal 2200mm Base Material: PVC Suitable for 10mm glass



MODERN FRAMELESS
GLASS SYSTEMS





**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS BATHROOM HARDWARE MWS6-90/180 - 10.99 -1.1 22.5 Product Image **Dimensions FINISHES DETAILS** Modern Magnetic Waterseal Translucent Plastic 90° or 180° Glass to Glass Magnetic Seal Black Magnet 2100mm Suitable for 6mm glass Base Material: PVC Ideal for sliding entry shower screens to keep doors closed when showering (keeping the water in) Black magnet perfect for matching with black hardware or perimeter frame

# INTENTIONALLY

LEFT

BLANK



# E manufactured@mfgs.com.au www.mfgs.com.au

P 02 4708 2563



#### FRAMELESS GLASS ANCHOR FIXINGS SUBSECTION INDEX

- 2.1 Uncovered / Covered Countersunk Bushes
- 2.2 Double Button Head & Thread
  Button Head & Thread
  Button Head & Lagscrew
- 2.3 Covered Countersunk / Button Head Anchors

# INTENTIONALLY

LEFT

BLANK

**S&L** MANUFACTURING t/a PTY LTD



#### E manufactured@mfgs.com.au


www.mfgs.com.au



#### FRAMELESS GLASS ANCHOR FIXINGS


#### **Uncovered Csk Bushes**





SETSCREW & BUSH	BUSH ONLY	Α	В	GLASS THICKNESS
M6UCB6	UCB6	18mm	10mm	8/10mm
M8UCB8	UCB8	20mm	12mm	8/10/12mm
M10UCB10	UCB10	24mm	16mm	8/10/12mm
M12UCB12	UCB12	28mm	18mm	10/12/15mm

Glass Preparation



Product Image

#### **DETAILS FINISHES** 50mm Countersunk Socket Screw & Bush or Bush Only

- Also available with countersunk woodscrew
- White bush also available
- 5mm & 10mm Spacers available POA


- Black bush
- Satin socket screw

Base material: Nylon bush 304 stainless steel screw

#### FRAMELESS GLASS ANCHOR FIXINGS


#### **Covered Csk Bushes**





Glass Preparation

SETSCREW, BUSH & COVER	BUSH & COVER ONLY	A	В	GLASS THICKNESS
M4CCB4	CCB4	16mm	7mm	6mm
M6CCB6	CCB6	22mm	10mm	8/10mm
м8ССВ8	CCB8	26mm	14mm	8/10/12mm
M10CCB10	CCB10	30mm	18mm	10/12/15mm



Product Image

## **DETAILS**

50mm Countersunk Socket Screw with Covered Bush or Covered Bush Only

- Also available with countersunk woodscrew
- 5mm & 10mm Spacers available POA

#### **FINISHES**

- Black bush
- Satin socket screw

Base material: Nylon bush 304 stainless steel screw



E manufactured@mfgs.com.au www.mfgs.com.au

MANUFACTURING t/a
PTY LTD

**S&L** 




Double Button Head & Thread

#### FRAMELESS GLASS ANCHOR FIXINGS



PRODUCT CODE Ø GLASS HOLE DB19-X 19mm М6 10mm DB25-X 25mm DB32-X 32mm M10 20mm DB38-X 38mm DB50-X M12 50mm 22mm

Glass Preparation



Product Image

**Dimensions** 

DETAILS FINISHES

#### **Double Button Head & Thread**

- "X" in code is required length of thread between button heads when tightened
- Supplied with plastic sleeve & 2 nylon washers
- 5mm & 10mm Spacers available (POA)
- Thread (B) in table can be supplied in alternate size by request (POA)

Polished

Satin

Base material: 304 or 316 Stainless Steel Plastic Sleeve Nylon Washers

#### Button Head & Thread

#### FRAMELESS GLASS ANCHOR FIXINGS



-

PRODUCT CODE Ø GLASS HOLE BT19-Y 19mm 10mm BT25-Y 25mm BT32-Y 32mm M10 20mm BT38-Y 38mm BT50-Y M12 22mm

Glass Preparation

10mm B ØA

Product Image

**DETAILS** 

ct Image Dimensions

- <u>Button Head & Thread</u>
  "Y" in code is required length of threaded rod from button head.
- Stock length of threaded rod is 18mm
- Supplied with plastic sleeve & 2 nylon washers
- 5mm & 10mm Spacers available (POA)
- Thread (B) in table can be supplied in alternate size by request (POA)

#### FINISHES

- Polished
- Satin

Base material: 304 or 316 Stainless Steel Plastic Sleeve Nylon Washers S & L

MANUFACTURING t/a

PTY LTD



E manufactured@mfgs.com.au

3 YEAR HARDWARE

www.mfgs.com.au


#### FRAMELESS GLASS ANCHOR FIXINGS

Button Head & Lagscrew



Z MINIMUM Ø GLASS HOLE PRODUCT CODE Α 19mm BL19-Z М6 25mm 10mm BL25-Z 25mm BL32-Z 32mm 30mm 20mm BL38-Z 38mm 50mm BL50-Z 22mm 50mm

Glass Preparation



Product Image

**Dimensions** 

DETAILS	FINISHES

#### Button Head & Lag Screw

- Replace "Z" in code with required length of lag screw from button head
- Supplied with plastic sleeve & 2 nylon washers
- Maximum lag screw length 55mm for M6
- 5mm & 10mm Spacers available (POA)
- Lagscrew (B) in table can be supplied in alternate size by request (POA)
- Polished
- Satin

Base material: 304 or 316 Stainless Steel Plastic Sleeve Nylon Washers

#### FRAMELESS GLASS ANCHOR FIXINGS

**MB19S** 



Glass Preparation

019 mm x mm Byton Head with Countersunk Bush

Glass Hole Size Ø10mm

Product Image

DETAILS

19mm Buttonhead with Bush & Street

D mensions

FINISHES

• Satin

Base material: 316 Stainless Steel Plastic Bush E manufactured@mfgs.com.au

MANUFACTURING t/a **PTY LTD** 

**S&L** 

MANUFACTURED FRAMELESS **GLASS SYSTEMS** 

www.mfgs.com.au

#### **Covered Csk** FRAMELESS GLASS ANCHOR FIXINGS **Anchors** PRODUCT CODE BUSH D 10mm GSCC-19xC 19mm 20mm CCB6 M6 x 50mm 22mm 10mm 30mm 40mm GSCC-25xC 25mm 50mm Glass Preparation GSCC-32xC M10 x 50mm CCB10 30mm As Above 32mm ØE Product Image **Dimensions**

#### **DETAILS FINISHES**

#### Covered Countersunk Anchors

- Also available with 25mm Lagscrew
- Various fixings available including flat washers, spring washers, hex nuts, dome nuts, spring toggles, hollow wall anchors, masonary anchors.
- 5mm Spacers available (POA)
- Thread (D) in table can be supplied in alternate size by request (POA)
- Black bush Translucent Washer
- Polished SS
- Satin SS


Base material: Nylon bush & Washer 304 stainless steel

#### **Button Head Anchors**

# FRAMELESS GLASS ANCHOR FIXINGS



PRODUCT CODE Ø GLASS HOLE В С 10mm GSBH-19xA 19mm 20mm 10mm 30mm M6 x 50mm 40mm GSBH-25xA 25mm 50mm Glass Preparation M10 x 50mm GSBH-32xA As Above 32mm 20mm



Product Image

**DETAILS** 

## **Button Head Anchors**

- Also available with 25mm Lagscrew
- 5mm Spacers also available (POA)
- Thread (B) in table can be supplied in alternate size by request (POA)

#### **FINISHES**

- Translucent Washers
- Polished SS
- Satin SS

Base material: Nylon Washers Plastic Sleeve 304 or 316 stainless steel

www.mfgs.com.au



# FRAMELESS GLASS PIVOT DOOR HARDWARE INDEX

- 3.1 Patch Fittings
- 3.2 Door Straps, Floor Pivots & Packers
- 3.3 G-Tech Glass Connectors
- 3.4 Fin Root Brackets
- 3.5 Pivot Poles
- 3.6 Cabinet Pivots, Handle & Latch
- 3.7 Austvision Spider Pivots
- 3.8 Austvision Spider Fittings
- 3.9 Slide-on & Standard Patch Bolts/Locks
- 3.10 Security Patch Locks & Lever Locks/Latch Sets
- 3.11 GCC/Metro Door Rails
- 3.12 Floor Springs & Concealed Overhead Closers
- 3.13 Geze Floor Springs & Extended Spindles
- 3.14 Ozone Hydraulic Patch Fittings
- 3.15 Biloba Hydraulic Door Hinges
- 3.16 Pull Handles
- 3.17 Door Seals
- 3.18 Patch Fitting & Door Rail Application Guide

# INTENTIONALLY

LEFT

BLANK

PTY LTD

#### P 02 4708 2563


# E manufactured@mfgs.com.au www.mfgs.com.au



## FRAMELESS GLASS PIVOT DOOR HARDWARE

9118/9





Product Image


**Dimensions** 

DETAILS	FINISHES
Wind Down Top Pivot Set  ■ Adjustable top centre with Ø15mm pin	Satin Cover Plate  Base material: Aluminium & Steel

## FRAMELESS GLASS PIVOT DOOR HARDWARE

**MP24** 





Product Image

DETAILS	FINISHES
Top Pivot with mounting plate	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> </ul> Base material: 304 Stainless Steel



E manufactured@mfgs.com.au www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD




**MP40** 

## FRAMELESS GLASS PIVOT DOOR HARDWARE



#### Glass Preparation





Product Image

DETAILS	FINISHES
Overpanel / Side Panel Patch with Top Pivot  Suitable for 10/12mm glass  MPSI stop insert suitable for this pivot patch	<ul> <li>Polished</li> <li>Satin</li> <li>Natural Anodised</li> <li>Matt Black</li> <li>Base Material: Aluminium Body</li> <li>Aluminium &amp; 316 Stainless Steel Covers</li> </ul>






## FRAMELESS GLASS PIVOT DOOR HARDWARE


MP42-L/R

This patch fitting is a non stock item with POA, please check the leadtime and price with our office prior to ordering your glass



Glass Preparation (Left shown, right opposite setout)





DETAILS	FINISHES
<ul> <li>90° Overpanel to Side Panel Patch</li> <li>Suitable for 10/12mm glass</li> <li>Left &amp; Right handed</li> <li>MPSI stop insert suitable for this pivot patch</li> </ul>	<ul><li>Polished</li><li>Satin</li><li>Natural Anodised</li></ul>
	Base Material: Aluminium Body Aluminium & 316 Stainless Steel Covers

E manufactured@mfgs.com.au

www.mfgs.com.au


S & L

MANUFACTURING t/a
PTY LTD



## MP41-L/R

## FRAMELESS GLASS PIVOT DOOR HARDWARE





#### Glass Preparation





Product Image





Dimensions

#### DETAILS

#### Overpanel to Side Panel Patch

- Suitable for 10/12mm glass
- With fin mounting patch fitting & top pivot
- Left & right handed
- MPSI stop insert suitable for this pivot patch

#### **FINISHES**


- Polished
- Satin
- Natural Anodised




## FRAMELESS GLASS PIVOT DOOR HARDWARE

**MP51** 


This patch fitting is a non stock item with POA, please check the leadtime and price with our office prior to ordering your glass





Glass Preparation





Product Image

Dimensions

DETAILS	FINISHES		
<ul> <li>Double Overpanel Patch Fitting</li> <li>Suitable for 10/12mm glass</li> <li>With fin mounting patch fitting &amp; top pivots</li> <li>MPSI stop insert suitable for this pivot patch</li> </ul>	<ul> <li>Polished</li> <li>Satin</li> <li>Natural Anodised</li> <li>Base Material: Aluminium Body Aluminium &amp; 316 Stainless Steel Covers</li> </ul>		

MANUFACTURING t/a
PTY LTD


**S&L** 




## MP34

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Overpanel to Wall Patch

- Suitable for 10/12mm glass
- Adaptable for centre fixing (see MP20-OS on page 3,1g)
- MPSI stop insert suitable for this pivot patch

#### **FINISHES**

- Satin
- Natural Anodised
- Matt Black


Polished


Base Material: Aluminium Body Aluminium & 316 Stainless Steel Covers

#### **MP20**

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Top Patch Fitting

• Suitable for 10/12mm glass

#### FINISHES

- Polished
- Satin
- Natural Anodised
- Matt Black



R55

R80


R12


50mm EDGE OF CUTOUT TO CENTER OF PIVOT



## FRAMELESS GLASS PIVOT DOOR HARDWARE

MP20-0S






Product Image & Dimensions Glass Preparation


DETAILS	FINISHES		
Offset Top Patch Fitting  Suitable for 10/12mm glass  The MP20 patch covers need to be trimmed for use in thia offset fashion  MP10-OS & MP22-OS similar	<ul><li>Polished</li><li>Satin</li><li>Natural Anodised</li><li>Matt Black</li></ul>		
	Base Material: Aluminium Body Aluminium & 316 Stainless Steel Covers		

## FRAMELESS GLASS PIVOT DOOR HARDWARE

**MP22** 







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Top Patch Fitting (for COC)

Suitable for 10/12mm glass

#### **FINISHES**

- Polished
- Satin
- Natural Anodised
- Matt Black


E manufactured@mfgs.com.au

MANUFACTURING t/a **PTY LTD** 

**S&L** 



www.mfgs.com.au



S & L

MANUFACTURING t/a

PTY LTD



## E manufactured@mfgs.com.au

3 YEAR HARDWARE WARRANTY

www.mfgs.com.au

FRAMELESS GLAS	E	MP70	
	115	30	73
Product Image	Dimensions	Glass Pre	paration
DETAILS		FINISHE	ES
Overpanel Patch Fitting  Suitable for 10/12mm glass  With two optional stops to suit double	<ul> <li>Polished</li> <li>Satin</li> <li>Natural Anodised</li> <li>Matt Black</li> <li>Base Material: Aluminium Body</li> <li>Aluminium &amp; 316 Stainless Steel Covers</li> </ul>		
FRAMELESS GLASS PIVOT DOOR HARDWAR			MP80
	Ø20(4 H	OLES) 7	
Product Image	Dimensions	Glass Pre	paration
<u>A Panel Glass to Glass Patch Fitting</u> • Suitable for 10/12mm glass		<ul><li>Polish</li><li>Satin</li><li>Natura</li><li>Matt E</li></ul>	ed al Anodised
			Material: Aluminium Body

Aluminium & 316 Stainless Steel Covers




MANUFACTURING t/a
PTY LTD

**S&L** 




MP71

## FRAMELESS GLASS PIVOT DOOR HARDWARE



#### Glass Preparation





Product Image


**Dimensions** 


DETAILS	FINISHES
Overpanel Patch Fitting  Suitable for 10/12mm glass With fin mounting patch fitting	<ul><li>Polished</li><li>Satin</li><li>Natural Anodised</li><li>Matt Black</li></ul>
	Base Material: Aluminium Body Aluminium & 316 Stainless Steel Covers

YEAR HARDWARE

## FRAMELESS GLASS PIVOT DOOR HARDWARE


**MP81** 





#### Glass Preparation





Product Image

Dimensions

DETAILS	FINISHES
<ul> <li>4 Panel Glass to Glass Patch Fitting</li> <li>Suitable for 10/12mm glass</li> <li>With fin mounting patch fitting</li> </ul>	<ul><li>Polished</li><li>Satin</li><li>Natural Anodised</li><li>Matt Black</li></ul>
	Base Material: Aluminium Body Aluminium & 316 Stainless Steel Covers

E manufactured@mfgs.com.au

MANUFACTURING t/a
PTY LTD

**S&L** 



## www.mfgs.com.au FRAMELESS GLASS PIVOT DOOR HARDWARE **MP84** (57) Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 2 Panel Glass to Wall Patch Fitting Polished Suitable for 10/12mm glass Satin Base Material: Aluminium Body 316 Stainless Steel Covers FRAMELESS GLASS PIVOT DOOR HARDWARE **MP90** Glass Preparation Product Image **Dimensions DETAILS FINISHES** 1 Panel Glass to Wall Patch Fitting Polished Suitable for 10/12mm glass Satin Base Material: Aluminium Body 316 Stainless Steel Covers

MANUFACTURED FRAMELESS

**GLASS SYSTEMS** 


## E manufactured@mfgs.com.au www.mfgs.com.au



## FRAMELESS GLASS PIVOT DOOR HARDWARE

MP28/MP28D





Product Image

**Dimensions** 

DETAILS	FINISHES
Transom Mount Stop	Natural Anodised


- Suitable for 10/12mm glass
- MP28 shown for single door, MP28D similar and longer for double doors


Base Material: Aluminium

## FRAMELESS GLASS PIVOT DOOR HARDWARE

**MP10** 







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS FINISHES Bottom Patch Fitting** Polished

Suitable for 10/12mm glass

- Natural Anodised
- Matt Black


WARRANTY



## MP43L/R


## FRAMELESS GLASS PIVOT DOOR HARDWARE

This patch fitting is a non stock item with POA, please check the leadtime and price with our office prior to ordering your glass



Glass Preparation (Left shown, right opposite setout)





10E°	$\cap$			ا ـ ا		C:4-	Danal	Datab	T:44:55
133	U	ver	par	ıeı	ιυ	Side	Panei	Patch	Fitting
	$\sim$	٠.		•	- 1	0/10			

Suitable for 10/12mm glass

Left & right handed

**DETAILS** 

**FINISHES** 

Polished

• Satin

Natural Anodised

S & L

MANUFACTURING t/a

PTY LTD



E manufactured@mfgs.com.au


www.mfgs.com.au


YEAR HARDWARE

#### FRAMELESS GLASS PIVOT DOOR HARDWARE

**MP62** 







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Overpanel / Side Panel Patch Fitting with stop

- Suitable for 10/12mm glass
- This patch fitting is a non stock item with POA, please check the leadtime & price with our office prior to ordering your glass

#### FINISHES

- Satin
- Natural Anodised


Polished

Base Material: Aluminium Body Aluminium & 316 Stainless Steel Covers

## FRAMELESS GLASS PIVOT DOOR HARDWARE

**MP91** 





# 57.5 18.5

See note in red below

Product Image

**Dimensions** 

Glass Preparation

29

#### **DETAILS**

#### Overpanel to Wall Patch Fitting with stop

- Suitable for 10/12mm glass
- This patch fitting is a non stock item with POA, please check the leadtime & price with our office prior to ordering your glass

#### **FINISHES**

- Polished
- Satin
- Natural Anodised



S & L

MANUFACTURING t/a


PTY LTD



## 9123

## FRAMELESS GLASS PIVOT DOOR HARDWARE





Product Image


**Dimensions** 

DETAILS	FINISHES
Bottom Door Strap	Zinc Plated
	Base Material: Drop Forged Steel

## MP26-1/2

## FRAMELESS GLASS PIVOT DOOR HARDWARE





Product Image

**Dimensions** 

DETAILS	FINISHES
<ul> <li>Standard Floor Pivot</li> <li>Maximum door weight 200kg</li> <li>5.5/11mm clearance under door to top of fixing plate</li> </ul>	Satin  Base material: 304 Stainless Steel

PTY LTD

3.2b


## E manufactured@mfgs.com.au www.mfgs.com.au



## FRAMELESS GLASS PIVOT DOOR HARDWARE

MP26P5/P10





Product Image

Dimensions


DETAILS	FINISHES
Packers for Standard Floor Pivot  • 5mm & 10mm thick	Mill  Base material: Aluminium






## www.mfgs.com.au PTY LTD **GLASS SYSTEMS** WARRANTY FRAMELESS GLASS PIVOT DOOR HARDWARE GX62.1 Ø25 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass to Wall or Floor Connector Satin Suitable for 10/12mm glass Base material: 304 Stainless Steel FRAMELESS GLASS PIVOT DOOR HARDWARE GX62.4 Ø10-12







Product Image

**Dimensions** 


Glass Preparation

DETAILS	FINISHES
Glass to Glass or Floor Connector  • Suitable for 10/12mm glass	Satin  Base material: 304 Stainless Steel



## FRAMELESS GLASS PIVOT DOOR HARDWARE


GLASS FIN HARDWARE





Structural Glass Hanger

Fin Root Bracket





Splice Plate

Fin Shoe

DETAILS	FINISHES
Glass Fin Hardware  • Made to your specifications	Satin  Base material: 304 Stainless Steel



S & L

MANUFACTURING t/a


PTY LTD



## MPP25

## FRAMELESS GLASS PIVOT DOOR HARDWARE





Product Image

**Dimensions** 

DETAILS	FINISHES
Pivot Pole Insert to suit MPP20	<ul> <li>Satin</li> </ul>


Ceiling mounted

Base material: 316 Stainless Steel

### MPP34

## FRAMELESS GLASS PIVOT DOOR HARDWARE





Product Image

**Dimensions** 

DETAILS	FINISHES
Overpanel Pivot Pole Insert to suit MPP20  Suitable for 10/12mm glass  Ø18mm holes in glass	Satin  Base material: 316 Stainless Steel

**S&L** MANUFACTURING t/a **PTY LTD** 



## E manufactured@mfgs.com.au www.mfgs.com.au


## FRAMELESS GLASS PIVOT DOOR HARDWARE

MPP40

177 50

40





R10x2

30

120

Dimensions

120

Product Image

**DETAILS** 

**FINISHES** 

Overpanel to Side Panel Pivot Pole Insert to suit MPP20

- Suitable for 10/12mm glass
- Ø18mm holes in glass

Satin

Base material: 316 Stainless Steel

## FRAMELESS GLASS PIVOT DOOR HARDWARE

MPP60





Product Image

**DETAILS** 

**Dimensions** 

Overpanel to Side Panel Pivot Pole Accessory	Bracket
Over parier to Side Faller Fivor Fole Accessory	Diacket
<ul> <li>Suitable for 10/12mm glass</li> </ul>	

- Ø18mm holes in glass

**FINISHES** 

Satin



MANUFACTURING t/a
PTY LTD

S&L




MPP20

## FRAMELESS GLASS PIVOT DOOR HARDWARE



Product Image



Dimensions

**DETAILS** 

#### Top Pivot Pole

- Suitable for 10/12mm glass
- Ø18mm holes in glass

**FINISHES** 

Satin


Base material: 316 Stainless Steel

MPP10

## FRAMELESS GLASS PIVOT DOOR HARDWARE



Product Image



DETAILS FINISHES

#### **Bottom Pivot Pole**

- Suitable for 10/12mm glass
- Ø18mm holes in glass

Satin

S & L


MANUFACTURING t/a

PTY LTD



## E manufactured@mfgs.com.au www.mfgs.com.au

YEAR HARDWARE WARRANTY





E manufactured@mfgs.com.au

www.mfgs.com.au

S & L

MANUFACTURING t/a

PTY LTD





3.7a

MANUFACTURING t/a **PTY LTD** 



## E manufactured@mfgs.com.au www.mfgs.com.au



## FRAMELESS GLASS PIVOT DOOR HARDWARE **Spider Pivots** Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** 452 Top Pivot Door Spider Polished M8 Countersunk Satin Other Spider Pivots available with the same glass preparation: - 483 Transom Panel Pivot Door Spider Base material: 316 Stainless Steel - 485 Transom Spider Door Stop - 451 Bottom Pivot Door Spider to suit floorspring or pivot Specify glass thickness and fixing type

E manufactured@mfgs.com.au

www.mfgs.com.au

S & L

MANUFACTURING t/a


PTY LTD




## 444/2

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Light Weight Spider

- Standard with M8 csk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**


PolishedSatin


Base material: 316 Stainless Steel

## 444/2/1

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Light Weight Spider

- Standard with M8 csk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**

Polished

Satin

S & L

MANUFACTURING t/a

PTY LTD




## E manufactured@mfgs.com.au www.mfgs.com.au


3 YEAR HARDWARE

### FRAMELESS GLASS PIVOT DOOR HARDWARE

444/4







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Light Weight Spider

- Standard with M8 csk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**


- Polished
- Satin


Base material: 316 Stainless Steel

## FRAMELESS GLASS PIVOT DOOR HARDWARE

444/4/2







Product Image

Dimensions

Glass Preparation

Polished

#### **DETAILS**

#### Light Weight Spider

- Standard with M8 csk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

### FINISHES

Satin

E manufactured@mfgs.com.au

www.mfgs.com.au

S & L

MANUFACTURING t/a


PTY LTD




## 445/4M

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**


PolishedSatin


Base material: 316 Stainless Steel

## 445/4M/2

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Also available without backplate
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

## • Polished

Satin

**S&L** MANUFACTURING t/a PTY LTD




## E manufactured@mfgs.com.au www.mfgs.com.au




### FRAMELESS GLASS PIVOT DOOR HARDWARE

445/4M/2Y







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 2 other options shown
- Specify glass thickness and fixing type

#### **FINISHES**


- Polished
- Satin


Base material: 316 Stainless Steel

## FRAMELESS GLASS PIVOT DOOR HARDWARE

445/2M







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**

- Polished Satin

MANUFACTURING t/a
PTY LTD


**S&L** 




## 445/2M/1

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Available without backplate
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**

Polished


Satin


Base material: 316 Stainless Steel

## 443/4

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Light Weight Spider

- Standard with M8 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

## FINISHES

Polished

Satin

S & L

MANUFACTURING t/a

PTY LTD



## E manufactured@mfgs.com.au


YEAR HARDWARE


www.mfgs.com.au

## FRAMELESS GLASS PIVOT DOOR HARDWARE

443/2







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Light Weight Spider

- Standard with M8 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**


- Polished
- Satin


Base material: 316 Stainless Steel

## FRAMELESS GLASS PIVOT DOOR HARDWARE

443/4/2







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Light Weight Spider

- Standard with M8 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

### FINISHES

- PolishedSatin
  - Base material: 316 Stainless Steel

MANUFACTURING t/a **PTY LTD** 


**S&L** 




443/2/1

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

**DETAILS** 

## **FINISHES**

#### Light Weight Spider

- Standard with M8 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type


- Polished
- Satin


Base material: 316 Stainless Steel

446/4M

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

### **FINISHES**

Polished

Satin

3.8h

S & L

MANUFACTURING t/a

PTY LTD




## E manufactured@mfgs.com.au www.mfgs.com.au




### FRAMELESS GLASS PIVOT DOOR HARDWARE

446/2M







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**

Polished


Satin


Base material: 316 Stainless Steel

## FRAMELESS GLASS PIVOT DOOR HARDWARE

446/4M/3







Product Image

Dimensions

Glass Preparation

Polished

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**

• Satin

MANUFACTURING t/a
PTY LTD


**S&L** 




## 446/4M/2

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

Polished

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**


Satin


Base material: 316 Stainless Steel

## 446/2M/1

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

Dimensions

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**


- Polished
- Satin


3 YEAR HARDWARE WARRANTY

### FRAMELESS GLASS PIVOT DOOR HARDWARE

446/4M/90°







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

## FINISHES

Polished


Satin


Base material: 316 Stainless Steel

## FRAMELESS GLASS PIVOT DOOR HARDWARE

446/2M/90°







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Heavy Duty Spider

- Standard with M10 Countersunk fixing or the 3 other options shown
- Larger glass preparation diagrams on page 3.8k
- Specify glass thickness and fixing type

#### **FINISHES**

- Polished
- Satin




MANUFACTURING t/a
PTY LTD


**S&L** 



## 447/M16/M10

## FRAMELESS GLASS PIVOT DOOR HARDWARE





Dimensions

Glass Preparation

#### DETAILS

#### Standoff Spider

• Specify glass thickness and fixing type


#### **FINISHES**


- Polished
- Satin

Base material: 316 Stainless Steel

## 447/M16/M14

## FRAMELESS GLASS PIVOT DOOR HARDWARE





**Dimensions** 

Glass Preparation


DETAILS	FINISHES
Standoff Spider  • Specify glass thickness and fixing type	<ul><li>Polished</li><li>Satin</li></ul>
	Base material: 316 Stainless Steel






## FRAMELESS GLASS PIVOT DOOR HARDWARE

448/2/90






**Dimensions** 


Glass Preparation

DETAILS	FINISHES
Special Spider Series  • Specify glass thickness and fixing type	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>

## FRAMELESS GLASS PIVOT DOOR HARDWARE

448/2





**Dimensions** 

Glass Preparation

DETAILS	FINISHES
Special Spider Series  • Specify glass thickness and fixing type	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>


u MANUFACTURING t/a
PTY LTD




Spider Fitting Glass Preparation

## FRAMELESS GLASS PIVOT DOOR HARDWARE

**S&L** 











# FRAMELESS GLASS PIVOT DOOR HARDWARE

60/22-42n






Product Image


Glass Preparation

DETAILS	FINISHES
Spider Fitting Swivel Details & Glass Preparation  CONFIRM HOLE PREPARATION PRIOR TO ORDERING GLASS	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>

# FRAMELESS GLASS PIVOT DOOR HARDWARE

60/22-42n + IGU





Product Image

Glass Preparation

DETAILS	FINISHES
Spider Fitting Swivel Details & Glass Preparation  CONFIRM HOLE PREPARATION PRIOR TO ORDERING GLASS	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>

# INTENTIONALLY

LEFT

BLANK

**PTY LTD** 

**GLASS SYSTEMS** 

# E manufactured@mfgs.com.au




www.mfgs.com.au

# FRAMELESS GLASS PIVOT DOOR HARDWARE

374





Product Image

**Dimensions** 

DETAILS	FINISHES
Slide-on Patch Bolt Lock  • Suitable for 10/12mm glass	Natural Anodised  Base Material:  Aluminium

# FRAMELESS GLASS PIVOT DOOR HARDWARE

**MP700N** 






**Dimensions** 



Product Image



www.mfgs.com.au

S & L

MANUFACTURING t/a

PTY LTD





# MP700 FRAMELESS GLASS PIVOT DOOR HARDWARE Product Image Dimensions DETAILS Patch Lock Suitable for 10/12mm glass Complete with cylinder/snib & keeper plate Base Material: Base Material:

## 456

# FRAMELESS GLASS PIVOT DOOR HARDWARE







Aluminium Body 316 Stainless Steel Covers

Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Profile Plunger Lock

- Suitable for 10/12mm glass
- Complete with single sided cylinder/snib & keeper plate
- In addition to the glass clearance, allow 4mm for thickness of the base & gasket

# • Polished

- Satin
- Other finishes may be available

P 02 4708 2563

S & L

MANUFACTURING t/a

PTY LTD



E manufactured@mfgs.com.au

YEAR HARDWARE

3.9c

www.mfgs.com.au

# FRAMELESS GLASS PIVOT DOOR HARDWARE **MP100P** 148 R10 43 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Bottom Corner Pin Patch Lock Polished Suitable for 10/12mm glass Satin Complete with Euro cylinder/snib & keeper plate Other finishes may be available Also have a similar lock (GP100) to suit an MP10 Patch fitting cutout Base Material: Aluminium Body 316 Stainless Steel Covers FRAMELESS GLASS PIVOT DOOR HARDWARE MP100 R10 43 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Bottom Corner Tongue Patch Lock Polished Suitable for 10/12mm glass Complete with Euro cylinder/snib & keeper plate Other finishes may be available Base Material: Aluminium Body

316 Stainless Steel Covers

MANUFACTURING t/a
PTY LTD

**S&L** 



# www.mfgs.com.au **MP200** FRAMELESS GLASS PIVOT DOOR HARDWARE 132 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Centre Patch Lock Polished Suitable for 10/12mm glass Satin Complete with cylinder/snib Other finishes may be available Base Material: Aluminium Body

# 316 Stainless Steel Covers **MP220** FRAMELESS GLASS PIVOT DOOR HARDWARE 163 132 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Centre Patch Lock Keeper (for MP200) Polished Suitable for 10/12mm glass Other finishes may be available Base Material: Aluminium Body 316 Stainless Steel Covers

S & L

MANUFACTURING t/a

PTY LTD



# E manufactured@mfgs.com.au


www.mfgs.com.au




# FRAMELESS GLASS PIVOT DOOR HARDWARE

MP300 MP300/SS







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Bottom or Centre Patch Lock

- Suitable for 10/12mm glass
- Complete with cylinder/snib & long throw mortice lock
- MP300/SS has a zinc passivated, die cast & stainless steel internals & stainless steel mortice lock throw

#### **FINISHES**

Polished

- Satin
- Other finishes may be available


Base Material: Aluminium Body 304 Stainless Steel Covers

# FRAMELESS GLASS PIVOT DOOR HARDWARE

# MP300L MP300L/SS



Dimensions of patch same as MP300 above



Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Exit Lever Centre Patch Lock

- Suitable for 10/12mm glass
- Complete with cylinder
- MP300L/SS has a zinc passivated, die cast & stainless steel internals & stainless steel mortice lock throw

#### FINISHES

- Polished (Handle in Satin only)
- Satin
  - Other finishes may be available

S & L

MANUFACTURING t/a

PTY LTD



# www.mfgs.com.au FRAMELESS GLASS PIVOT DOOR HARDWARE **MP320 Dimensions** of patch same as MP300 on previous page Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Centre Patch Keeper (for MP300 & MP300L) Polished Satin Other finishes may be available Base Material: Aluminium Body 304 Stainless Steel Covers

# MK590

# FRAMELESS GLASS PIVOT DOOR HARDWARE



Product Image



Dimensions

DETAILS	FINISHES
Ground Keeper	<ul> <li>Polished</li> <li>Satin</li> <li>Base Material: 316 Stainless Steel</li> </ul>

MANUFACTURED FRAMELESS

3.9g

# E manufactured@mfgs.com.au

www.mfgs.com.au

# PTY LTD **GLASS SYSTEMS** 14300680 FRAMELESS GLASS PIVOT DOOR HARDWARE NO **GLASS CUTOUT** REQUIRED Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Slide-On GFS Bolt Natural Anodised Suitable for 8/10mm Glass Satin Stainless Anodised No glass cutout required Other finishes may be available Base Material: Aluminium Body FRAMELESS GLASS PIVOT DOOR HARDWARE GFS023018 65 22,5 32 Glass Preparation Product Image **Dimensions DETAILS FINISHES** Polished Stainless Steel GFS Bolt with Pull & Keeper Plate Suitable for 10/12mm Glass Satin Stainless Steel Other finishes may be available Base Material: Aluminium Body

Stainless Covers



www.mfgs.com.au

# S & L MANUFACTURING t/a PTY LTD



GFS023028	FRAMELESS GLASS PIVOT DOOR HARDWARE		
	54	11 11 22 28 28 28 28 28 28 28 28 28 28 28 28	
Product Image	Dimensions	Glass Preparation	
DETAILS		FINISHES	
Glass Keeper for GFS Bolt wit  Suitable for 10/12mm Glast		<ul> <li>Polished Stainless Steel</li> <li>Satin Stainless Steel</li> <li>Other finishes may be available</li> <li>Base Material:         <ul> <li>Aluminium Body</li> <li>Stainless Covers</li> </ul> </li> </ul>	

**S&L** MANUFACTURING t/a **PTY LTD** 




E manufactured@mfgs.com.au www.mfgs.com.au




# FRAMELESS GLASS PIVOT DOOR HARDWARE

MP3582A







Product Image

Glass Preparation

#### **DETAILS**

#### Security Patch Lock

- Suitable for 10/12/15mm glass
- Cylinder outside, snib inside
- Handles both sides
- Ability to specify left or right handed & whether to open in or out

#### **FINISHES**

- Polished
- Satin
- Other finishes may be available


Base Material: Aluminium Body 316 Stainless Steel Covers


# FRAMELESS GLASS PIVOT DOOR HARDWARE

MP3582B









Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Security Patch Lock

- Suitable for 10/12/15mm glass
- Cylinder outside, handle inside
- Ability to specify left or right handed & whether to open in or out

#### **FINISHES**

- Polished
- Other finishes may be available

www.mfgs.com.au

S & L

MANUFACTURING t/a

**PTY LTD** 


MANUFACTURED FRAMELESS
GLASS SYSTEMS

# MP3582C


# FRAMELESS GLASS PIVOT DOOR HARDWARE







Dimensions



Glass Preparation

#### **DETAILS**

#### Security Patch Lock

- Suitable for 10/12/15mm glass
- Cylinder outside, snib inside
- No handles
- Ability to specify left or right handed & whether to open in or out

#### **FINISHES**

- PolishedSatin
- Other finishes may be available


Base Material: Aluminium Body 316 Stainless Steel Covers

# MP3582D


# FRAMELESS GLASS PIVOT DOOR HARDWARE



Product Image



**Dimensions** 



Glass Preparation

#### **DETAILS**

#### Security Patch Lock

- Suitable for 10/12/15mm glass
- Cylinder & handles inside & outside
- Ability to specify left or right handed & whether to open in or out

#### **FINISHES**

- Polished
- Satin
- Other finishes may be available

**S&L** MANUFACTURING t/a **PTY LTD** 



# E manufactured@mfgs.com.au


www.mfgs.com.au


# FRAMELESS GLASS PIVOT DOOR HARDWARE











Glass Preparation

#### **DETAILS**

#### Security Patch Lock

- Suitable for 10/12/15mm glass
- Cylinder outside
- Handles both sides
- Ability to specify left or right handed & whether to open in or out

#### **FINISHES**

- Polished
- Satin
- Other finishes may be available


Base Material: Aluminium Body 316 Stainless Steel Covers

# FRAMELESS GLASS PIVOT DOOR HARDWARE


# MP3582K







**Dimensions** 



Glass Preparation

#### **DETAILS**

#### Security Patch Lock Glass Keeper

Suitable for 10/12/15mm glass

#### **FINISHES**

- Polished
- Other finishes may be available



www.mfgs.com.au

S & L

MANUFACTURING t/a


PTY LTD




# Lever Lock & Latch Sets

# FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

Glass Preparation

#### DETAILS

#### LLJ-01 Lever Lockset

- Suitable for 10/12mm glass
- Locking to timber or aluminium jamb
- Other Lever Lock & Latch Sets available with the same glass prepartion:
  - LLG-02 locking to sidelite
  - LLJ-03 latching to timber or aluminium jamb
  - LLG-04 latching to glass sidelite

#### **FINISHES**

Polished


- Satin
- Other finishes may be available


Base Material: Aluminium Body 304 Stainless Steel Covers

# Strike Box

# FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### LSG-08 Strike Box

- Suitable for 10/12mm glass
- For glass sidelite

## **FINISHES**

- Polished
- Satin
- Other finishes may be available


www.mfgs.com.au




# FRAMELESS GLASS PIVOT DOOR HARDWARE

PCL-C & PCL-HS







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Pulsa Cube Lock with Cylinder

Suitable for 8/10/12mm glass

#### **FINISHES**


- Polished
- Satin


Base Material: Aluminium Covers: 304 Stainless Steel

# FRAMELESS GLASS PIVOT DOOR HARDWARE

PCL-NC & PCL-HS







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Pulsa Cube Lock with No Cylinder

• Suitable for 8/10/12mm glass

#### **FINISHES**

- Polished
- Satin

Base Material: Aluminium Covers: 304 Stainless Steel

MANUFACTURING t/a

**S&L** 



# www.mfgs.com.au PTY LTD **GLASS SYSTEMS** WARRANTY **PCL-GK** FRAMELESS GLASS PIVOT DOOR HARDWARE 70 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Glass Keeper for Pulsa Cube Lock Polished Suitable for 8/10/12mm glass Satin Base Material: Aluminium Covers: 304 Stainless Steel FRAMELESS GLASS PIVOT DOOR HARDWARE PCL-WK NO **GLASS CUTOUT** 16,5 **REQUIRED** Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Wall Keeper for Pulsa Cube Lock Polished Suitable for 8/10/12mm glass Satin Base Material: Aluminium

Covers: 304 Stainless Steel

P 02 4708 2563

S & L

MANUFACTURING t/a

PTY LTD



# E manufactured@mfgs.com.au www.mfgs.com.au



FRAMELESS GLASS PIVOT DOOR HARDWARE		PCL-HS	
	135		NO GLASS CUTOUT REQUIRED
Product Image	Dimensions	Glass Pre	eparation
DETAILS		FINISHES	
Handle Set for Pulsa Cube Lock		<ul><li>Polish</li><li>Satin</li></ul>	ed Base Material: 304 Stainless Steel

www.mfgs.com.au

# S&L MANUFACTURING t/a PTY LTD




# GCC Door Rails

# FRAMELESS GLASS PIVOT DOOR HARDWARE







GR10	Bottom Pivoting Rail - Non Locking
GR20	Top Pivoting Rail - Non Locking
GR22	Top Pivoting Rail - Non Locking for COC
GR30	Bottom Pivoting Rail - Locking
GR40	Top Pivoting Rail - Locking
GR42	Top Pivoting Rail - Locking for COC
GR50	Bottom Sliding Rail - Non Locking
GR60	Top Sliding Rail - Non Locking
GR70	Bottom Sliding Rail - Locking
GR80	Side Panel Rail
GR90	Overpanel Rail with Pivot

Dimensions & Glass Preparation


Types

DETAILS	FINISHES
<ul> <li>GCC Door Rails</li> <li>Suitable for 10/12mm Glass</li> <li>Same rails as used with the GCC Stacking &amp; Folding Doors</li> <li>On ordering specify glass thickness &amp; cylinder type:</li> <li>DC = Double Cylinder SC = Single Cylinder KA = Keyed Alike KS = Keyed Seperately</li> </ul>	<ul> <li>Natural Anodised</li> <li>Satin Stainless</li> <li>Polished Stainless</li> <li>Other finishes may be available</li> </ul>
10mm black (B10) & grey rubber seals (G10) and black brush seals (BB10)	Base Material:
PSS & SSS Rails available up to 1200mm, over 1200mm for NA	Aluminium & Stainless Steel

# Metro **Door Rails**

# FRAMELESS GLASS PIVOT DOOR HARDWARE





MR10	Bottom Pivoting Rail - Non Locking
MR20	Top Pivoting Rail - Non Locking
MR22	Top Pivoting Rail - Non Locking for COC
MR30	Bottom Pivoting Rail - Locking
MR40	Top Pivoting Rail - Locking
MR42	Top Pivoting Rail - Locking for COC
MR50	Bottom Sliding Rail - Non Locking
MR60	Top Sliding Rail - Non Locking
MR70	Bottom Sliding Rail - Locking
MR80	Side Panel Rail
MR90	Overpanel Rail with Pivot

Dimensions & Glass Preparation

Types

DETAILS	FINISHES
<ul> <li>Metro Door Rails</li> <li>Suitable for 10/12/15mm Glass</li> <li>On ordering specify glass thickness &amp; cylinder type:</li> <li>DC = Double Cylinder SC = Single Cylinder KA = Keyed Alike KS = Keyed Seperately</li> <li>Rails available up to 1200mm</li> </ul>	<ul> <li>Natural Anodised</li> <li>Satin Stainless Steel</li> <li>Polished Stainless Steel</li> <li>Other finishes may be available</li> </ul>
MR22 & MR42 door rails are also available with a 3° offset pivot	Base Material: Aluminium & Stainless Steel




www.mfgs.com.au



# FRAMELESS GLASS PIVOT DOOR HARDWARE

# Modern Floorsprings





MFX840WNHO	Weak (15nm)
MFX840WHO	Weak (ISIIII)
MFX840SNHO	Standard (25nm)
MFX840SHO	Standard (25nm)
MFX840HNHO	Hann (2255)
MFX840HHO	Heavy (33nm)

Product Image

**Dimensions** 

Floorspring Types

#### **DETAILS**

#### Modern Floor Springs

- Cover Plate standard with MFGS logo, also available without
- Suitable for 900mm, 1000mm & 1100mm door widths
- Maximum door weight 100kg
- Non Hold Open & Hold Open
- Standard & Offset Spindles available upon request POA

#### **FINISHES**

- Polished & Satin Cover Plate
- Matt Black Cover Plate
- Painted Box


Base material: 304 Stainless Steel Box 316 Stainless Steel Cover Plate

Cast Steel Body

# FRAMELESS GLASS PIVOT DOOR HARDWARE

## Modern COC's





MFGCOC90SNHO	
MFGCOC90SHO	Standard (25nm)
MFGCOC105SHO	
MFGCOC90HHO	Heavy (33nm)

Product Image

Dimensions

COC Types

#### **DETAILS**

#### Concealed Overhead Closers

- Suitable for 1000mm (25nm) & 1100mm (33nm) door widths
- Maximum door weight 100kg
- Suppled with side load arm & bottom pivot assembly

#### **FINISHES**

- Painted Body
- Galvanised Parts
- Powder Coated Parts

Base material: Cast steel body Steel Parts



www.mfgs.com.au

S & L


MANUFACTURING t/a

**PTY LTD** 





## FRAMELESS GLASS PIVOT DOOR HARDWARE



DETAILS FINISHES

Adjustable Strength EN1 - EN4 N in Hold Open 90°

- Back Check Feature, Closing Spend & Latching Action Adjustable
- Safety Valve preventing deliberate overloading, Closing range from approx. 170°
- Large adjustment range in Galvanised Cement Box
- Maximum Door Width is 1100mm & Maximum Door Weight is 150kg
- All settings can conveniently be accessed & adjusted from the top when installed
- Satin Cover Plate
- Painted Floorspring & Box

Base material: Stainless Steel Cover Plate Galvanised Steel Box Cast Steel Body

#### GTS550NV

## FRAMELESS GLASS PIVOT DOOR HARDWARE



DETAILS

- Adjustable Strength EN3 EN6 I on F plo Op at / Hold Open 90°

  Closing force infinitely adjust the EN 3-6 an advantage in the event of wind
- Flexible and adaptable thanks to the infinitely adjustable hold-open device through 80°-165°, can be activated and deactivated
- Maximum Door Width is 1400mm & Maximum Door Weight is 300kg
- All settings can conveniently be accessed & adjusted from the top when installed
- Long-life, tested for over a million opening and closing cycles

- LIMIQUES
- Painted Floorspring & Box

Satin Cover Plate

Base material: Stainless Steel Cover Plate Galvanised Steel Box Cast Steel Body

**S&L** MANUFACTURING t/a PTY LTD




# E manufactured@mfgs.com.au www.mfgs.com.au

## FRAMELESS GLASS PIVOT DOOR HARDWARE

GTS-750





GTS-750V NHO

En1 to En4 Adiustable Strength

**GTS-750V HO** 

Product Image

**Dimensions** 

Floorspring Types

#### **DETAILS**

#### GCC GTS-750V Floorsprings

- Non Hold Open / Hold Open 90°
- Closing & Latching Speed Adjustable & Max Opening Range of 130°
- Maximum Door Width for En1 = 800mm, En2 = 900mm, En3 = 1000mm & En4 = 1100mm with Maximum Door Weight of 150kg
- All settings can conveniently be accessed & adjusted from the top when installed
- Standard Spindles available & Offset Spindles upon request POA

#### **FINISHES**

- Satin Cover Plate Painted Floorspring
  - Base material: Stainless Steel Cover Plate Galvanised Steel Box


Cast Steel Body

# FRAMELESS GLASS PIVOT DOOR HARDWARE

**Dimensions** 

GTS-800





GTS-800 NHO

En3 to En6 (25-54Nm) Adjustable Strength

GTS-800 HO

Floorspring Types

#### **DETAILS**

#### GCC GTS-800 Floorsprings

- Non Hold Open / Hold Open 90°
- Closing & Latching Speed Adjustable & Max Opening Range of 180°
- Maximum Door Width 1400mm
- Maximum Door Weight of 300kg
- All settings can conveniently be accessed & adjusted from the top when installed
- Standard Spindles available & Offset Spindles upon request POA

#### **FINISHES**

- Satin Cover Plate
- Painted Floorspring

Base material: Stainless Steel Cover Plate Galvanised Steel Box Cast Steel Body

# INTENTIONALLY

LEFT

BLANK

**S&L** MANUFACTURING t/a PTY LTD





E manufactured@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS PIVOT DOOR HARDWARE

**FH-100 NHO** FH-100 HO







Where the radius corner

Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### Standard Strength EN3 Ozone Hydraulic Patch Fitting

- Non hold open / Hold Open
- Suitable for 8mm-12mm toughened glass
- Maximum weight of 100kg with a maximum door width of 1000mm
- 12mm clearance to floor
- 5mm (FH5) & 10mm (FH10) Packers available

#### **FINISHES**


- Polished
- Satin Matt Black


Base material: Aluminium body 316 Stainless Steel Cover

# FRAMELESS GLASS PIVOT DOOR HARDWARE

**FH-105 NHO** FH-105 HO







Product Image

**Dimensions** 

Glass Preparation

#### **DETAILS**

#### High Strength EN5 Ozone Hydraulic Patch Fitting

- Non hold open / Hold Open
- Suitable for 10mm-15mm toughened glass
- Maximum weight of 100kg with a maximum door width of 1250mm (internal) & 1000mm (external)
- 12mm clearance to floor

# **FINISHES**

- Polished
- Satin Matt Black

MANUFACTURING t/a **PTY LTD** 


**S&L** 




SH-073

## FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

**Dimensions** 

Glass Preparation

**DETAILS** 

## Biloba Hydraulic Door Hinges


- Hold open glass to glass hinges set
- Suitable for 10/12mm glass
- Suitable for internal doors up to 1000mm in width & 80kg in weight
- For Non Hold Open version SH-070 in 25 Micron Natural Anodised finish see page 9.5a
- **FINISHES**
- **Bright Chrome** Brushed Stainless Steel PVD Coat


Base material: Aluminium

SH-074

# FRAMELESS GLASS PIVOT DOOR HARDWARE







Product Image

Glass Preparation

#### **DETAILS**

#### Biloba Hydraulic Door Hinges

- Hold open wall to glass hinges set
- Centre fixing
- Suitable for 10/12mm glass
- Suitable for internal doors up to 1000mm in width & 100kg in weight
- For Non Hold Open version SH-071 in 25 Micron Natural Anodised finish see page 9.5a
- **FINISHES**
- Brushed Stainless Steel PVD Coat

Bright Chrome

Base material: Aluminium

S & L

MANUFACTURING t/a

PTY LTD




# E manufactured@mfgs.com.au www.mfgs.com.au




# FRAMELESS GLASS PIVOT DOOR HARDWARE

SH-075







Product Image

Glass Preparation

#### **DETAILS**

#### Biloba Hydraulic Door Hinges

- Hold open wall to glass hinges set
- Offset Fixing
- Suitable for 10/12mm glass
- Suitable for internal doors up to 1000mm in width & 100kg in weight

#### **FINISHES**

- Bright Chrome
- Brushed Stainless Steel PVD Coat

Base material: Aluminium

S & L

MANUFACTURING t/a

PTY LTD



# FRAMELESS GLASS PIVOT DOOR HARDWARE E08C037 NO **GLASS** 0 **CUTOUT REQUIRED** Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Top Pivot for GFS Round K Door Closer System Polished Chrome Suitable for internal doors up to 900mm in width & 90kg in weight Satin Stainless Similar Base material: Aluminium E08C027 FRAMELESS GLASS PIVOT DOOR HARDWARE E08C017 80 Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Top & Bottom Patch for GFS Round K Door Closer System Polished Chrome Suitable for internal doors up to 900mm in width & 90kg in weight Satin Stainless Similar Base material: Aluminium

S & L

MANUFACTURING t/a

PTY LTD



E manufactured@mfgs.com.au www.mfgs.com.au




# FRAMELESS GLASS PIVOT DOOR HARDWARE

E08R007


Round-K case must be placed in the floor with a 76mm dia. hole

- Check the correct hole position before inserting the case
- Use structural glue (chemical type) and lay the case so that it lays the upper tooth on the final floors height
- Previously protect the holes with paper tape
- Keep the case level during the application
- Lay the closer and point the M6 screws (cylindrical head)
- Mount the door
- Adjust the door by turning the screws
- Insert the cover



#### Installation Details





Product Image

Dimensions

DETAILS	FINISHES
GFS Round K Door Closer  Suitable for internal doors up to 900mm in width & 90kg in v	<ul> <li>Polished Chrome</li> <li>Satin Stainless Similar</li> <li>Base material: Aluminium</li> </ul>
	Base material. Administra

S & L

MANUFACTURING t/a

PTY LTD



# **Pull Handles**

# FRAMELESS GLASS PIVOT DOOR HARDWARE

	PRODUCT		DIMEN	GLASS PREP		FINISHES			
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	sss
MD300		332mm					300mm	<b>√</b>	<b>✓</b>
MD305		337mm	N/A	80	Ø32mm		305mm	<b>√</b>	×
MD450		482mm				14mm	450mm	<b>√</b>	<b>√</b>
MD500		532mm					500mm	<b>√</b>	<b>√</b>
MD600		632mm					600mm	<b>√</b>	<b>✓</b>

	PRODUCT		DIMEN	SIONS		GLASS PREP		FINISHES	
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	sss
MO300		332mm					300mm	<b>✓</b>	lacksquare
MO305		337mm	145	80	Ø32mm	14mm	305mm	×	<b>✓</b>
MO450		482mm					450mm	×	<b>✓</b>

	PRODUCT		DIMEN		GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT WIDTH PROJ SECTION				Ø HOLE	СТС	PSS	sss
MCS300		332mm	170	80	Ø32mm	14mm	300mm	<b>✓</b>	✓



# FRAMELESS GLASS SLIDING DOOR HARDWARE

# **Pull Handles**

	PRODUCT		DIMEN	GLASS	FINISHES				
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
MCR305		332mm	225	80	Ø32mm	14mm	305mm	<b>✓</b>	<b>✓</b>

	PRODUCT		DIMEN		GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
MB450		482mm		9	433		450mm	<b>✓</b>	<b>✓</b>
MB600		632mm	65	80	Ø32mm	14mm	600mm	<b>✓</b>	<b>✓</b>

	PRODUCT		DIMEN	SIONS		GLAS	FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
MF450-25		450mm		70	Ø25mm	12mm	330mm	<b>✓</b>	<b>✓</b>
MF450-32		450mm		80	Ø32mm	12mm	250mm	<b>✓</b>	<b>✓</b>
MF600-25		600mm		70	Ø25mm	14mm	400mm	<b>✓</b>	<b>✓</b>
MF600-32		600mm	N/A	80	Ø32mm	12mm	500mm	<b>✓</b>	<b>✓</b>
MF900-25		900mm		70	Ø25mm	14mm	700mm	<b>✓</b>	<b>✓</b>
MF900-32	1	900mm		80	Ø32mm	12mm	700mm	<b>✓</b>	<b>✓</b>
MF1200-32		1200mm		81	Ø32mm	12mm	1000mm	<b>√</b>	<b>✓</b>



S & L

MANUFACTURING t/a

PTY LTD



# **Pull Handles**

# FRAMELESS GLASS PIVOT DOOR HARDWARE

	PRODUCT		DIMEN		GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
MFS600		600mm	N/A	70	<b></b>	12mm	400mm	✓	✓
SQ25-600		600mm	N/A	70	□25mm	1211IM	425mm	×	<b>√</b>

	PRODUCT		DIMEN		GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
MFC450		450mm	N/A	95+	<i>0</i> 25	12	250mm	*	<b>✓</b>
MFC600		600mm	N/A	105+	Ø25mm	12mm	350mm	*	<b>✓</b>

	PRODUCT		DIMEN		GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
MSD450		475mm	N/A	70	<b>5</b> 05	120000	450mm	<b>✓</b>	✓
MSD600		625mm	N/A	70	□25mm	12mm	600mm	<b>✓</b>	<b>✓</b>



# FRAMELESS GLASS SLIDING DOOR HARDWARE

# Pull Handles

	PRODUCT		DIMEN	ISIONS		GLASS PREP		FINISHES	
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
CUBIX50		230mm	N/A	40	50x25mm & 50x10mm	10mm	210mm	<b>✓</b>	<b>✓</b>

	PRODUCT		DIMEN		GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
DH90		625mm	65	65	□25mm	12mm	600mm	<b>✓</b>	✓

	PRODUCT	DIMENSIONS			GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	стс	PSS	sss
IP750	9	750mm					2 x 500mm	<b>✓</b>	<b>✓</b>
IP1250		1250mm	N/A	70	Ø25mm	14mm	3 x 500mm	<b>✓</b>	<b>✓</b>
IP1750		1750mm					4 x 500mm	<b>√</b>	<b>✓</b>



S & L

MANUFACTURING t/a

PTY LTD



# **Pull Handles**

# FRAMELESS GLASS PIVOT DOOR HARDWARE

	PRODUCT	DUCT DIMENSIONS				GLASS PREP		FINISHES	
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PSS	SSS
PH32550A		550mm	60	80	Ø32mm	12mm	450mm	<b>✓</b>	✓

	PRODUCT	DIMENSIONS			GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	стс	PSS	sss
MRD300		320mm					300mm	<b>√</b>	<b>√</b>
MRD450		470mm			40x20mm	12mm	450mm	<b>√</b>	<b>✓</b>
MRD600	1 1	620mm	N/A	60			600mm	<b>√</b>	$\checkmark$
RA450		475mm			50x25mm		450mm	<b>√</b>	$\checkmark$
RA600	4	625mm			SUXZSMM		600mm	<b>√</b>	<b>✓</b>

	PRODUCT	DIMENSIONS			GLASS PREP		FINISHES		
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	стс	PSS	sss
A450		537mm	39.2mr Wide	39.2mm Wide		450mm	<b>\</b>	<b>✓</b>	
A500	587mm 837mm	587mm	N/A	80		500mm	*	<b>✓</b>	
A750						750mm	<b>✓</b>	<b>✓</b>	



3 YEAR HARDWARE

# FRAMELESS GLASS SLIDING DOOR HARDWARE

# Pull Handles

	PRODUCT DIMENSIO			SIONS		GLASS PREP		FINISHES	
CODE	IMAGE	HEIGHT	WIDTH	PROJ	SECTION	Ø HOLE	СТС	PC	SSS
E07M088		185mm	25mm	80mm	25mm	12mm	160mm	<b>✓</b>	<b>√</b>



www.mfgs.com.au PTY L

S & L

MANUFACTURING t/a


PTY LTD



IS7355si IS7345si

# FRAMELESS GLASS PIVOT DOOR HARDWARE





IS7355si

IS7345si

Product Image


Dimensions


D	ETAILS	FINISHES
<u>KII</u>	argo Door Seal IS7355si suits 12mm glass	Translucent & Semi Transparent
•	IS7345si suits 10mm glass	Base material: Polycarbonate & Silicone
•	Standard Length 3000mm, other lengths available High temperature semi-transparent silicone flexible twin-fin seal	
•	Provide ambient temperature smoke containment  Draught & dust protection	

# IS7350si IS7340si

# FRAMELESS GLASS PIVOT DOOR HARDWARE







IS7350si

IS7340si

Product Image

Dimensions

DETAILS	FINISHES
<ul> <li>Kllargo Door Seal</li> <li>IS7350si suits 12mm glass</li> <li>IS7340si suits 10mm glass</li> <li>Standard Length 3000mm, other lengths available</li> <li>High temperature semi-transparent silicone bubble compression seal</li> <li>Provide ambient temperature smoke containment</li> <li>Draught &amp; dust protection</li> </ul>	Translucent & Semi Transparent  Base material: Polycarbonate & Silicone

**S&L** MANUFACTURING t/a PTY LTD




# E manufactured@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS PIVOT DOOR HARDWARE

DS180-X





Product Image


**Dimensions** 

DETAILS	FINISHES
<ul> <li>Metro Aluminium 180° Door Seal</li> <li>X = 12 to suit 12mm glass or 10 to suit 10mm glass</li> <li>Standard Length 3000mm</li> <li>Includes double sided adhesive foam tape</li> </ul>	Natural Anodised      Base material:     Aluminium     Polypropylene Grey Wool Pile

# FRAMELESS GLASS PIVOT DOOR HARDWARE

DSS90-X-Y





Product Image

**Dimensions** 

DETAILS	FINISHES
<ul> <li>Metro Aluminium 90° Sliding Frameless Glass Door Seal to Sidelights or Walls</li> <li>X = 12 to suit 12mm glass or 10 to suit 10mm glass</li> <li>Y = Wool pile as 18mm or 20mm or 23mm or 26mm or 28mm or 32mm</li> <li>Standard Length 3000mm</li> <li>Includes double sided adhesive foam tape</li> <li>Suitable for Manual or Automatic Doors</li> <li>Will reduce draughts &amp; reduce noise</li> </ul>	Natural Anodised      Base material:     Aluminium     Polypropylene Grey Wool Pile

www.mfgs.com.au


# S&L

MANUFACTURING t/a
PTY LTD



## PU Seals

# FRAMELESS GLASS PIVOT DOOR HARDWARE





CODE No.	GLASS	WOOL PILE LENGTH (L)
PU1006	10mm	6mm
PU1008	10mm	8mm
PU1010	10mm	10mm
PU1013	10mm	13mm
PU1020	10mm	20mm
PU1206	12mm	6mm
PU1208	12mm	8mm
PU1210	12mm	10mm
PU1213	12mm	13mm
PU1220	12mm	20mm

Product Image

**Dimensions** 

#### **DETAILS**

#### GCC Clear PVC 180° Door Seal

- To suit 10mm & 12mm glass thickness
- Standard Length 2500mm
- The advantage of the weatherstripping is its ability to limit the circulation of air between indoors and outdoors. As such, the temperature to the air conditioned room or building is maintained. Dirt and Dust is also prevented from entering the room or building


FINISHES


Clear

Base material:
PVC Plastic
Polypropylene Grey Wool Pile

## PF Seals

# FRAMELESS GLASS PIVOT DOOR HARDWARE





CODE No.	GLASS	WOOL PILE LENGTH (L)		
PF1006		6mm		
PF1008		8mm		
PF1010	10mm	10mm		
PF1013		13mm		
PF1020		20mm		
PF1206		6mm		
PF1208		8mm		
PF1210	12mm	10mm		
PF1213		13mm		
PF1220		20mm		

**Dimensions** 

#### **DETAILS**

#### GCC Clear PVC 90° Sliding Frameless Glass Door Seal to Sidelights or Walls

- To suit 10mm & 12mm glass thickness
- Standard Length 2500mm
- The advantage of the weatherstripping is its ability to limit the circulation of air between indoors and outdoors. As such, the temperature to the air conditioned room or building is maintained. Dirt and Dust is also prevented from entering the room or building

#### **FINISHES**

Clear

Base material:

PVC Plastic Polypropylene Grey Wool Pile



# E manufactured@mfgs.com.au www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR HARDWARE

Patch & Rail Application Guide

### Fin Requirements


### For 10mm Glass

As a guide, when the height of the overpanel (A) plus the width of the side panel (B) exceeds a total of 1200mm, a support fin is required. A fin is not nescessary if either A or B are less than 400mm.

### For 12mm Glass

As a guide, when the height of the overpanel (A) plus the width of the side panel (B) exceeds a total of 1500mm, a support fin is required. A fin is not nescessary if either A or B are less than 500mm.

Fins are required to stiffen an assembly from the door action and windloads.



### **Maximum Recommended Door Sizes**

### For 10mm Glass


Doors with patch fittings 2400mm H x 1000mm W 2500mm H x 1100mm W

### For 12mm Glass

Doors with patch fittings 2700mm H x 1100mm W 2700mm H x 1200mm W

### **Doors Clearances**

Recommended clearances are as detailed on drawings.



# INTENTIONALLY

LEFT

BLANK



## P 02 4708 2563

# E manufactured@mfgs.com.au www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR SYSTEMS INDEX

4.1	Geze Levolan 60	
4.1.1	GCC Brisa 60	
4.2	Geze Rollan 80	
4.2.1	GCC Brisa 80	
4.3	Modern Tube Slider	
4.3.1	GCC Brisa 110H	
4.4	Valencia	
4.5	Geze Levolan 120	
4.6	Geze Perlan	
4.7	GCC RS150	
4.8	Sadev Medium/Strong	
4.9	Geze Levolan 150	
4.10	Metro Glass Glide	
4.11	Metro Linear 100	
4.12	MRS100/200/300	
4.13	Metro Linear 153	
4.14	MF120R/180/250	
4.15	Patch Locks, Finger & Flush Pulls	

# INTENTIONALLY

LEFT

**BLANK** 




E manufactured@mfgs.com.au www.mfgs.com.au

YEAR
HARDWARE


# FRAMELESS GLASS SLIDING DOOR SYSTEMS

Geze Levolan 60





Wall Installation (GL60-2450



Ceiling Installation (GL6)-2450 + GLBC-2850)

### **DETAILS**

### Geze Levolan 60

- 60kg weight capacity for 8/10/12mm toughened glass
- Suitable for door widths between 400 & 1240mm
- See page 4.1b for GL60-2450 kit inclusions & softstop details
- Email manufactured@mfgs.com.au for custom length kits including those requiring glass mounting, spacer and/or fixed panel profile.
- For further information please refer to download section at www.mfgs.com.au

### FINISHE:

- Natural Anodised
- Satin Stainless Anodised

Base material: Aluminium



**S&L** 






www.mfgs.com.au

# Geze Levolan 60

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

### GL60-2450 Wall Installation Kit Includes:


- 1 x 2450mm track & front cover profile
- 2 x roller carriages
- 2 x buffers
- 2 x end cover





FB = Leaf width (min)

### Draw-in damping on b



FB = Leaf width (min)




E manufactured@mfgs.com.au www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR SYSTEMS

**BRISA-60** 



### Wall/Ceiling Mount Kit Includes:

- 1 x 2400mm track & front cover
- 2 x Glass clamp rollers
- 2 x Soft stoppers
- 2 x Anti-bump & Active devices
- 2 x End caps
- 1 x Adjustable floor guide
- No handle included

TH: Total Height

TW: Total Width

LH: Clear Height

GH: Glass Panel Height

OW: Opening Width

GW: Glass Panel Width

### 

E manufactured@mfgs.com.au www.mfgs.com.au


MANUFACTURING t/a **PTY LTD** 


**S&L** 



## **BRISA-60G**


# FRAMELESS GLASS SLIDING DOOR SYSTEMS





Ø

BRISA-F06



TH: Total Height TW: Total Width LH: Clear Height

GH: Glass Panel Height

OW: Opening Width Glass Panel Width GW: F: Fixed Panel Width

### Glass/Ceiling Mount Kit Includes:

- 1 x 2400mm track & front cover
- 2 x Glass clamp rollers
- 2 x Soft stoppers
- 2 x Anti-bump & Active devices
- 2 x End caps
- 1 x Adjustable floor guide
- BRISA-F06 Glass Mount Fixings
- No handle included


DETAILS	FINISHES
GCC Brisa 60G Glass/Ceiling Mount Kit  60kg weight capacity for 10mm toughened glass  Suitable for min. door width of 740mm & max. 1200mm  Min. 740mm width for soft stop function both ends  BRISA-60SH Track End Support for Wall to Wall Mounting  For installation manual refer to download section at www.mfgs.com.au	<ul> <li>Natural Anodised</li> <li>Matt Black</li> <li>Base material:         <ul> <li>Aluminium</li> </ul> </li> </ul>

www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR SYSTEMS


Geze Rollan 80



- 1 = Tope buffer a diustable with hole open levice in the track
- 2 = Double roner carriage
- 3 = No Luffer adjustable in the lia
- 4 = nimitely adjustal legiss, floor quide
- L = Track lengt
- y = Distance and of track to centre of first drille thele
- n = Installa to findividual wall brac etewit i wooden leaf
- t = Hole paring
- FB = Leaf width
- FH = Leaf height

# GR1900 Wall/Ceiling Installation Kit Includes:

- 1 x 1200mm track
- 2 x oler carriages
  - 2 4 mm Clamping Plates with NA Covers
- 2x tube buffers
- 5 x Wall/Ceiling Bkts
- 1 x adj stable floor guide
- No handle included



Direct ceiling mounting

SH = Panel height

GH = Total height

Separation with apple


Wai in until g with angle

1 = Way ustallation

Panel height

Gh = Total height

Dimensions & Glass Preparation



Celling installation with plate

= Ceiling fixing , late

GLS= This less or gia

SH = Pa el heigh

= otal neig

### **DETAILS**

### GR1900 - Geze Rollan 80 kit

- 80kg weight capacity for 8/10/12mm toughened glass. 40kg Softstop rating
- Suitable for door widths between 500 & 970mm
- See page 4.2b for recessed clamp glass preparation & clamp details
- Email manufactured@mfgs.com.au for custom length kits including those requiring spacer and/or fixed panel profile.
- For further information please refer to download section at www.mfgs.com.au

### FINISHES

- Mill Track
- Natural Anodised Clamp Covers

Base material: Aluminium E manufactured@mfgs.com.au www.mfgs.com.au

S & L

MANUFACTURING t/a


PTY LTD



Geze Rollan 80

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

For example with glass leaves (glass with edge recesses), 1-sided, short, damping in one direction:




VW = Range of r over each

LBF = Leigh floor uide

FB 1= 1, compended leaf width 550 - 88 cm.

Dimensions & Glass Preparation



2 = Inside gearing

3 = End cover

4 = Glass clamping plate

5 = Glass pane




E manufactured@mfgs.com.au www.mfgs.com.au

3 YEAR HARDWARE WARRANTY

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

**BRISA-80** 



### Wall/Ceiling Mount Kit Includes:

- 1 x 3000mm track & front cover
- 2 x Glass clamp rollers
- 2 x Soft stoppers
- 2 x Anti-bump & Active devices
- 2 x End caps
- 1 x Adjustable floor guide
- No handle included

TH: Total Height

TW: Total Width

LH: Clear Height

GH: Glass Panel Height

OW: Opening Width

GW: Glass Panel Width

D: Approx. 22mm

# DETAILS GCC Brisa 80 Wall/Ceiling Mount Kit 80kg weight capacity for 10/12mm toughened glass Available for 12.8mm laminated toughened glass by request Suitable for min. door width of 740mm & max. 1300mm Min. 740mm width for soft stop function both ends For installation manual refer to download section at www.mfgs.com.au FINISHES Natural Anodised Matt Black Base material: Aluminium



E manufactured@mfgs.com.au www.mfgs.com.au


MANUFACTURING t/a
PTY LTD


**S&L** 




### **BRISA-80G**

# FRAMELESS GLASS SLIDING DOOR SYSTEMS







TH: Total Height
TW: Total Width
LH: Clear Height

GH: Glass Panel Height

OW: Opening Width

GW: Glass Panel Width
F: Fixed Panel Width

### Glass/Ceiling Mount Kit Includes:

- 1 x 3000mm track & front cover
- 2 x Glass clamp rollers
- 2 x Soft stoppers
- 2 x Anti-bump & Active devices
- 2 x End caps
- 1 x Adjustable floor guide
- BRISA-F06 Glass Mount Fixings
- No handle included


# DETAILS GCC Brisa 80G Glass/Ceiling Mount Kit 80kg weight capacity for 10mm toughened glass Available for 12.8mm laminated toughened glass by request Suitable for min. door width of 740mm & max. 1300mm Min. 740mm width for soft stop function both ends For installation manual refer to download section at www.mfgs.com.au Natural Anodised Matt Black Base material: Aluminium


www.mfgs.com.au




# FRAMELESS GLASS SLIDING DOOR SYSTEMS

### **MTSW**





Dimensions & Glass Preparation



### Wall Installation Kit Includes:

- 1 x 2000/3000/4000/6000mm x Ø25mm Tube
- 2 x Carriages
- 2 x End Caps
- 5/6/7/12 x Wall Mounted Bkts
- 2 x Tube Mounted Stops
- 1 x Adjustable Floor Guide
- 1 x Snake Eye Spanner
- No handle included

Glass Preparation - Carriage

# DETAILS MTSW - Modern Tube Slider Wall Installation Kit 100kg weight capacity Suitable for 10/12mm toughened glass Base material: 304 Stainless Steel

 $\hbox{\bf E manufactured@mfgs.com.au}\\$ 

www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD




# MTSG-1

# FRAMELESS GLASS SLIDING DOOR SYSTEMS








# 50 55 Ø26 X 2

Glass Preparation - Carriage



Glass Preparation - Glass Mount

### Glass Installation Kit Includes:

- 1 x 2000/3000/4000/6000mm x Ø25mm Tube
- 2 x Carriages
- 2 x End Caps
- 5/6/7/12 x Glass Mounted Bkts
- 2 x Tube Mounted Stops
- 1 x Adjustable Floor Guide
- 1 x Snake Eye Spanner
- No handle included

### **DETAILS**

### MTSG-1 Modern Tube Slider Glass Installation Kit

- 100kg weight capacity
- Suitable for 10/12mm toughened glass

### **FINISHES**


- Polished
- Satin
- Matt Black

www.mfgs.com.au





# FRAMELESS GLASS SLIDING DOOR SYSTEMS

MTSG-2










Glass Preparation - Carriage



Glass Preparation - Glass Mount

### Glass Installation Kit Includes:

- 1 x 2000/3000/4000/6000mm x Ø25mm Tube
- 2 x Carriages
- 2 x End Caps
- 5/6/7/12 x Glass Mounted Bkts
- 2 x Tube Mounted Stops
- 1 x Adjustable Floor Guide
- 1 x Snake Eye Spanner No handle included

### **DETAILS**

### MTSG-2 Modern Tube Slider Glass Installation Kit

- 100kg weight capacity
- Suitable for 10/12mm toughened glass

### **FINISHES**

- Polished
- Satin
- Matt Black

www.mfgs.com.au


MANUFACTURING t/a
PTY LTD

**S&L** 



3 YEAR HARDWARE WARRANTY

# MTSCB FRAMELESS GLASS SLIDING DOOR SYSTEMS



DETAILS	FINISHES
<ul> <li>MTSCB Modern Ceiling Mount Tube Slider Bracket</li> <li>100kg weight capacity</li> <li>Suitable for 10/12mm toughened glass</li> </ul>	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 316 Stainless Steel</li> </ul>




E manufactured@mfgs.com.au www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR SYSTEMS

**BRISA-110H** 



### Wall/Ceiling Mount Kit Includes:

- 1 x 3000mm track & front cover
- 2 x Glass clamp rollers
- 2 x Soft stoppers
- 2 x Anti-bump & Active devices
- 2 x End caps
- 1 x Adjustable floor guide
- No handle included

TH: Total Height

TW: Total Width

LH: Clear Height

GH: Glass Panel Height

OW: Opening Width

GW: Glass Panel Width

D: Approx. 22mm

### **Dimensions**

DETAILS	FINISHES
<ul> <li>GCC Brisa 110H Wall/Ceiling Mount Kit</li> <li>110kg weight capacity for 10/12mm toughened glass</li> <li>Available for 12.8mm laminated toughened glass by request</li> <li>Suitable for min. door width of 740mm &amp; max. 1500mm</li> <li>Min. 740mm width for soft stop function both ends</li> <li>For installation manual refer to download section at www.mfgs.com.au</li> </ul>	<ul> <li>Natural Anodised</li> <li>Matt Black</li> <li>Base material:         <ul> <li>Aluminium</li> </ul> </li> </ul>




E manufactured@mfgs.com.au www.mfgs.com.au


**S&L** MANUFACTURING t/a **PTY LTD** 




# **BRISA-110H G**

# FRAMELESS GLASS SLIDING DOOR SYSTEMS





Ø 20



TH: Total Height TW: Total Width LH: Clear Height

GH: Glass Panel Height

OW: Opening Width Glass Panel Width GW: F: Fixed Panel Width

### Glass/Ceiling Mount Kit Includes:

- 1 x 3000mm track & front cover
- 2 x Glass clamp rollers
- 2 x Soft stoppers
- 2 x Anti-bump & Active devices
- 2 x End caps
- 1 x Adjustable floor guide
- BRISA-F06 Glass Mount Fixings
- No handle included

DETAILS	FINISHES
GCC Brisa 110H G Glass/Ceiling Mount Kit  110kg weight capacity for 10/12mm toughened glass  Available for 12.8mm laminated toughened glass by request  Suitable for min. door width of 740mm & max. 1500mm	<ul><li>Natural Anodised</li><li>Matt Black</li></ul>
<ul> <li>Min. 740mm width for soft stop function both ends</li> <li>For installation manual refer to download section at www.mfgs.com.au</li> </ul>	Base material: Aluminium




E manufactured@mfgs.com.au www.mfgs.com.au

3 YEAR HARDWARE WARRANTY

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

DL120-2000



# DETAILS FINISHES

### Valencia 120

- 120kg weight capacity for 10/12mm glass
- For installation instructions please refer to download section at mfgs.com.au

### Satin Stainless Anodised

Base material: Aluminium E manufactured@mfgs.com.au www.mfgs.com.au

MANUFACTURING t/a
PTY LTD


**S&L** 



3 YEAR HARDWARE


# Geze Levolan 120

# FRAMELESS GLASS SLIDING DOOR SYSTEMS





Wall Installation (GL120-2850)



Celling Installation C2120-2850 + GLPC-2350

### **DETAILS**

### Geze Levolan 120

- 120kg weight capacity for 8/10/12mm toughened glass
- Suitable for door widths between 640 & 1440mm
- See page 4.5b for GL120-2850 kit inclusions & softstop details
- Email manufactured@mfgs.com.au for custom length kits including those requiring spacer and/or fixed panel profile.
- For further information please refer to download section at www.mfgs.com.au

### FINI. JES

- Natural Anodised
- Satin Stainless Anodised

Base material: Aluminium



# FRAMELESS GLASS SLIDING DOOR HARDWARE

Geze Levolan 120




- 1 x 2850mm track & front cover profile
- 2 x roller carriages
- 2 x buffers
- 2 x end covers
- 1 x adjustable fill or suite
- No handle included

### Draw in lamping on one side



### D = Leal Width

### Draw-in damping on bot st as



www.mfgs.com.au

S & L MANUFACTURING t/a


**PTY LTD** 



# GPW2450

# FRAMELESS GLASS SLIDING DOOR SYSTEMS





LL = Track length

FB = Leaf width

TK = Distance door hand to edg. or leaf

TW = Distance door manage to wall

Y = Distance of rt drill hole

A = Distance Lety een suspension pot

TÜ = Door cleara ce

LH = Clear height

LB = Clear width

GH = Total height

FH = Leaf height

ÖW = Opening width

SH = Panel height

### Walter stall the Kit Includes

- 1x 450mm track
- X concealed will had
  - 2 x double foller to mages
- w (I brac, et a track
  - x tub buffers
- x hota-open spring
- 2 k glass clamp g niste
  - with individu (c) ers & black

plastic (nd la, s

- 1 x adjus abligrass floorguide
- No lande meluded

### **DETAILS**

### Geze Perlan 140

- 140kg weight capacity for 8/10/12mm toughened glass
- Suitable for door widths between 500 & 1240mm and various softstops
- See page 4.2b for recessed clamp glass preparation & clamp details
- Emailmanufactured@mfgs.com.au for custom length kits and those requiring continuous clamp covers, track covers spacers, fixed panel profile, etc.
- For further information please refer to download section at www.mfgs.com.au

### FINI. JES

- Natural Anodised
- Satin Stainless Anodised

Base material: Aluminium



E manufactured@mfgs.com.au www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR SYSTEMS


**GPC2450** 


D = Perlan 140 with glass clamping plate, with pull handle, individually covered, without glass cut-outs, with ceiling connection (not recommended because of glass gap)


E = Perlan 140 with glass clamping plate, with pull handle, individually covered, with glass cut-outs, with ceiling connection

 $F = Perlan\ 140\ with\ glass\ clamping\ plate,\ \underline{\textit{with}}\ pull\ handle,\ continuously\ covered,\ without\ glass\ cut-outs,\ with\ ceiling\ connection$ 

Note: Position of the glass clamping pate manges if SoftStop is used







Dim. n. ning as with F

LS = Track lengt LBR = Clear wich

TÜ = Door oti sid


TW1 = Down not wall clearance (door closed TW2 = Doo handle - wall clearance (door opened).

GD = Diameter of handle bar

SH = Panel height
LH = Clear height
GH = Total height
SB = Panel width

### Ceiling Installation (it is codes

- 1 x 2450 mm trans
- 2 x double r ller carriages
- 2 x black plastic track and calls
- 2 x tube buffers
- 1 x hold-open sprik
- 2 x glass clamping pices with individual covers & black plastic end caps
- 1 x adjustable glass flooglide
- No handle included



 $SH = P_{i} p_{i}^{c}$  height

JH = Tot. Vheir

### **DETAILS**

### Geze Perlan 140

- 140kg weight capacity for 8/10/12mm toughened glass
- Suitable for door widths between 500 & 1240mm and various softstops
- See page 4.2b for recessed clamp glass preparation & clamp details
- Email manufactured@mfgs.com.au for custom length kits and those requiring continuous clamp covers, track covers spacers, fixed panel profile, etc.
- For further information please refer to download section at www.mfgs.com.au

### FINISHES

- Natural Anodised
- Satin Stainless Anodised

Base material: Aluminium



www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD




# MANEZE TELESCOPIC


# FRAMELESS GLASS SLIDING DOOR SYSTEMS




GPT2-2000/3000/4000 (2 Leaf)



GPT2+1-2000/3000/4000/6000 (2 Leaf with Fixed Panel)



GPT3-2000/3000/4000/6000 (3 Leaf)



GPT3+1-2000/3000/4000/6000 (3 Leaf with Fixed Panel)


DETAILS	FINISHES
<ul> <li>Maneze Telescopic</li> <li>140kg weight capacity</li> <li>Suitable for 10/12mm toughened glass</li> </ul>	Natural Anodised     Satin Stainless Anodised
	Base material: Aluminium

YEAR HARDWARE WARRANTY

www.mfgs.com.au

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

MANEZE TELESCOPIC



DETAILS	FINISHES
Maneze Telescopic  140kg weight capacity for 10/12mm toughened glass Email manufactured@mfgs.com.au for custom length kits	<ul><li>Natural Anodised</li><li>Satin Stainless Anodised</li></ul>
	Base material: Aluminium


**S&L** 



3 YEAR HARDWARE WARRANTY

**RS150** 

# FRAMELESS GLASS SLIDING DOOR SYSTEMS



DETAILS	FINISHES
<ul> <li>GCC RS150 Kit for Ceiling Installation</li> <li>150kg weight capacity for 10/12mm toughened glass</li> <li>Suitable for door widths up to 1500mm</li> <li>Refer to price list for track mounting bkts, end caps &amp; bottom rails.</li> </ul>	<ul> <li>Natural Anodised</li> <li>Other finishes may be available</li> <li>Base material: Aluminium</li> </ul>



E manufactured@mfgs.com.au

www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR SYSTEMS

Sadev Med/Strong Single Door - Wall

Product Code	Туре	Glass Door Width
89-000.1301		Up to
89-000.1302	Med	9 Jmm 1500mm
89-000,120		Up to 950mm
69-00 <del>0.</del> 1202	Strong	950 mm to 1.70 mm



H: Opening high Hp: Glass height, L: Opening width Lp: Glass Width X: Total track length, Ar: Track Height

### DETAILS FINISHES

Servin dium/Strong Single Door Kis to the all Installation

- Mr. lium 80kg / Stron 150kg reight capacity for 8/1 J/12ml roughened glass
- No handles or cass in lude with kits
- For further in oritation please refer to do inloads oftion www.mfgs.com.au
- Satin
  - ase material: 316 Stainless Steel

# FRAMELESS GLASS SUDING LOOR SYSTEMS

Cadev Med/Strong Doubl Door - Wall

Product Code	Туге	. lass creiling W.dth
89-000.1305	D.	Up to 1800m. 1
89-000.1306	Med	180 yem t 3000 mm
89-000.1205		Up to 1800mm
89-000.1206	Strong	1800n m to 30 70n m



H: Opening height, Hp: Glass height, L: Opening width, \text{ p: Glass Width X: To all trick length, Ar: Track Height

# DETAILS

Sadev Medium/Strong Double Door Kits for Wall Installation

- Medium 80kg / Strong 150kg weight capacity for 8/10/12mm toughened glass
- No handles or Glass included with kits
- For further information please refer to download section at www.mfgs.com.au

Satin

www.mfgs.com.au

MANUFACTURING t/a

**S&L** 

PTY LTD

MANUFACTURED FRAMELESS GLASS SYSTEMS

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

Sadev Med/Strong Single Door - Glass

Product Code	Туре	Glass Door Width
89-000.1303		Up to 950 nm
89-000.1304	Med	9.70. im 2 1500mm
89-000420		Up to 950m
89- 00.1204	Strong	970min 500r.m



H: Opening height, H: Glass height, L: Opening vidth L: Cass Width X: Total track length, Ar: Track Height

### DETAILS

Sadev and In / Strong Single Door K. s.f. Gil so installation

- Med un. 80kg / Strong 15 kg w ig it capacity for 8/10/12 nm too mened glass
- No handles or Glass included with kits
- For further in form, tile i please refer to downled set tile at www.mfgs.com.av


Satip

Last material: 316 Stainless Steel

# FRAMELESS GLASS SLIDING DOCK SYSTEMS

Sadev Med/Strong Double Dor - Glass

Product Code	Туре	Claus Upen ng Widta
89-000.1307	V	op to 1800mm
89-000.1308	Med	1800m r. to 3000r r.
89-000.1207		Up to 1800mm
89-000.1208	Strong	1800mm 3000lnm



H: Opening height, Hp: Glass height, L: Opening width, Lp: Class Width X: Total trick night Ar: Track Height

### **DETAILS**

Sadev Medium/Strong Double Door Kits for Glass Installation

- Medium 80kg / Strong 150kg weight capacity for 8/10/12mm toughened glass
- No handles or Glass included with kits
- For further information please refer to download section at www.mfgs.com.au

110.12





E manufactured@mfgs.com.au www.mfgs.com.au

YEAR HARDWARE

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

GLW2450





G W2 50 Wall Installation Kit Includes:

1 x 2450mm tracket profile

2 x roller arring s

- 2 x buffels
- 2 x end to er
- 1 x brush sea
- TX of stable floor guide
- Mandle included

1 = Profile for wall mounting

2 = Screw DIN 7991 M6x12

3 = Profile for ceiling mounting

4 = Sealing brush

LH = Clear height

GLS= Thickness of glass

SH = Panel height

GH = Total height

### **DETAILS**

### Geze Levolan 150 Wall Fix Kit

- 150kg weight capacity for 8/10/12mm toughened glass
- Suitable for door widths between 500 & 1240mm
- See page 4.9c for softstop details
- For further information please refer to download section at www.mfgs.com.au

### FINISHES

- Natural Anodised
- Satin Stainless Anodised

WARRANTY

E manufactured@mfgs.com.au

www.mfgs.com.au

S & L


MANUFACTURING t/a


PTY LTD



# GLC2450

# FRAMELESS GLASS SLIDING DOOR SYSTEMS





### C245 Wall Installa on Kit Includes:

- 1 x 2450mn trock? Ler profile
- 2 x roller car jayes
- 2 x b ff rs
- 2 x end corers
- 1 x brysn seal
- 1 adjustable from winde
- No handle is luged

- 1 = Cover profile for ceiling mounting
- 2 = Profile for ceiling mounting
- 3 = Fixing disc
- 4 = Sealing brush
- SH = Panel height
- GH = Total height
- GLS= Thickness of glass

### **DETAILS**

### Geze Levolan 150 Ceiling Flx Kit

- 150kg weight capacity for 8/10/12mm toughened glass
- Suitable for door widths between 500 & 1240mm
- See page 4.9c for softstop details
- For further information please refer to download section at www.mfgs.com.au

### FINI. aES

- Natural Anodised
- Satin Stainless Anodised



# E manufactured@mfgs.com.au


3 YEAR HARDWARE WARRANTY

www.mfgs.com.au

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

Geze Levolan 150 Softstops

With long glass leaf on both sides:



Mounting with class leef, damping in both directions, L. volan Soi St. Duo:



With glass leaf on one side, short:



LS = Track length

FB = Leaf width

### **DETAILS**

## FINISHES

### Geze Levolan 150 Softstops

- 80kg weight capacity
- GLSS Short Single Sided Version 650mm to 1000mm Wide Door
- GLSM-S Medium Single Sided Version 975mm to 1365mm Wide Door
- GLSM-D Duo Version 860mm to 1365mm Wide Door
- GLSL-D Large Double Sided Version 1365mm to 1700mm Wide Door
- For further information please refer to download section at www.mfgs.com.au

www.mfgs.com.au


# **S&L**


# MANUFACTURING t/a PTY LTD



# **GG.CW**

# FRAMELESS GLASS SLIDING DOOR SYSTEMS





### Ceiling fix

To determine door height H = Overall opening height

DH = Glass door height

DH = H less 37mm


### Wall fix

To determine door height

TH = Opening height to underside of transom

DH = Glass door height

DH = TH plus 25mm



To determine door width

COW = Clear opening width

DW = Door width

Doors typically overlap the clear opening by 35mm each side

Eg. DW = COW + 70mm

Track length is 2 x door width

### **DETAILS FINISHES** Metro Glass Glide Ceiling or Wall Fix Kits

- 150kg weight capacity for 10 or 12mm toughened glass
- Each kit contains: Track, Pelmet, Hangers, Stops, End Caps & Floor guide. GG.DK for extra hardware required on double doors.
- Kits available for door widths up to 1000mm and 1500mm
- For further information please refer to download section at www.mfgs.com.au

Natural Anodised

Base material: Aluminium





E manufactured@mfgs.com.au www.mfgs.com.au

YEAR HARDWARE WARRANTY

# FRAMELESS GLASS SLIDING DOOR SYSTEMS

GG.SP





To determine the height of glass doors & sidelights


H = Overall opening height


DH = Glass door height

DH = H less 37mm

SL = Glass sidelight height

SL = H less 47mm





With the Metro Glass Glide sliding door & sidelight system there are numerous set out options.

Above are two of the more common options.

Note: It is recommended that the door and sidelight overlap be 35mm each side.

When glazing side lights specify CS25 channel.

# Metro Glass Glide Ceiling or Wall Fix Kits with Sidelight Carrier 150kg weight capacity for 10 or 12mm toughened glass Each kit contains: Track, Sidelight Carrier, Sidelight Infill, Hangers, Stops, End Caps & Floor guide. GG.DK for extra hardware required on double doors. Kits available for door widths up to 1000mm and 1500mm For further information please refer to download section at www.mfgs.com.au

www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD



# ML100

# FRAMELESS GLASS SLIDING DOOR SYSTEMS



### DETAILS

### Metro Linear 100

- 170kg weight capacity for 10 or 12mm toughened glass
- Each kit contains: Bottom Track, Top Channel Guide & 2 x Stops and 2 x Wheels
- Kits available for door widths up to 1000mm and 1500mm
- Side mount channel fittings available upon request
- The system can be used in single, bi-parting and multiple lines of sliding doors
- For further information please refer to download section at www.mfgs.com.au

### **FINISHES**

- Natural Anodised Top Channel Guide & Bottom Track
- Satin Wheels

Base material:

Aluminium Top Channel Guide

& Bottom Track


Stainless Steel Wheels

E manufactured@mfgs.com.au www.mfgs.com.au



# FRAMELESS GLASS SLIDING DOOR HARDWARE

ML100 Glass Preparation



X = height of door which is finished opening height less 35mm

E manufactured@mfgs.com.au www.mfgs.com.au


MANUFACTURING t/a
PTY LTD

**S&L** 



MRS100/200/300

# FRAMELESS GLASS SLIDING DOOR SYSTEMS



DETAILS	FINISHES
---------	----------

### MRS100/200/300

- 100/200/300kg weight capacity for 10 or 12mm toughened glass
- Each kit contains: Track, bottom sliding door rail, top guide channel & 2 x stops
- Kits available for door widths up to 1000/1500/2000/3000mm
- For further information please refer to download section at www.mfgs.com.au

 NA Top Channel Guide & Bottom Sliding Rail Covers & track for MRS100 Base material:


Aluminium Top Channel Guide, Bottom Sliding Rail & track for MRS100 Raw Brass Bottom Track for MRS200 Nylon Wheels

3 YEAR HARDWARE WARRANTY

#### www.mfgs.com.au

#### FRAMELESS GLASS SLIDING DOOR HARDWARE

MRS100/200/300 Glass Preparation





www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD



#### ML153

#### FRAMELESS GLASS SLIDING DOOR SYSTEMS



#### **DETAILS**

#### Metro Linear 153

- 250kg weight capacity for 10 or 12mm toughened glass
- Each kit contains: Bottom Track, Top Channel Guide & 2 x Stops and 2 x Wheels
- Kits available for door widths up to 1000mm and 1500mm
- Side mount channel fittings available upon request
- The system can be used in single, bi-parting and multiple lines of sliding doors
- For further information please refer to download section at www.mfgs.com.au

#### **FINISHES**

- Natural Anodised Top Channel Guide
   & Bottom Track
- Satin Wheels

Base material:

Aluminium Top Channel Guide


& Bottom Track

Stainless Steel Wheels



#### FRAMELESS GLASS SLIDING DOOR HARDWARE Glass Pr

ML153 Glass Preparation



X = height of door which is finished opening height less 35mm

www.mfgs.com.au

# S & L MANUFACTURING t/a

PTY LTD



#### **MF120R**


#### FRAMELESS GLASS SLIDING DOOR SYSTEMS


The 120F track to the right can be fixed through the roof of the track, or wall fixed with the use of brackets.

The flat underside of the track

provides a clean and simple

aesthetic look.





The 120C track above is designed for integration into a plasterboard or suspended ceiling, allowing a full height door detail.

#### DETAILS

#### MF120R with Top Door Rail

- 120kg weight capacity for 10 or 12mm toughened glass
- Each kit contains: Top Track/Stops, Roller Hangers, Top Door Rail/Hanger Blocks & Floor Guide for door widths up to 1000mm, 1500mm & 2000mm
- Email manufactured@mfgs.com.au for custom lengths in single, bi-parting, multiple lines of sliding doors, using patch fittings rather than door rails, stainless wheels & the addition of bottom rails.

#### FINISHES

- Natural Anodised
- Other finshes may be available

Base material: Aluminium Top Track & Door Rail S & L

MANUFACTURING t/a

PTY LTD




E manufactured@mfgs.com.au www.mfgs.com.au



#### FRAMELESS GLASS SLIDING DOOR SYSTEMS

MF180



DETAILS	FINISHES
<ul> <li>MF180 with Top Door Rail</li> <li>180kg weight capacity for 10 or 12mm toughened glass</li> <li>Each kit contains: Top Track/Stops, Roller Hangers, Covered Clamps &amp; Floor Guide for door widths up to 1000mm, 1500mm &amp; 2000mm</li> <li>Email manufactured@mfgs.com.au for custom lengths in single, bi-parting, multiple lines of sliding doors, using patch fittings rather than door rails, stainless wheels &amp; the addition of bottom rails.</li> </ul>	<ul> <li>Natural Anodised</li> <li>Other finshes may be available</li> <li>Base material:         <ul> <li>Aluminium Top Track</li> <li>Door Rail</li> </ul> </li> </ul>




www.mfgs.com.au

# S & L MANUFACTURING t/a PTY LTD



#### MF250

#### FRAMELESS GLASS SLIDING DOOR SYSTEMS



DETAILS	FINISHES
<ul> <li>MF250 with Top Door Rail</li> <li>250kg weight capacity for 10 or 12mm toughened glass</li> <li>Each kit contains: Top Track/Stops, Roller Hangers, Top Door Rail/Hanger</li> </ul>	Natural Anodised     Other finshes may be available
Blocks & Floor Guide for door widths up to 1000mm, 1500mm & 2000mm  • Email manufactured@mfgs.com.au for custom lengths in single, bi-parting, multiple lines of sliding doors, using patch fittings rather than door rails, stainless wheels & the addition of bottom rails.	Base material: Aluminium Top Track & Door Rail

S & L

MANUFACTURING t/a

PTY LTD



#### E manufactured@mfgs.com.au

YEAR
HARDWARE
WARRANTY

www.mfgs.com.au

FRAMELESS GLAS	S SLIDING DOOR SYSTEMS	MP300H MP300H/SS
	Dimensions of patch same as MP300 on page 3.9e	R10 + 48
Product Image	Dimensions	Glass Preparation
Sliding Door Patch Lock  Suitable for 10mm & 12mm glass Complete with cylinder/snib & hook in MP300H/SS has a zinc passivated, of less steel mortice lock throw	mortice lock lie cast & stainless steel internals & stain-	FINISHES  Polished Satin Other finishes may be available  Base material: Aluminium Body 304 Stainless Steel Covers
FRAMELESS GLAS	S SLIDING DOOR SYSTEMS	MP320H
	Dimensions of patch same as MP300 on page 3.9e	48 H
Product Image	Dimensions	Glass Preparation
DETAILS  Sliding Door Patch Lock Keeper  Suitable for 10mm & 12mm glass For MP300H		FINISHES      Polished     Satin     Other finishes may be available  Base material:

304 Stainless Steel Covers

E manufactured@mfgs.com.au www.mfgs.com.au

MANUFACTURING t/a PTY LTD

**S&L** 



#### MK590-H

#### FRAMELESS GLASS SLIDING DOOR SYSTEMS





**Dimensions** 

#### **Product Image**

#### **DETAILS FINISHES**

#### Wall Mount Strike Box

Used with MP300H & MP300H/SS

Polished

Satin

Base material: Steel Body 304 Stainless Steel Cover

#### **MP200H**


#### FRAMELESS GLASS SLIDING DOOR SYSTEMS







**Dimensions** 



Glass Preparation (choice of two)

#### **DETAILS**

#### Sliding Door Hook Patch Lock

- Suitable for 10mm & 12mm glass
- Complete with cylinder/snib & keeper
- Will also suit an MP200 cutout with adjustment, see page 3.9d

#### **FINISHES**

- Polished
- Satin

Base material: Aluminium Body 304 Stainless Steel Covers S & L

MANUFACTURING t/a

PTY LTD



E manufactured@mfgs.com.au www.mfgs.com.au




#### FRAMELESS GLASS SLIDING DOOR SYSTEMS **MP220H** 163 30/32 Ø13 **Product Image Glass Preparation Dimensions DETAILS FINISHES** Glass Keeper Polished Suitable for 10mm & 12mm glass Satin For MP200H Base material: Aluminium Body 304 Stainless Steel Covers

#### FRAMELESS GLASS SLIDING DOOR SYSTEMS

#### MK240H





#### **Product Image**

#### **Dimensions**

DETAILS	FINISHES
Wall Keeper  ■ For MP200H	<ul><li>Polished</li><li>Satin</li></ul>
	Base material: 304 Stainless Steel

Sliding Door Finger Pull

Suitable for 10mm & 12mm glass

E manufactured@mfgs.com.au www.mfgs.com.au

S & L

MANUFACTURING t/a

PTY LTD



SDFP60	SDFP60 FRAMELESS GLASS SLIDING DOOR SYSTEMS	
	11.25 Ø58.5 Ø38 5 x 45 Deg	50mm Diameter Hole
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES
Sliding Door Finger Pull  Suitable for 10mm & 12mm	n glass	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 316 Stainless Steel</li> </ul>
SDFP70	FRAMELESS GLASS S	SLIDING DOOR SYSTEMS
	Ø42	70 55mm Diameter Hole
Product Image	Dimensions	Glass Preparation
DETAILS		FINISHES

Polished

Base material: 316 Stainless Steel

Satin





nufactured(dmfgs.com.au year Hardwar warrant

#### FRAMELESS GLASS SLIDING DOOR SYSTEMS









**Product Image** 

Dimensions

**Glass Preparation** 

#### **DETAILS**

#### GFS T-Lock

- Suitable for 8/10/12mm glass for Cavity Installation
- Righthand = FPL100R & Lefthand = FPL100L
- Automatic coupling
- Can be locked from the outside but always open from the inside
- In case of internal locking it is equipped with a safety mechanism
- The drapping trigger allows the door to sit flush with the frame

#### **FINISHES**


- Polished Chrome
- Satin Stainless Similar
- Other finishes may be available


Base material: Brass

#### FRAMELESS GLASS SLIDING DOOR SYSTEMS

#### FPL100WK







**Product Image** 

**Dimensions** 

**Glass Preparation** 

#### **DETAILS**

#### GFS Wall Keeper T-Lock

- Self adjusting to the natural setting of the door
- Hole Receiver on post 45mm Diameter
- Calculation of the height for the hole receiver B = A + 38mm

#### **FINISHES**

- Polished Chrome
- Satin Stainless Similar

Other finishes may be available

Base material: Brass



www.mfgs.com.au

S & L

MANUFACTURING t/a

PTY LTD



#### FP100 FRAMELESS GLASS SLIDING DOOR SYSTEMS 94 **Product Image Dimensions Glass Preparation DETAILS FINISHES** GFS Sliding Door Flushpull Polished Chrome Suitable for 8/10mm glass for Cavity Installation Satin Stainless Similar The drapping trigger allows the door to sit flush with the frame Other finishes may be available Base material: Brass



### P 02 4708 2563 E manufactured@mfgs.com.au

www.mfgs.com.au



#### FRAMELESS GLASS FOLDING DOOR SYSTEMS INDEX

- 5.1 Metro MF75
- 5.2 GCC Frameless Glass Folding Door Systems
- 5.3 Austvision Folding Door Systems

# INTENTIONALLY

LEFT

BLANK

S & L

MANUFACTURING t/a

PTY LTD




E manufactured@mfgs.com.au www.mfgs.com.au



#### FRAMELESS GLASS FOLDING DOOR SYSTEMS

MF75-2/3/4/5/6



#### **DETAILS**

#### Metro MF75 Internal Folding Door Kits

- 75kg weight capacity for 10mm toughened glass 2700mm H x 950mm W
- Each kit contains: Top Track, Roller Hangers, Pivot Set, Guide Hinges, Bottom Locks & Floor Guide Channel
- End door on uneven sets can be fitted with latch or lockset
- For further information please refer to download section at www.mfgs.com.au

#### **FINISHES**

 Natural Anodised Top Track & Floor Channel Guide

TOP RAIL SECTION

 Brushed Satin Chrome Pivot Sets & Guide Hinges

Base material:

Aluminium Track & Floor Channel Guide Brass Pivot Sets & Guide HInges

STACKING PROFILE

WARRANTY

E manufactured@mfgs.com.au www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD



GCC SFW-DR-O

#### FRAMELESS GLASS FOLDING DOOR SYSTEMS



# GCC Frameless Glass Folding Door System with Door Rails - Offset Rollers 80kg weight capacity for 10 or 12mm toughened glass 3000mm H x 850mm W Every panel is fixed to the floor by flush bolt and last panel can be locked If last panel is not to act as a swing door, even number of panels is required For further information please refer to download section at www.mfgs.com.au FINISHES Natural Anodised Top Track & Rails Other finishes may be available Base material: Aluminium Track & Door Rails

5.2b

MANUFACTURING t/a
PTY LTD




# E manufactured@mfgs.com.au www.mfgs.com.au



#### FRAMELESS GLASS FOLDING DOOR SYSTEMS

GCC SFW-DR-C



DETAILS	FINISHES
<ul> <li>GCC Frameless Glass Folding Door System with Door Rails - Centre Rollers</li> <li>80kg weight capacity for 10 or 12mm toughened glass 3000mm H x 1000mm W</li> <li>First base panel width = half panel width + (65mm +- 2mm)</li> </ul>	Natural Anodised Top Track & Rails     Other finishes may be available
<ul> <li>3-8 panels are available &amp; last panel can be one side swing with no roller</li> <li>For further information please refer to download section at www.mfgs.com.au</li> </ul>	Base material: Aluminium Track & Door Rails

www.mfgs.com.au


# S & L MANUFACTURING t/a PTY LTD




#### GCC SFW-DR Details


#### FRAMELESS GLASS FOLDING DOOR SYSTEMS







\* For door rail information, please refer to GCC Door Rails catalogue.



S & L

MANUFACTURING t/a

PTY LTD




#### E manufactured@mfgs.com.au


www.mfgs.com.au vez

#### 3 YEAR HARDWARE WARRANTY

#### FRAMELESS GLASS FOLDING DOOR SYSTEMS

Austvision Bi-Fold (Rail)





#### **DETAILS**

#### Austvision Bifold Doors with Rails

- For heavy duty commercial applications up to 3m maximum opening height
- A maximum of 15mm toughened, heat soaked glass can be supported
- Austvision frameless door systems feature innovative dual nylon wheels in the roller carriages for better weight distribution and stability.
- For further information please refer to download section at www.mfgs.com.au

#### **FINISHES**

- Natural Anodised Top Track
- Polished
- Satin
- Other finishes may be available Base material:

Stainless Steel & Aluminium Rail Covers Aluminium Top Track & Door Rail Body

www.mfgs.com.au

S & L


MANUFACTURING t/a


**PTY LTD** 



Austvision Bi-Fold (Spider)

#### FRAMELESS GLASS FOLDING DOOR SYSTEMS





#### **DETAILS**

#### Austvision Bifold Doors with Spiders

- For heavy duty commercial applications up to 3m maximum opening height
- A maximum of 15mm toughened, heat soaked glass can be supported
- Austvision frameless door systems feature innovative dual nylon wheels in the roller carriages for better weight distribution and stability.
- For further information please refer to download section at www.mfgs.com.au

#### **FINISHES**

- Natural Anodised Top Track
- Polished
- Satin

Base material: Stainless Steel Spiders & Hinges Stainless & Aluminium Locks Aluminium Top Track



#### P 02 4708 2563

### E manufactured@mfgs.com.au www.mfgs.com.au



#### FRAMELESS GLASS STACKING DOOR SYSTEMS INDEX

- 6.1 GCC Stacking Door Systems
- 6.2 GEZE MSW Stacking Door System
- 6.3 Austvision Slydstak Door System

# INTENTIONALLY

LEFT


BLANK

# E manufactured@mfgs.com.au www.mfgs.com.au

3 YEAR HARDWARE

#### FRAMELESS GLASS STACKING DOOR SYSTEMS

GCC SWS-DR



DETAILS	FINISHES
GCC Frameless Glass Stacking Door System with Door Rails  150kg weight capacity for 10/12/15mm toughened glass with maximum panel size of 4000mm High x 1250mm Wide  The first state of the sinformation of the size of the s	<ul> <li>Natural Anodised Top Track &amp; Rails</li> <li>Other finishes may be available</li> </ul>
For further information please refer to download section at www.mfgs.com.au	Base material: Aluminium Track & Door Rails

HARDWARE

www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD



GCC SWS-PF

#### FRAMELESS GLASS STACKING DOOR SYSTEMS




DETAILS	FINISHES
<ul> <li>GCC Frameless Glass Stacking Door System with Patch Fittings</li> <li>85kg weight capacity for 10/12/15mm toughened glass with maximum panel size of 3000mm High x 1000mm Wide</li> <li>For further information please refer to download section at www.mfgs.com.au</li> </ul>	<ul> <li>Natural Anodised Top Track</li> <li>Polished Stainless Patch Covers</li> <li>Satin Stainless Patch Covers</li> <li>Other finishes may be available</li> </ul>

Base material: Aluminium Track & Patch Bodies 304 Stainless Steel Patch Covers

YEAR HARDWARE WARRANTY

#### www.mfgs.com.au **GLASS SYSTEMS** GCC SWS-PF FRAMELESS GLASS STACKING DOOR SYSTEMS **Glass Preparation** 135 R80 0 37 36 148 Ø20 Ø20 148 36 37 R80 Swing Door Panel **Sliding Door Panel** 135





**S&L** MANUFACTURING t/a PTY LTD




GCC SWS Parking Bays

#### FRAMELESS GLASS STACKING DOOR SYSTEMS




- SWS 80RL 90°.
- Suitable for SWS-DR & SWS-PF systems.







- Use SWS 80L 90° & SWS 80T(L)135 ° & SWS 80L 135°.
- Suitable for SWS-DR & SWS-PF systems.




- Use SWS 80L 90°, SWS 80RT(L) 90° & SWS 80RL 90°.
- Suitable for SWS-DR & SWS-PF systems.




- Use SWS 80T(R)90°& SWS 80L 95°
- Suitable for SWS-DR system.



- Use SWS 80RT(R)90° & SWS 80RL90°
- Suitable for SWS-DR & SWS-PF systems.



- Use SWS 80L135°& SWS 80T(L) 90° & SWS 80L 95°
- Suitable for SWS-DR system.



- Use SWS 80L 135°, SWS 80T(L) 135° & SWS 80L 135°
- Suitable for SWS-DR & SWS-PF systems.

6.1e

S & L

MANUFACTURING t/a

PTY LTD




# E manufactured@mfgs.com.au www.mfgs.com.au

YEAR HARDWARE WARRANTY

#### FRAMELESS GLASS STACKING DOOR SYSTEMS

GCC SWS Parking Bays



www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD



#### **GEZE MSW**

#### FRAMELESS GLASS STACKING DOOR SYSTEMS



Drilling dimensions of the double track

1 = T-groove for connection of the suspended ceiling using sliding blocks

#### **DETAILS**

#### **GEZE MSW Stacking Doors**

- 150kg weight capacity for 10/12mm toughened glass with maximum panel size of 4120mm High x 1500mm Wide
- For further information please refer to download section at www.mfgs.com.au

#### **FINISHES**

- Natural Anodised Top Track & Rails
- Other finishes may be available

Base material:
Aluminium Track & Door Rails

S & L

MANUFACTURING t/a

PTY LTD




E manufactured@mfgs.com.au www.mfgs.com.au



#### FRAMELESS GLASS STACKING DOOR SYSTEMS

GEZE MSW Details



#### Examples of system layouts

- 1 = Straight glass wall with directional change
- 2 = Curve layout with variable angle positions
- 3 = Free forms from wall to wall thanks to polygon layout
- 4 = Straight glass wall with 2 sliding swing doors (here sliding single-action door)
- 5 = Straight glass wall with 1 sliding swing door (here sliding double-action door)



www.mfgs.com.au

S & L


MANUFACTURING t/a

PTY LTD



#### GEZE MSW Glass Preparation

#### FRAMELESS GLASS STACKING DOOR SYSTEMS



TH = Door height
 X = Variable dimension Xmax = TBY 3 (depending on the type of stacking area and position of the door or carriage) and additionally Xmax = 167 mm for sliding single-action door with Boxer on the hinge side

- 1 = System height
- 2 = Space adjustment (on site)
- 3 = Length of carrier clamping profile = TB -6

#### Door height formulas:

Door height = system height - 120 mm

#### Door weight formula, with 10 mm glass:

Door weight = door width x door height x 31 kg/m<sup>2</sup>

#### Door weight formula, with 12 mm glass:

Door weight = door width x door height x  $36 \text{ kg/m}^2$ 

#### IGG door weight formula, with 2 x 6 mm ESG:

Door weight = door width x door height  $x 34 \text{ kg/m}^2$ 

#### Note:

The fittings are already taken into account in the calculations.

#### Calculation of glass dimensions:

Glass height = Door height - 170 mm

Glass width = sliding door width - 4 mm (or -7 mm for sliding fixed leaves)

**S&L** MANUFACTURING t/a **PTY LTD** 





#### E manufactured@mfgs.com.au


www.mfgs.com.au


#### FRAMELESS GLASS STACKING DOOR SYSTEMS

#### **Austvision** Slydstak (Rail)









#### **DETAILS**

#### Austvision Slydstak Doors with Rails

- For heavy duty commercial applications up to 3m maximum opening height
- A maximum of 15mm toughened, heat soaked glass can be supported
- Austvision frameless door systems feature innovative dual nylon wheels in the roller carriages for better weight distribution and stability.
- For further information please refer to download section at www.mfgs.com.au

#### **FINISHES**

- Natural Anodised
- Polished
- Satin

#### Base material:

Stainless Steel Door Rail Covers Aluminium Top Track & Door Rail Bodies

www.mfgs.com.au


# S & L MANUFACTURING t/a


PTY LTD


MANUFACTURED FRAMELESS
GLASS SYSTEMS

#### Austvision Slydstak (Spider)


#### FRAMELESS GLASS STACKING DOOR SYSTEMS







TYPICAL SYSTEMS SCHEMATICS



#### **DETAILS**

#### Austvision Slydstak Doors with Spiders

- For heavy duty commercial applications up to 3m maximum opening height
- A maximum of 15mm toughened, heat soaked glass can be supported
- Austvision frameless door systems feature innovative dual nylon wheels in the roller carriages for better weight distribution and stability.
- For further information please refer to download section at www.mfgs.com.au

#### **FINISHES**

- Natural Anodised Top Track
- Polished Stainless Spiders & Locks
- Satin Stainless Spiders & Locks

Base material: Stainless Steel Spiders & Locks Aluminium Top Track



# E manufactured@mfgs.com.au www.mfgs.com.au

P 02 4708 2563



#### FRAMELESS GLASS CANOPY HARDWARE INDEX

- 7.1 Austvision Canopy Hardware Kits & Parts
- 7.2 Austvision Heavyweight Spider Canopy
- 7.3 Austvision Lightweight Spider Canopy

# INTENTIONALLY

LEFT


BLANK

E manufactured@mfgs.com.au www.mfgs.com.au



#### FRAMELESS GLASS CANOPY HARDWARE

C1-10/12 C2-10/12



DETAILS	FINISHES
Austvision Frameless Glass Canopy Hardware Kits  Suitable for 10/12mm toughened glass (not included with kit)  C1-10 (L= 1500mm & B = 1400mm) for 10mm glass  C1-12 (L = 1700mm & B = 1600mm) for 12mm glass  C2-10 (L = 2600mm & 1400mm) for 10mm glass  C2-12 (L = 3000mm & 1600mm) for 12mm glass	Satin  Base material: 316 Stainless Steel


**S&L** 



3 YEAR HARDWARE WARRANTY

> C3-10/12 C4-10/12

#### FRAMELESS GLASS CANOPY HARDWARE



DETAILS	FINISHES
Austvision Frameless Glass Canopy Hardware Kits  Suitable for 10/12mm toughened glass (not included with kit)  C3-10 (L= 3700mm & B = 1400mm) for 10mm glass  C3-12 (L = 4300mm & B = 1600mm) for 12mm glass  C4-10 (L = 3700mm & 1400mm) for 10mm glass  C4-12 (L = 4300mm & 1600mm) for 12mm glass	Satin  Base material: 316 Stainless Steel

**S&L** MANUFACTURING t/a **PTY LTD** 



E manufactured@mfgs.com.au


7.1c

www.mfgs.com.au

# FRAMELESS GLASS CANOPY HARDWARE

CB30-18






Product Image

DETAILS	FINISHES	
One Way Glass to Wall Bracket  Suitable for 10/12mm toughened glass & TR12 tie rods  Ø27mm Hole required in glass	Satin  Base material: 316 Stainless Steel	

# FRAMELESS GLASS CANOPY HARDWARE

**CB523** 





Product Image

DETAILS	FINISHES
One Way Wall to Tie Rod Bracket  Suitable for TR12 tie rods	Satin  Base material: 316 Stainless Steel

E manufactured@mfgs.com.au www.mfgs.com.au

MANUFACTURING t/a
PTY LTD


**S&L** 



CB1234

# FRAMELESS GLASS CANOPY HARDWARE





Product Image


Dimensions

DETAILS	FINISHES
Two Way Wall to Tie Rod Bracket  ■ Suitable for TR12 tie rods	Satin  Base material: 316 Stainless Steel

#### **CGF220**

# FRAMELESS GLASS CANOPY HARDWARE





Product Image

DETAILS	FINISHES
One Way Tie Rod to Glass Bracket  Suitable for 10/12mm toughened glass & TR12 tie rods	• Satin
Ø27mm Hole required in glass	Base material: 316 Stainless Steel

**GLASS SYSTEMS** 

# E manufactured@mfgs.com.au




www.mfgs.com.au

# FRAMELESS GLASS CANOPY HARDWARE

**CGF443** 





Product Image


Dimensions

DETAILS	FINISHES
Two Way Tie Rod to Glass Bracket  Suitable for 10/12mm toughened glass & TR12 tie rods  Ø27mm Hole required in glass	Satin  Base material: 316 Stainless Steel

# FRAMELESS GLASS CANOPY HARDWARE

**CB1235** 





Product Image

DETAILS	FINISHES
Three Way Wall to Tie Rod Bracket  • Suitable for TR12 Tie Rods	Satin  Base material: 316 Stainless Steel



E manufactured@mfgs.com.au www.mfgs.com.au

MANUFACTURING t/a
PTY LTD

**S&L** 



TR12

FRAMELESS GLASS CANOPY HARDWARE

Output

FRM. THREAD

Dimensions

FINISHES

Tie Rod with Forks

Suitable for CB1235, CGF443, CGF220, CB1234 & CB523

FRAMELESS GLASS CANOPY HARDWARE

FINISHES

Satin

Base material: 316 Stainless Steel

S & L

MANUFACTURING t/a

PTY LTD





# E manufactured@mfgs.com.au www.mfgs.com.au

YEAR HARDWARE WARRANTY

#### FRAMELESS GLASS CANOPY HARDWARE

# Heavyweight Spider Canopy





#### DETAILS FINISHES

#### Austvision Frameless Glass Heavyweight Spider Canopy

- Suitable for 10 to 19mm toughened glass & 11.5 to 22mm toughened laminated
- 445 or 446 series four or two way heavy duty spider fittings
- Glass fixings M10 CSK Disc or 60/22-22n swivel disc to suit the application
- Polished
- Satin

Base material: 316 Stainless Steel

E manufactured@mfgs.com.au


www.mfgs.com.au

PTY LTD





# Lightweight Spider Canopy

#### FRAMELESS GLASS CANOPY HARDWARE









#### **DETAILS**

#### Austvision Frameless Glass Lightweight Spider Canopy

- Suitable for 10 to 19mm toughened glass & 11.5 to 22mm toughened laminated
- 443 or 444 series four or two way light duty spider fittings
- Generic drawings above show M16 fixing methods for 445 & 446 series spiders, M10 fixings are used for 443 & 444 series spiders.
- Glass fixings M10 CSK Disc or 60/22-22n swivel disc to suit the application

#### **FINISHES**

Polished

Satin

Base material: 316 Stainless Steel



#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE INDEX

- 8.1 Spigots & Strut Posts
- 8.2 Infinity Balustrade System
- 8.3 Posiglaze Balustrade System
- 8.4 Ultratilt SGP Balustrade Channels
- 8.5 AZC Channel
- 8.6 Balustrade Anchors
- 8.7 Round/Square Top Rail, Joiners, Wall Brackets & End Caps
- 8.8 Handrail Brackets
- 8.9 Spider Fittings
- 8.10 Glass Alignment Clamps
- 8.11 Balustrade Clamps
- 8.12 Balustrade Brackets
- 8.13 Metro Aluminium Post System
- 8.14 Guide to Packers & Spindles required for Gate

  Mechanisms on Standard Panels

# INTENTIONALLY

LEFT

BLANK

customer.service@mfgs.com.au www.mfgs.com.au

# **GLASS SYSTEMS** FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MRS175SMF Ø110 120 40 Product Image mensions **DETAILS FINISHES** Surface Mounted Friction Fit R Polished Suitable for 12mm toughene Satin Supplied with round raised cover Allow 60mm under glass to surface Base material: 2205 Stainless Steel FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MRS275F

Product Image Dimensions	Dimensions Q47		
DETAILS	FINISHES		
<ul> <li>Core Drilled Friction Fit Round Spigo</li> <li>Suitable for 12mm toughened Lase</li> <li>Supplied with flat round dress plate</li> <li>Allow 50mm under glass to surface</li> </ul>	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 2205 Stainless Steel</li> </ul>		




**GLASS SYSTEMS** 

#### MSS175SMF

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**DETAILS FINISHES** 

Surface Mounted Friction Fit Square Shape Pool Fence/Balustrade Spigot

- Suitable for 12mm toughened glass
- Supplied with square cover
- Optional round cover MSS175SMRC available (see page 8.1c)
- Pool fence spigot is lighter in weight & not suitable for Balustrades
- Allow 60mm under glass to surface

- Polished
- Satin
- Matt Black Powder Coat


Base material: 2205 Stainless Steel

# MSS275F

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**FINISHES DETAILS** Core Drilled Friction Fit Square Shape Pool Fence/Balustrade Spigot

- Suitable for 12mm toughened glass
- Supplied with raised square dress plate
- Pool fence spigot is lighter in weight & not suitable for Balustrades
- Allow 50mm under glass to surface

- Polished
- Matt Black Powder Coated

Base material: 2205 Stainless Steel

**GLASS SYSTEMS** 


customer.service@mfgs.com.au www.mfgs.com.au

# Product Image DETAILS Round Spigot Cover To suit MSS175SMF Surface Motived Friction Fit Square Shape Spigot Polished Satin Base material: 316 Stainless Steel

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

# MSS275RC






Product Image

DETAILS	FINISHES
Round Raised Dress Plate  To suit MSS275F Core Drilled Friction Fit Square Shape Spi	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>



MODERN FRAMELESS GLASS SYSTEMS



Requires 75mm Diameter Core DrillAllow 57mm under glass to surface

Suitable for 12-17.52mm toug

Supplied with square dress plate Threaded Rod from Base Satin

Base material:


2205 Stainless Steel

# INTENTIONALLY

LEFT

BLANK

MODERN FRAMELESS
GLASS SYSTEMS



# Concept Surface Mounted & Core Drilled Spigots Suitable for 12mm toughened glass Allow 60mm under glass to surface CBS160SMF & CBS250F are friction fit, therefore no glass preparation required CBS160SM & CBS250 require a Ø18mm hole 68mm up and 250mm in from the bottom/end of a panel up to 1400mm wide

Cover is Ø101mm x 25mm high & Dress ring is Ø100mm x 1.2mm thick




**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

**NBF168** 





Product Image


**Dimensions** 

DETAILS	FINISHES
Nautech Base Fix Strut Post  Suitable for 12mm toughened glass	<ul><li>Polished</li><li>Satin</li></ul>
Patent NZP561106	
Compliant to AS1170 for balustrades & pool fences.	Base material: 316 Stainless Steel
Friction fit & adjustable for glass alignment	
Allow 50mm under glass to surface	
<ul> <li>Download further design criteria from www.mfgs.com.au</li> </ul>	

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

**NSF315** 





Product Image

**DETAILS** 

# Nautech Face Fix Strut Post

- Suitable for 12mm toughened glass
- Patent NZP561106
- Compliant to AS1170 for balustrades & pool fences.
- Friction fit & adjustable for glass alignment
- Allow 50mm under glass to surface
- Download further design criteria from www.mfgs.com.au


- Polished
- Satin

Base material: 316 Stainless Steel

Product Image

MFG5

customer.service@mfgs.com.au www.mfgs.com.au MODERN FRAMELESS
GLASS SYSTEMS



# Metro PL200 Base & PL400 Face Fix Strut Post Suitable for 12mm toughened glass Compliant to AS1170 for balustrades & pool fences. Friction fit, adjustable for glass alignment & concealed fixings Download further design criteria from www.mfgs.com.au Silver Frost Powder Coat Other Powder Coat colours may be available Base material: Aluminium





customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

### **150SFUS**







Product Image

**Dimensions** 

DETAILS	FINISHES
---------	----------

#### Modern Side Fixed Ultra-Tilt Spigot

- Suitable for 12-17.52mm toughened glass including Ultraview Pool Fence Panels
- Friction fit (No holes required in glass)
- Adjustable for glass alignment, simply tilt and lock the glass into position by loosening or tightening the top or bottom adjustment grubscrews
- Also used to create a Juliet Balcony

- Polished
- Matt Black (PVD)


Base material: Duplex 2205 Stainless Steel

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE


## **160BFUS**














#### Modern Base Fixed Ultra-Tilt Spigot

- Suitable for 12-17.52mm toughened glass including Ultraview Balustrade & Pool Fence Panels
- Friction fit (No holes required in glass)
- Adjustable for glass alignment, simply tilt and lock the glass into position by loosening or tightening the top or bottom adjustment grubscrews
- Polished
- Matt Black (PVD)

Base material: Duplex 2205 Stainless Steel




MODERN FRAMELESS GLASS SYSTEMS




# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





**Dimensions** 



Product Image

#### DETAILS FINISHES

#### Modern Edge Fixed Ultra-Tilt Spigot

- Suitable for 12-17.52mm toughened glass including Ultraview Balustrade & Pool Fence Panels
- Friction fit (No holes required in glass)
- Adjustable for glass alignment, simply tilt and lock the glass into position by loosening or tightening the top or bottom adjustment grubscrews


PolishedMatt Black (PVD)

Base material: Duplex 2205 Stainless Steel

#### 50JBC

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





Product Image

#### DETAILS FINISHES

#### Modern Juliet Balcony Clamp

- Suitable for 12-17.52mm toughened glass including Ultraview Pool Fence Panels
- Friction fit (No holes required in glass)

- Polished
- Matt Black (PVD)

Base material: Duplex 2205 Stainless Steel


# INTENTIONALLY

LEFT

BLANK



MODERN FRAMELESS **GLASS SYSTEMS** 



# See price list for component pricing

Download further design criteria from www.mfgs.com.au

Suitable for pool fencing and the following balustrade occupancy types -Domestic & Residential A, A Other and C3, Commercial B, E and C3.

Powder Coated

Base material: Aluminium




customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE **BA124** Toughened Glass 12mm or 15mm Minimum strength 100 MPa (12mm shown with Front and Rear gaskets) Rear Cover Attach Timber - No 6x40 C/s PK Steel - M5 Machine screw x50 + nut Concrete - No 6x40 C/S PK + Nylon Plug Glass Bulb seals Outer dip on Cover Extrusion Top Clamp Screw M8 x 16 All other Glass thicknesses (5Nm max) Top Clamp Screw Heavy Duty Clamp Extrusion x 150mm long Bottom Clamp Screws Access hole to M12 Bolt/Coachscrew Head Access holes to Horizontal Glass Front Gasket Extrusion x 100mm long Glass Front Gasket x 100mm long or M12 Coachscrew+v (with Sika Sup M12 Bolt Co Bottom Clamp Screw M8 x 16 (5Nm max) Horizontal Adjustment Screw M8 x 16 (Glass top edge in/out) Vertical Adjustment Screw M8 x 16 (Glass top edge up/d Vertical Adjustment Screw (In Base) For all Glass thicknesses Front side deleted, Showing Bolt Hole in rearside and Height adjusting screw Drainage slot Rear Cover/Clamp Extrusuion Base 15mm Rear Spacer (Recommended for use on Timber decks) + EPDM layer Note: These corners are used only to align the mittred Rear and Front cover corners. They are not supplied with Glass Clamps or adjusting screws Heavy Duty Clamp Extrusion Heavy Duty Clamp Extrusion 90deg Internal Corner Part No HDC- 90-I 90deg External Corner Part No HDC-90-E REAR COVER/CLAMP BASE PART NO BCI - 118 OUTER CLIP ON COVER PART NO FCI - 124 **DETAILS FINISHES** Infinity Face Fix Glass Balustrade System Mill Suitable for 12/15mm toughened glass (Specify when ordering) Natural Anodised No holes required in the glass panels, they are simple to install, align and adjust. Powder Coated Suitable for pool fencing and the following balustrade occupancy types -Domestic & Residential A, A Other and C3, Commercial B, E and C3. Base material: Aluminium See price list for component pricing Download further design criteria from www.mfgs.com.au



# **PG120B**

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



120


Product Image

Dimensions


DE	DETAILS FINISHES		NISHES
Pos •	iglaze Base Fix System in 3000mm length Suitable for 12/15/19mm toughened & 13.5/17.5/21.5mm toughened laminated glass Specify glass thickness when ordering	•	Mill Satin Stainless Anodised Finish
•	Supplied with seal strips and glass clamps.		Base material: Aluminium
•	25mm gap under glass to surface See price list for other components including end caps		

#### **PG120S**

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Download further design criteria from www.mfgs.com.au



Product Image

DETAILS	FINISHES
Posiglaze Face Fix System in 3000mm length  Suitable for 12/15/19mm toughened & 13.5/17.5/21.5mm toughened laminated glass  Specify glass thickness when ordering	Mill     Satin Stainless Anodised Finish
<ul> <li>Supplied with seal strips, side cladding, and glass clamps.</li> <li>25mm gap under glass to surface</li> <li>See price list for other components including end caps</li> <li>Download further design criteria from www.mfgs.com.au</li> </ul>	Base material: Aluminium



customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

**PG180S** 





Product Image

DETAILS	FINISHES
<ul> <li>Posiglaze Face Fix System in 3000mm length</li> <li>Suitable for 12/15/19mm toughened &amp; 13.5/17.5/21.5mm toughened laminated glass</li> <li>Specify glass thickness when ordering</li> <li>Supplied with seal strips, side cladding, bottom cladding and glass clamps.</li> <li>See price list for other components including end caps</li> <li>Download further design criteria from www.mfgs.com.au</li> </ul>	Mill     Satin Stainless Anodised Finish  Base material: Aluminium




106BFUC-M

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**Dimensions** 

**DETAILS** 

#### **FINISHES**

106 Ultra-Tilt Base Fixed Channel System in 5800mm length

- Suitable for 12/15mm toughened & 12.76-15.04mm SGP with 15 x glass clamps
- Suitable for 16.76-17.52mm SGP with 20 x glass clamps
- Supplied with 2 x Full Covers including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 25mm
- Download brochure, engineering, installation instructions/videos from our website
- Mill Aluminium Full Covers for Powder Coating
- Brushed Anodised Channel


Base material: 6063 T6 Grade Aluminium

#### 106BFUC-BA

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**Dimensions** 

**DETAILS** 

#### 106 Ultra-Tilt Base Fixed Channel System in 5800mm length

- Suitable for 12/15mm toughened & 12.76-15.04mm SGP with 15 x glass clamps
- Suitable for 16.76-17.52mm SGP with 20 x glass clamps
- Supplied with 2 x Short Covers including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 25mm
- Download brochure, engineering, installation instructions/videos from our website

#### **FINISHES**

- **Brushed Anodised Short Covers**
- **Brushed Anodised Channel**

Base material: 6063 T6 Grade Aluminium




customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

106SFUC-M 106SFUC-BA



Product Image



**Dimensions** 

#### **DETAILS**

#### 106 Ultra-Tilt Side Fixed Channel System in 5800mm length

- Suitable for 12/15mm toughened & 12.76-15.04mm SGP with 15 x glass clamps
- Suitable for 16.76-17.52mm SGP with 20 x glass clamps
- Supplied with 1 x Short, Full & Bottom Cover including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 25mm
- Download brochure, engineering, installation instructions/videos from our website

#### **FINISHES**

- Mill Short, Full & Bottom Cover for Powder Coating or
- Brushed Anodised Short, Full & Bottom Cover
- Brushed Anodised Channel


Base material: 6063 T6 Grade Aluminium

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

106RFUC-M 106RFUC-BA



Product Image



**Dimensions** 

#### **DETAILS**

#### 106 Ultra-Tilt Recess Fixed Channel System in 5800mm length

- Suitable for 12/15mm toughened & 12.76-15.04mm SGP with 15 x glass clamps
- Suitable for 16.76-17.52mm SGP with 20 x glass clamps
- Supplied with 2 x Short Covers including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 25mm
- Download brochure, engineering, installation instructions/videos from our website

# FINISHES

- Mill Aluminium Short Covers for Powder Coating or
- Brushed Anodised Short Covers
- Brushed Anodised Channel

Base material: 6063 T6 Grade Aluminium



UTC106GR

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



36 R70.6 R20 R0.3

Product Image


**Dimensions** 


DETAILS	FINISHES
<ul> <li>Gap Infill Rubber (EPDM) in 100mm length for 106 Ultra-Tilt Base Fixed Channel System</li> <li>Designed to inhibit water and dirt</li> <li>Download brochure, engineering, installation instructions/videos from our website</li> </ul>	Black  Base material: EPDM Rubber

# UTC106JP

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE







Product Image

DETAILS	FINISHES
Joining & Alignment Pin for 106 Ultra-Tilt Base Fixed Channel System  4 required per channel join  Download brochure, engineering, installation instructions/videos from our website	Satin     Base material:     316 Stainless Steel



customer.service@mfgs.com.au www.mfgs.com.au


# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE UTC106EC-M 78 ±0.3 78 ±0.3 Product Image **Dimensions DETAILS FINISHES** End Cap for 106 Ultra-Tilt Base Fixed Channel System Mill for Powder Coating Glued to the end of the channel Download brochure, engineering, installation instructions/videos from our website Base material: Aluminium FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE UTC106EC-BA R2 106 ±0.3 72 ±0.3 Product Image **Dimensions**

DETAILS	FINISHES
<ul> <li>End Cap for 106 Ultra-Tilt Base Fixed Channel System</li> <li>Glued to the end of the channel</li> <li>Download brochure, engineering, installation instructions/videos from our website</li> </ul>	Brushed Anodised      Base material:     Aluminium

customer.service@mfgs.com.au




www.mfgs.com.au




DETAILS	FINISHES
End Cap for 106 Ultra-Tilt Side Fixed Channel System  Glued to the end of the channel	Mill for Powder Coating
Download brochure, engineering, installation instructions/videos from our website	Base material: Aluminium

# UTC106ECS-BA FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



DETAILS	FINISHES
<ul> <li>End Cap for 106 Ultra-Tilt Side Fixed Channel System</li> <li>Glued to the end of the channel</li> <li>Download brochure, engineering, installation instructions/videos from our website</li> </ul>	Brushed Anodised      Base material:     Aluminium






126BFUC-M

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





**Dimensions** 

#### **DETAILS**

#### 126 Ultra-Tilt Base Fixed Channel System in 5800mm length

- Suitable for 19mm toughened & 21.52mm SGP with 20 x glass clamps
- Suitable for 25.52mm SGP with 25 x glass clamps
- Supplied with 2 x Full Covers including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 38mm
- Download brochure, engineering, installation instructions/videos from our website

#### **FINISHES**

- Mill Aluminium Full Covers for Powder Coating
- Brushed Anodised Channel


Base material: 6063 T6 Grade Aluminium

#### 126BFUC-BA

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE







**Dimensions** 

**DETAILS** 

#### 126 Ultra-Tilt Base Fixed Channel System in 5800mm length

- Suitable for 19mm toughened & 21.52mm SGP with 20 x glass clamps
- Suitable for 25.52mm SGP with 25 x glass clamps
- Supplied with 2 x Short Covers including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 38mm
- Download brochure, engineering, installation instructions/videos from our website

#### **FINISHES**

- **Brushed Anodised Short Covers**
- **Brushed Anodised Channel**

Base material: 6063 T6 Grade Aluminium




customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

#### 126SFUC-M



Product Image



**Dimensions** 

#### **DETAILS**

#### 126 Ultra-Tilt Side Fixed Channel System in 5800mm length

- Suitable for 19mm toughened & 21.52mm SGP with 20 x glass clamps
- Suitable for 25.52mm SGP with 25 x glass clamps
- Supplied with 1 x Short, Full & Bottom Cover including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 39mm
- Download brochure, engineering, installation instructions/videos from our website

#### **FINISHES**

- Mill Short, Full & Bottom Cover for Powder Coating
- Brushed Anodised Channel


Base material: 6063 T6 Grade Aluminium

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

# 126RFUC-M 126RFUC-BA



Product Image



Dimensions

#### **DETAILS**

#### 126 Ultra-Tilt Recess Fixed Channel System in 5800mm length

- Suitable for 19mm toughened & 21.52mm SGP with 20 x glass clamps
- Suitable for 25.52mm SGP with 25 x glass clamps
- Supplied with 2 x Short Covers including rubber & 3 x 100mm gap rubbers
- Up to 30mm tilt adjustment from inside of the balustrade, backward and forward
- Patented Rotating Pressure Plate System
- Glass clearance from underside of channel is 38mm
- Download brochure, engineering, installation instructions/videos from our website

#### FINISHES

- Mill Aluminium Short Covers for Powder Coating or
- Brushed Anodised Short Covers
- Brushed Anodised Channel

Base material: 6063 T6 Grade Aluminium







# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



8 +0. 3 48 -0. 6 R70. 6 R67. 61 R40 R1 R0. 3

Product Image

**Dimensions** 

	DETAILS	FINISHES
П		

Gap Infill Rubber (EPDM) in 100mm length for 126 Ultra-Tilt Base Fixed Channel System

- Designed to inhibit water and dirt
- Download brochure, engineering, installation instructions/videos from our website

Black


Base material: EPDM Rubber

#### UTC126-JP

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE








Product Image

DETAILS	FINISHES
Joining & Alignment Pin for 126 Ultra-Tilt Base Fixed Channel System  4 required per channel join  Download brochure, engineering, installation instructions/videos from our we	Satin  Desite  Base material:  316 Stainless Steel







Product Image


Dimensions

DETAILS	FINISHES
<ul> <li>End Cap for 126 Ultra-Tilt Side Fixed Channel System</li> <li>Glued to the end of the channel</li> <li>Download brochure, engineering, installation instructions/videos from our website</li> </ul>	Mill for Powder Coating  Base material: Aluminium

# UTC126ECS-BA FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE








DETAILS	FINISHES
<ul> <li>End Cap for 126 Ultra-Tilt Side Fixed Channel System</li> <li>Glued to the end of the channel</li> <li>Download brochure, engineering, installation instructions/videos from our website</li> </ul>	Brushed Anodised  Base material:  Aluminium








**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

www.mfgs.com.au






customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE **AZC** 100 Product Image **Dimensions DETAILS FINISHES** Glass Balustrade & Pool Fence Channel Suitable for 10, 12 & 15mm toughened glass Other finishes may be available Design criteria available Glass installed with non shrink grout Base material - Aluminium 6000mm length For glass height deduct 10mm + setting block used Optional end cap ACC, retained gasket SRB & wedge gasket SWZ9









#### **DETAILS FINISHES**

Modern Adjustable Glass Anchor - Series 2 for 12mm-17.52mm glass thickness

- Adjustable with Allen Key before & after installation
- Telescopic body hides the thread for a seamless appearance
- Elongated hole in the base allows for adjustment in all directions to guarantee alignment with hole in the glass panel
- Base allows use of M10 or M12 thread sizes and use of coachscrews
- Download a brochure from www.mfgs.com.au, for a full list of features


Polished

Satin

Base material: 2205 Stainless Steel

#### MGA-38/50x10-50 FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





Product Image

**Dimensions** 

#### **DETAILS**

#### Modern Glass Anchor

- Suitable for 12mm + toughened glass
- 38/50mm diameter with M12 tapped thread
- C Spanner hole on stepped discs & 10/20mm bodies
- Unique black plastic integrated washer & bush allows glass to be supported & held in place while the stepped disc is screwed over the end of the threaded rod
- Requires minimum 20mm diameter hole for glass preparation

#### **FINISHES**

- Polished
- Satin Matt Black

Base material: 2205 Stainless Steel



customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

MB50/S/T30



70mm Additional as per design-Adjustment as per PSI --table BR20 M10 Bush thickness to suit glass Fixing to comply with PSI regulations M10 Csk fixing, length for MB50 Double Disc to suit glass thickness Ø50 Disc options include: - 6mm Square Edge Ø50x0.8mm (as shown) Black Fibre - 6mm Round Edge Gaskets - 6mm Radiused Edge - 6mm Tapered Edge - 6mm Square Disc Cover - 10mmStepped Disc (for thicker glass range) Dimensions


Product Image

DETAILS	FINISHES
<ul> <li>Heavyweight Anchor</li> <li>Suitable for 12mm &amp; 15mm toughened glass</li> <li>Requires 20mm diameter hole in glass</li> <li>50mm diameter x 30mm body</li> <li>Threaded rod sold separately</li> <li>Square cover kit available &amp; sold seperately</li> </ul>	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

MD50/SQ






Product Image

DETAILS	FINISHES
Square Cover Kit  Suits 50 x 30 Anchors	<ul><li>Polished</li><li>Satin</li></ul>
	Base material: 316 Stainless Steel



SD50x30

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image


**Dimensions** 

DETAILS	FINISHES
<ul> <li>Stepped Head Anchor</li> <li>Suitable for 12mm &amp; 15mm toughened glass</li> <li>Requires 20mm diameter hole in glass</li> <li>38mm diameter x custom length body</li> <li>M10 threaded rod, etc. ordered seperately</li> </ul>	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>

# GSBH-38/50 x?

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





Product Image

DETAILS	FINISHES
<ul> <li>Button Head Anchor</li> <li>Suitable for 12mm &amp; 15mm toughened glass</li> <li>Requires 20mm diameter hole in glass</li> <li>38/50mm diameter x custom length body</li> <li>M10 x 100mm threaded rod from body</li> </ul>	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>



**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

MB50/S/6 MB50/R/6



Glass Preparation

Ø20 Hole

Ø50x6 Stainless
Steel Spacer
6mm Steel Cleat

M10 Spring Washer
Stekel Disc
(Square)

M10 Allen
Socket Nut

Ø19.5
Nylon Bush

Ø19.5
Nylon Bush

Product Image

DETAILS FINISHES

#### Cleat Heavyweight Anchor

- Suitable for 12mm & 15mm toughened glass
- Requires 20mm diameter hole in glass
- MB50/S/6 50mm diameter with square edge head x 6mm spacer
- MB50/R/6 50mm diameter with radius edge head x 6mm spacer
- · Glass to cleat fixing

Polished


Satin

Base material: 316 Stainless Steel

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

MB75/T/T30





Product Image

Dimensions

#### DETAILS

#### Heavyweight Single Anchor

- Suitable for 10, 12 & 15mm toughened glass
- Suitable for single line fixing through 20mm diameter holes at 400mm centres
- M12 threaded rod sold seperately

#### **FINISHES**

PolishedSatin




MB75/SQ

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**Dimensions** 


DETAILS	FINISHES
Square Cover Kit  To suit MB75/T/T30	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>

# MB100/S/T30

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**FINISHES DETAILS** Heavyweight Single Anchor

- Suitable for 10, 12 & 15mm toughened glass
- Suitable for single line fixing through 20mm diameter holes at 400mm centres
- M12 threaded rod, etc. ordered seperately


- Polished
- Satin




customer.service@mfgs.com.au www.mfgs.com.au

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

PF-150





Product Image

**Dimensions** 

#### **DETAILS**

#### Plate Fix Single Anchor

- Suitable for 12mm & 15mm toughened glass
- Requires 20mm diameter holes in glass 100mm apart
- Single or double point fixing by reversing anchor body
- M12 threaded rod sold seperately

#### **FINISHES**


- Polished
- Satin

Base material: 316 Stainless Steel

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

MGAT-3850





Glass Anchor Tool - Ø38mm / Ø50mm

- 3 tightening methods including allen key, spanner & socket ratchet
- 38mm & 50mm tightening covers with plastic insert so the cap isn't scratched
- The Ratchet Socket has the ability to bend away from the glass to avoid scratches & for ease of tighening.


Satin

**FINISHES** 









**DETAILS FINISHES** 

#### Round Toprail

Product Image

- Suitable for 12mm toughened
- 25.4mm diameter x 5.8 metre length

Polished


Satin

Base material: 316L Stainless Steel

#### **MH25S**

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE






Product Image

DETAILS	FINISHES
Rectangular Toprail  Suitable for 12mm toughened glass  25mm wide x 21mm high x 5.8 metre length	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 316L Stainless Steel</li> </ul>


customer.service@mfgs.com.au www.mfgs.com.au



#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

#### MH25SJ





Product Image

DETAILS FINISHES


Rectangular 180° Joiner

- Use Tubeloc 2680 for gluing joiner into MH25S rectangular toprail
- Polished
- Satin
- Matt Black

Base material: 316 Stainless Steel



MODERN FRAMELESS
GLASS SYSTEMS



Satin Matt Black



customer.service@mfgs.com.au www.mfgs.com.au


# 

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

#### MH25SAC








DETAILS	FINISHES
Rectangular Adjustable Corner  90° - 180°  Use Tubeloc 2680 for gluing joiner into MH25S rectangular toprail	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> </ul> Base material: 316 Stainless Steel



R10.5


R10.5

customer.service@mfgs.com.au www.mfgs.com.au MODERN FRAMELESS **GLASS SYSTEMS** 



#### MH25SAJ


#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image	Dimensions	
DETAILS		FINISHES
Rectangular Adjustable Joiner  For use on stairs  Use Tubeloc 2680 for gluing joiner into MH25S rectangular t	oprail	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 316 Stainless Steel</li> </ul>

MODERN FRAMELESS

customer.service@mfgs.com.au www.mfgs.com.au






5.2 9.9 9.9 9.8 9.8 9.8

Product Image

DETAILS	FINISHES
Rectangular Wall Bracket  Use Tubeloc 2680 for gluing wall bracket onto MH25S recta	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 316 Stainless Steel</li> </ul>








DETAILS	FINISHES
Round Wall Bracket with Tab  Use Tubeloc 2680 for gluing wall backet into MH25R round toprail	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>

#### MH25SWBT

Product Image

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE






Product Image

DETAILS	FINISHES
Rectangular Wall Bracket with Tab  Use Tubeloc 2680 for gluing wall bracket into MH25S rectangular toprail	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 316 Stainless Steel</li> </ul>



customer.service@mfgs.com.au www.mfgs.com.au



# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

#### MH25SEC

18.2

18.2



Product Image Dimensions

Product image	Dimensions
DETAILS	FINISHES
Rectangular End Cap  • Use Tubeloc 2680 for gluing end cap into MH25S rectangula	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 316 Stainless Steel</li> </ul>



MODERN FRAMELESS GLASS SYSTEMS

#### MH25SWBS

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



53 25 28 28

Product Image

DETAILS	FINISHES
<ul> <li>Top Rail Wall Bracket with Side Tab &amp; Grubscrew</li> <li>Grubscrew on tab side of bracket is used to tighten up against the side of the MH25S Toprail to reduce movement.</li> <li>Side tab allows fixing of toprail after install but less obvious than on top.</li> <li>Can be used on the left or right, with side tab inside or outside.</li> </ul>	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> </ul> Base material: 2205 Stainless Steel

# INTENTIONALLY

LEFT


BLANK



MODERN FRAMELESS GLASS SYSTEMS

Ø14







customer.service@mfgs.com.au www.mfgs.com.au

# MHB3 FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MHB3W 12-30 Ø14 Product Image mensions **DETAILS FINISHES** Fixed Handrail Bracket Polished Suitable for 12mm toughene Satin Requires 20mm diameter hole in glass To suit Ø48-52mm handrail Base material: 316 Stainless Steel MHB3 - Glass mounted MHB3W - Wall Mounted MHB4 FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MHB4W 12-30 Ø14 Product Image **DETAILS FINISHES** Fixed Handrail Bracket Polished Suitable for 12mm toughene Satin Requires 20mm diameter hole To suit flat handrail Base material: 316 Stainless Steel MHB4 - Glass mounted MHB4W - Wall Mounted




MODERN FRAMELESS **GLASS SYSTEMS** 



#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



#### **FINISHES DETAILS**

#### Metro Handrail Bracket

- Suitable for 12mm toughened glass
- Requires 20mm diameter hole in glass
- Round arm section with 40x12x3mm Mounting Plate
- HB50/R/90 Glass mounted
- HB50/R/90W Wall Mounted

Polished

Satin


Base material: 316 Stainless Steel

#### HB50/S/90 HB50/S/90W

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



#### **DETAILS FINISHES**

#### Metro Handrail Bracket

- Suitable for 10/12/15mm toughened glass
- Requires 20mm diameter hole in glass
- Square arm section with 40x12x3mm Mounting Plate
- HB50/S/90 Glass mounted
- HB50/S/90W Wall Mounted

#### Polished

Satin




customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE HB50/S/CK Product Image mensions **DETAILS FINISHES** Square Cover Kit Polished To suit HB50 handrail brac Satin Base material: 316 Stainless Steel NHB1/W FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE NHB2/W 40 Product Image **DETAILS FINISHES** Square Handrail Bracket Polished Suitable for 12mm toughene Satin Requires 20mm diameter hole NHB1 - Glass mounted to suit Ø48.3mm handrail Base material: 316 Stainless Steel NHB1W - Wall Mounted to suit Ø48.3mm handrail NHB2 - Glass mounted to suit flat handrail NHB2W - Wall Mounted to suit flat handrail



MODERN FRAMELESS GLASS SYSTEMS






customer.service@mfgs.com.au www.mfgs.com.au

# QRHB3 FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE QRHB3W 8-17.5 Product Image mensions **DETAILS FINISHES** Fixed Handrail Bracket Polished Suitable for 12mm toughene Satin Requires 20mm diameter hole in glass To suit Ø48-52mm handrail Base material: 316 Stainless Steel QRHB3 - Glass Mounted QRHB3W - Wall Mounted QRHB4 FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE **QRHB4W** 8-17.5 Product Image **DETAILS FINISHES** Fixed Handrail Bracket Polished Suitable for 12mm toughene Satin Requires 20mm diameter hole To suit flat handrail Base material: 316 Stainless Steel QRHB4 - Glass Mounted QRHB4W - Wall Mounted



MODERN FRAMELESS GLASS SYSTEMS



# Product Image DETAILS Fixed Handrail Bracket Suitable for 12mm toughened glas Requires 20mm diameter hole in class To suit Ø48-52mm handrail Wall Mounted Finishes Polished Satin Base material: 316 Stainless Steel




customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

#### **MHBG**





DETAILS	
DETAILS	

**FINISHES** 

#### Modern Adjustable Round Handrail Bracket - Glass Mounted

- Suitable for 12mm toughened glass
- Adjustable for Toprail Height & Angle
- Requires 20mm diameter hole in glass
- To suit Ø48-52mm handrail


- Polished
- Satin
- Matt Black

Base material: 316 Stainless Steel

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

#### **MHBW**





**DETAILS** 

# Modern Adjustable Round Handrail Bracket - Wall Mounted

- Suitable for 12mm toughened glass
- Adjustable for Toprail Height & Angle
- To suit Ø48-52mm handrail

- Polished
- Satin
- Matt Black




MODERN FRAMELESS **GLASS SYSTEMS** 



#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**Dimensions** 

- Modern Adjustable Square Handrail Bracket Glass Mounted Suitable for 12mm toughened glass
- Adjustable for Toprail Height & Angle
- Requires 20mm diameter hole in glass

#### **FINISHES**

- Polished Satin
- Matt Black


Base material: 316 Stainless Steel

#### **MHBSW**

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image



**Dimensions** 

**DETAILS** 

#### Modern Adjustable Square Handrail Bracket - Wall Mounted

- Suitable for 12mm toughened glass
- Adjustable for Toprail Height & Angle

#### **FINISHES**

- Polished
- Satin
- Matt Black



customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE **MHBFG** Product Image **Dimensions DETAILS FINISHES** Modern Square Handrail Bracket - Friction Fit Polished Suitable for 12mm toughened glass Satin Designed to allow the handrail to be installed away from the glass without the Matt Black need for holes & silicon New design also keeps finger prints off the glass Base material: 2205 Stainless Steel Suitable for use with Spartan Spigots to ensure light can still illuminate up through the edge of the glass at night

# INTENTIONALLY

LEFT

BLANK




**GLASS SYSTEMS** 


customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

444/2







Product Image


**Dimensions** 

DETAILS	FINISHES
Light Weight Spider  Standard with an M8 countersunk fixing or 3 other options shown on page 8.9d	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

442/2/1





Product Image

DETAILS	FINISHES
Light Weight Spider  Standard with an M8 countersunk fixing or 3 other options shown on page 8.9d	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>

vice@mfgs.com.au



**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

#### 444/4

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE



Product Image

Dimensions

#### **DETAILS**

#### Light Weight Spider

• Standard with an M8 countersunk fixing or 3 other options shown on page 8.9d

#### **FINISHES**

Polished


Satin

Base material: 316 Stainless Steel

#### 444/4/2

#### FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





Product Image

Dimensions

# DETAILS

- <u>Light Weight Spider</u>
   Standard with an M8 countersunk fixing or 3 other options shown on page 8.9d
- Polished

**FINISHES** 

Satin

MODERN FRAMELESS


**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

443/4





Product Image


**Dimensions** 

DETAILS	FINISHES
Light Weight Spider  • Standard with an M8 countersunk fixing or 3 other options shown on page 8.9d	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

443/2





Product Image

DETAILS	FINISHES
Light Weight Spider  • Standard with an M8 countersunk fixing or 3 other options shown on page 8.9d	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>




**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au


# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE Product Image Dimensions

DETAILS	FINISHES
Light Weight Spider  • Standard with an M8 countersunk fixing or 3 other options shown below	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>






customer.service@mfgs.com.au www.mfgs.com.au






MODERN FRAMELESS GLASS SYSTEMS





customer.service@mfgs.com.au www.mfgs.com.au






MODERN FRAMELESS
GLASS SYSTEMS



# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





Product Image


**Dimensions** 

DETAILS	FINISHES
90° Wall to Glass Balustrade / Pool Fence Alignment Clamp  • Suitable for 12mm toughened glass	<ul><li>Polished</li><li>Satin</li><li>Matt Black</li></ul>
	Base material: 2205 Stainless Steel

#### MGAB25-90

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE





Product Image

DETAILS	FINISHES
90° Glass to Glass Balustrade / Pool Fence Alignment Clamp  • Suitable for 12mm toughened glass	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 2205 Stainless Steel</li> </ul>



customer.service@mfgs.com.au


# www.mfgs.com.au **GLASS SYSTEMS** FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MGAB25-180 M10×8 Product Image **Dimensions**

DETAILS	FINISHES
180° Glass to Glass Balustrade / Pool Fence Alignment Clamp  • Suitable for 12mm toughened glass	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> </ul> Base material: 2205 Stainless Steel

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

MGAB25-A






Product Image

**Dimensions** 

DETAILS	FINISHES
Adjustable Angle Glass to Glass Balustrade / Pool Fence Alignment Clamp  • Suitable for 12mm toughened glass	<ul> <li>Polished</li> <li>Satin</li> <li>Matt Black</li> <li>Base material: 2205 Stainless Steel</li> </ul>



MODERN FRAMELESS GLASS SYSTEMS






customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MBC55 Product Image imensions **DETAILS FINISHES** Large Square Balustrade Clamp Polished Suitable for 8, 10 & 12mm tou Satin 18-20mm clearance from wall/square post to glass Electropolished finish adds greater protection against tea staining Base Material: 316 Stainless Steel FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MBC60 Product Image imensions **DETAILS FINISHES** Large Radius Balustrade Clamp Polished Suitable for 8, 10 & 12mm to Satin 18-20mm clearance from Ø50mm post to glass Electropolished finish adds greater protection against tea staining Base Material: 316 Stainless Steel



MODERN FRAMELESS GLASS SYSTEMS






customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MBC45 Product Image imensions **DETAILS FINISHES** Small Square Balustrade Clamp Polished Suitable for 6, 8 & 10mm tough Satin 18-20mm clearance from wall/square post to glass Electropolished finish adds greater protection against tea staining Base Material: 316 Stainless Steel FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE MBC47 Product Image imensions **DETAILS FINISHES** Small Radius Balustrade Clamp Polished Suitable for 6, 8 & 10mm tous Satin 18-20mm clearance from Ø42mm post to glass Electropolished finish adds greater protection against tea staining Base Material: 316 Stainless Steel



MODERN FRAMELESS GLASS SYSTEMS






customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

## MBCS55







DETAILS FINISHES

Balustrade Clamp with Retaining Plate - Flat back for square post or wall mounting

- Suitable for 10 & 12mm toughened glass
- Can be friction fit and/or firmly secured with retaining plates on the top & bottom of the glass panel
- A pin can also be used with the clamps through a hole in the glass for further security in addition to the friction fit (Please contact the office for glass prep)
- 17mm clearance (min) from wall/square post to glass

- Satin
- Matt Black

Polished


Base Material: 2205 Stainless Steel

## FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

# MBCR55



Product Image



DETAILS

Balustrade Clamp with Retaining Plate - Radius back for round post

- Suitable for 10 & 12mm toughened glass
- Can be friction fit and/or firmly secured with retaining plates on the top & bottom of the glass panel
- A pin can also be used with the clamps through a hole in the glass for further security in addition to the friction fit (Please contact the office for glass prep)
- 17mm clearance from round post to glass

Polished

**FINISHES** 

- Satin
- Matt Black

Base Material: 2205 Stainless Steel







## MBCS45

## FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE







Product Image

**Dimensions** 

## **DETAILS**

- Balustrade Clamp with Retaining Plate Flat back for square post or wall mounting
- Suitable for 6 & 10mm toughened glass
- Can be friction fit and/or firmly secured with retaining plates on the top & bottom of the glass panel
- A pin can also be used with the clamps through a hole in the glass for further security in addition to the friction fit (Please contact the office for glass prep)
- 15mm clearance (min) from wall/square post to glass

## **FINISHES**

- PolishedSatin
- Matt Black


Base Material: 2205 Stainless Steel

## MBCR45

## FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE







**Dimensions** 

# DETAILS

#### Balustrade Clamp with Retaining Plate - Radius back for round post

- Suitable for 6 & 10mm toughened glass
- Can be friction fit and/or firmly secured with retaining plates on the top & bottom of the glass panel
- A pin can also be used with the clamps through a hole in the glass for further security in addition to the friction fit (Please contact the office for glass prep)
- 18mm clearance (min) from wall/square post to glass

## **FINISHES**

- Polished
- Satin
- Matt Black

Base Material: 2205 Stainless Steel



customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE **BB70** Glass Ø18 70mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Round Balustrade Bracket Polished Suitable for 10 & 12mm glass Satin Wall Mounted Base Material: 316 Stainless Steel FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE BB70SQ Wall Glass Ø18 70mm Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Square Balustrade Bracket Polished Suitable for 10 & 12mm glass Satin Wall Mounted Base Material: 316 Stainless Steel




**GLASS SYSTEMS** FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE **BBD70** 33 20 Dimensions similar 45 to BB70 on Ø18 hole in glass previous page Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Round Balustrade Bracket Satin Stainless Steel Suitable for 10 & 12mm glass Polished Stainless Steel Glass to Glass FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE BBD70SQ Dimensions similar 45 to BB70SQ on Ø18 hole in glass previous page Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Square Balustrade Bracket Polished Suitable for 10 & 12mm glass Satin Glass to Glass Base Material: 316 Stainless Steel





customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

TM-1000/1200 FI TM-1000/1200 FE









Product Image

**Dimensions** 

## **DETAILS**

## Metro Top Mount Post Full Height

- Suitable for 10mm toughened glass
- Intermediate post & end post up to 1000/1200mm high
- These posts are suitable for balustrade, pool fence and wind break applications.
- Residential only. Enquire for commercial options.
- Download full information from www.mfgs.com.au


## **FINISHES**


- Silver Frost Powder Coat
- Other finishes may be available


Base material: Aluminium


# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE











Product Image

Dimensions

## **DETAILS**

## Metro Top Mount Post Low Height

- Suitable for 10mm toughened glass with edge up to 250mm above post top
- Intermediate post & end post up to 800/1000mm high
- These posts are suitable for balustrade, pool fence and wind break applications.
- Residential only. Enquire for commercial options.
- Download full information from www.mfgs.com.au

## **FINISHES**


- Silver Frost Powder Coat
- Other finishes may be available


Base material: Aluminium





# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE







Product Image

**Dimensions** 

## **DETAILS**

## Metro Face Mount Post Full Height

- Suitable for 10mm toughened glass
- Intermediate post & end post up to 1200/1400mm high
- These posts are suitable for balustrade, pool fence and wind break applications.
- Residential only. Enquire for commercial options.
- Download full information from www.mfgs.com.au


## **FINISHES**


- Silver Frost Powder Coat
- Other finishes may be available


Base material: Aluminium


# FF-1001/1201 LI FF-1001/1201 LE

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE









Product Image

**Dimensions** 

## **DETAILS**

## Metro Face Mount Post Low Height

- Suitable for 10mm toughened glass & edge up to 250mm above post top
- Intermediate post & end post up to 1000/1200mm high
- These posts are suitable for balustrade, pool fence and wind break applications.
- Residential only. Enquire for commercial options.
- Download full information from www.mfgs.com.au

## **FINISHES**

- Silver Frost Powder Coat
- Other finishes may be available


Base material: Aluminium





**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE TMC-1000/1200 FC








Product Image

**Dimensions** 


DETAILS	FINISHES
Metro Corner Top Mount Post Full Height  Suitable for 10mm toughened glass Corner post up to 1000/1200mm high	<ul><li>Silver Frost Powder Coat</li><li>Other finishes may be available</li></ul>
<ul> <li>These posts are suitable for balustrade, pool fence and wind break applications.</li> <li>Residential only. Enquire for commercial options.</li> </ul>	Base material: Aluminium


# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

TMC-801/1001 LC



Download full information from www.mfgs.com.au





Product Image

**Dimensions** 

#### **DETAILS FINISHES** Metro Corner Top Mount Post Low Height Silver Frost Powder Coat Suitable for 10mm toughened glass & glass edge up to 250mm above post top Other finishes may be available Corner post up to 800/1000mm high These posts are suitable for balustrade, pool fence and wind break applications. Base material: Aluminium Residential only. Enquire for commercial options. Download full information from www.mfgs.com.au



# FRAMELESS GLASS BALUSTRADE & POOL FENCE HARDWARE

## GUIDE TO PACKERS &SPINDLES REQUIRED FOR GATE MECHANISMS ON STD MFGS PANELS

GOIDE TO PACKERS &SPINDLES REQUIRED FOR GATE MECHANISMS ON STD MFGS FANELS						
Product	Description	T.P.G. Page	Clearance under panel	Fence Height	Ozone Hydraulic Patch Fitting	Floor Spring Gate
MSS175SMF	MODERN SQUARE SURFACE MOUNTED SPIGOT	- 8.1b	60mm	1240mm	FH10 Packer	MFX10 Extended Spindle
MSS275F	MODERN SQUARE CORE DRILLED SPIGOT		50mm	1230mm	No packing required	No Extended Spindle required
CBS160SMF	ROUND SURFACE MOUNTED SPIGOT	- 8.1f	50mm	1230mm	No packing required	No Extended Spindle required
CBS250F	ROUND CORE DRILLED SPIGOT		60mm	1240mm	FH10 Packer	MFX10 Extended Spindle
NBF168	NAUTECH BASE FIX STRUT POST		50mm	1230mm	No packing required	No Extended Spindle required
NSF315	NAUTECH SIDE FIX STRUT POST	8.1g	50mm	1230mm	No packing required	No Extended Spindle required
PL200	METRO BASE FIX STRUT POST	8.1h	85mm	1265mm	3 x FH10 Packer 1 x FH5 Packer	MFX35 Extended Spindle
160BFUS	MODERN BASE FIXED ULTRA-TILT SPIGOT	8.1i	51.5mm	1231.5mm	No packing required	No Extended Spindle
2021						



## FRAMELESS GLASS POOL GATE HARDWARE INDEX

- 9.1 Latches
- 9.2 Pivots
- 9.3 Hydraulic Patch / Floorspring
- 9.4 Patch Fittings
- 9.5 Biloba Hydraulic Hinges
- 9.6 Intentionally Left Blank
- 9.7 Slimline Latches
- 9.8 Slimline Spring Hinges
- 9.9 Laguna Hydraulic Hinges

# INTENTIONALLY

LEFT

BLANK


**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS POOL GATE HARDWARE PGL/PL2 104 Product Image PGL PGL/PL2 PL2 Glass Preparation **DETAILS FINISHES** Elite Glass to Glass Latch Black Latch To suit 10/12mm Glass Thickness Polished SS D & D Magna latch Satin SS Also available with lockable black Magna Latch Base material: Moulded Polymer Latch

316 Stainless Steel










customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS POOL GATE HARDWARE PGL-90 30 for 10mm Glass 32 for 12mm Glass RETURN Product Image Glass Preparation **DETAILS FINISHES** Black Latch 90° Glass to Glass Latch Polished SS To suit 10mm or 12mm Glas Satin SS Black D & D Magna latch Also available with lockable black Magna Latch Base material: Moulded Polymer Latch 316 Stainless Steel FRAMELESS GLASS POOL GATE HARDWARE PGL-P Product Image Glass Preparation **DETAILS FINISHES** Glass to Post Latch Black Latch To suit 10mm or 12mm Glass Polished SS Black D & D Magna latch Satin SS Also available with lockable black Magna Latch Base material: Moulded Polymer Latch 316 Stainless Steel







# ML90-OUT

# FRAMELESS GLASS POOL GATE HARDWARE







2205 Stainless Steel Plates

#### **Dimensions** Glass Preparation **DETAILS FINISHES** Modern Glass to Glass 90° Latch - Opening Out Polished To suit 12mm Glass Thickness Satin D & D Magna latch Matt Black Also available with lockable black Magna Latch Base material: Black Moulded Polymer Latch 2205 Stainless Steel Plates




customer.service@mfgs.com.au www.mfgs.com.au


# FRAMELESS GLASS POOL GATE HARDWARE ML90-IN 10-Glass Keeper 80 Panel Product Image **Dimensions** Glass Preparation **DETAILS FINISHES** Modern Glass to Glass 90° Latch - Opening In Polished To suit 12mm Glass Thickness Satin D & D Magna latch Matt Black Also available with lockable black Magna Latch Base material: Black Moulded Polymer Latch 2205 Stainless Steel Plates

## FRAMELESS GLASS POOL GATE HARDWARE

# ML90-WP








# Product Image Dimensions Glass Preparation FINISHES Modern Glass to Wall/Post 90° Latch - Opening Out To suit 12mm Glass Thickness D&D Magna latch Also available with lockable black Magna Latch Base material: Black Moulded Polymer Latch 2205 Stainless Steel Plates





**GLASS SYSTEMS** 

customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS POOL GATE HARDWARE PGA-3R/L Product Image **Dimensions DETAILS FINISHES** 90° Patch to Patch Pivot Arm Polished 15mm clearance between gate & side panel Satin End of side panel overlaps gate by 9mm Used with MP20 patch fitting (see page 9.4a) Base material: 316 Stainless Steel PWA-1 FRAMELESS GLASS POOL GATE HARDWARE 100 **Dimensions** Product Image


DETAILS	FINISHES
Wall / Square Post Mount Pivot Arm  • 10mm clearance between gate & wall/post	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>



PWA-2

# FRAMELESS GLASS POOL GATE HARDWARE





Product Image


Dimensions

DETAILS	FINISHES
Wall / Square Post Mount Pivot Arm  • 10mm clearance between gate & wall	<ul><li>Polished</li><li>Satin</li><li>Base material: 316 Stainless Steel</li></ul>

# PWA-3

# FRAMELESS GLASS POOL GATE HARDWARE





Product Image

**Dimensions** 

DETAILS	FINISHES
<u>Ø50mm Post Mount Pivot Arm</u> ■ 12mm clearance between gate & Ø50mm post	<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 316 Stainless Steel</li> </ul>



GLASS SYSTEMS

customer.service@mfgs.com.au www.mfgs.com.au

FRAMELESS GLAS	PGA-S2		
	164	38 Ø16	
Product Image Dimensions		Glass Preparation	
DETAILS		FINISHES	
Glass to Patch Pivot Arm  Replaces PGA-1 & PGA-2, combining the best features of both  Smm clearance between gate & pivot panel		<ul> <li>Polished</li> <li>Satin</li> <li>Base material: 2205 Stainless Steel</li> </ul>	

# INTENTIONALLY

LEFT

BLANK





customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS POOL GATE HARDWARE

## FH-100NHO







Product Image

**Dimensions** 

Glass Preparation

## **DETAILS**

## Ozone Hydraulic Patch Fitting

- Suitable for 8-12mm toughened glass
- Non Hold Open
- When used with a PWA-1 a 12mm clearance is required to wall/post
- When used with a PGA-1 a 7mm clearance is required between panels
- 100kg weight capacity with max 1000mm gate width

## **FINISHES**


- Polished
- Satin

Base material: Aluminium Body 316 Stainless Steel Covers

## FRAMELESS GLASS POOL GATE HARDWARE

# MFX840WNHO






Product Image

**Dimensions** 

#### **DETAILS FINISHES** Modern Floorspring Polished Weak Strength (15nm) Satin Non Hold Open 100kg weight capacity with max 1100mm gate width Base material: 12mm clearance under gate Cast Steel Body 304 Stainless Steel Painted Box 316 Stainless Steel Cover










customer.service@mfgs.com.au www.mfgs.com.au




# INTENTIONALLY

LEFT

BLANK



customer.service@mfgs.com.au www.mfgs.com.au



Black D & D Magna latch

Also available with lockable black Magna Latch or Stainless Steel Vizage Latch

customer.service@mfgs.com.au



Base material: Moulded Polymer Latch



# 316 Stainless Steel FRAMELESS GLASS POOL GATE HARDWARE PGC90 Ø10 Product Image Glass Preparation **DETAILS FINISHES** Slimline 90° Glass to Glass L Black Latch To suit 10/12mm Glass Thic Polished SS Clamp mounted keeper Satin SS Black D & D Magna latch Also available with lockable black Magna Latch or Stainless Steel Vizage Latch Base material: Moulded Polymer Latch 316 Stainless Steel



customer.service@mfgs.com.au www.mfgs.com.au

# FRAMELESS GLASS POOL GATE HARDWARE **PG135** GATE Product Image Glass Preparation **DETAILS FINISHES** Slimline 135°Glass to Glass L Black Latch To suit 10mm or 12mm Glas Polished SS Clamp mounted keeper Satin SS Black D & D Magna latch Also available with lockable black Magna Latch or Stainless Steel Vizage Latch Base material: Moulded Polymer Latch 316 Stainless Steel FRAMELESS GLASS POOL GATE HARDWARE PGC90-IN Product Image Glass Preparation **DETAILS FINISHES** Slimline 90° Inswing Glass to G Black Latch To suit 10mm or 12mm Glass Polished SS Clamp mounted keeper Satin SS Black D & D Magna latch Also available with lockable black Magna Latch or Stainless Steel Vizage Latch Base material: Moulded Polymer Latch 316 Stainless Steel



MODERN FRAMELESS
GLASS SYSTEMS





customer.service@mfgs.com.au www.mfgs.com.au



# INTENTIONALLY

LEFT

BLANK

## PRODUCT SURFACE CLEANING GUIDE

## Chrome and Gold Plated

These surfaces should always be cleaned with plain soapy water, followed by a clean water rinse and wiped only with a clean 100% cotton dry towel.

Never use abrasive cleaners on soft surfaces, as scratching will result. Also, never use paper towels, paper-based wipes, cellulose or plastic sponges or fake chamois cloths, as these are also highly abrasive.

## Anodised

Regulary wash down anodised aluminium with warm water containing a suitable wetting agent or with a mild soap solution. Hand rubbing is often used for small work, however, for larger projects utensils such as fibre brushes may be more practical. More difficult grime deposits may require the use of a mild abrasive, such as pumice powder and water. Where greasy deposits are concerned, cleaning may require a soft cloth dipped in white spirits. It is necessary to thoroughly rinse with water after cleaning, especially where crevices are present, to ensure removal of all residues.

Do not use emery paper, sand paper, steel wool or any other highly abrasive materials to remove grime. Acid or alkaline cleaners are not recommended as they can damage the anodised coating. Emulsion cleaners or proprietary chemical agents may also attack the anodised coating. Therefore, they should never be used except in consultation with companies specialising in the cleaning of anodised aluminium.

The frequency with which cleaning should be carried out will range from monthly to six monthly according to application and the environment that the surface is exposed to.

## Polished Brass

Never use abrasives like sand paper, steel, wool or wire wheels. Scratches in brass require a great deal of abrasive work to remove and blend. Caustic substances like salts and acids will etch the surface of brass resulting in pit marks that can't be polished away by hand. Once etched, the only way to repair the surface is to level the pitted area. This typically requires powerful machinery and involves the removal of a fair amount of brass. Warm water with a mild detergent and a tooth brush are good for removing encrusted polish that has been left for a long period of time. When employing a tool to remove foreign debris such as wax, the best material to use is wood or plastic. Never use an object harder than the brass itself to remove old lacquer, paint, wax, etc; and never use a tool on lacquered surfaces.



## PRODUCT SURFACE CLEANING GUIDE

## Stainless Steel

All grades of stainless steel can stain and discolour as a result of long term surface deposits and can never be accepted as completely maintenance free. In order to achieve maximum corrosion resistance, the surface of the stainless steel must be kept clean. Surface contamination and the formation of deposits must be prevented. These deposits may be minute particles of iron or rust from other sources used on the building of the new premises and not removed until after the stainless steel items have been fixed. Industrial and even naturally occurring atmospheric conditions can produce deposits which can be equally as corrosive, e.g. salt deposits from marine conditions. Strong acid solutions are sometimes used to clean masonry and tiling of buildings but these should never be permitted to come in contact with metals, including stainless steel.

- 1. Wash down the surface regularly using water containing soap or mild detergents.
- 2. Always rinse the surface with fresh water after cleaning.
- 3. Polishing the surface with a soft dry cloth can complete a thorough cleaning operation.
- 4. When wiping or polishing stainless steel, always follow the direction of the 'brush' finish.

## Powder Coated

It is important that maintenance is done on a regular basis. Dirt, grime and airborne salt deposits from the atmosphere are often capable of causing damage to the coating surface and must be regularly removed. It is recommended that cleaning be done routinely at a three monthly interval, six months should be considered the maximum interval. Particular attention should be paid to the cleaning interval in marine or other corrosive environments and areas prone to atmospheric fallout. In the cleaning process, the following should be noted:

- a) Cleaning should be done with a diluted solution of a mild detergent in warm water. Avoid excessively hot solutions.
- b) Use a soft bristle brush or similar to clean the surface. Don't use abrasive tools on the coating.
- c) After cleaning, rinse the film thoroughly with fresh water.
- d) Do not use strong solvent type cleaners on the coating. Where it is necessary to remove materials from the surface such as adhesives and a solvent is necessary, the weakest possible solvent should be used. The only solvents recommended are methylated spirits, white spirits or Isopropanol.

## PRODUCT SURFACE CLEANING GUIDE

## Powder Coated cont...

Ensure that the contact time for the solvent is minimal, and that the solvent is thoroughly rinsed from the surface. A small test area should be checked prior to solvent cleaning to ensure that no damage to the film or the colour will occur.

- e) Where more aggressive cleaning is required, a mild abrasive such as a high quality automotive cream polish, used in accordance with the manufacturers instructions, may be necessary. The use of a strong abrasive (cutting) compound is not recommended.
- f) The use of bore water for cleaning is not recommended due to its mineral content, as it can bring about staining of the coating and may instigate long term coating failure.

# INTENTIONALLY

LEFT

BLANK